

Supplementary Table 8 Interobserver variability of segmental WSS analysis of the *peak systolic cardiac phase+2* from the scan exams

	WSSmax (mPa)						WSSmean (mPa)					
	Bland-Altman		COV (%)	Correlation*		ICC	Bland-Altman		COV (%)	Correlation*		ICC
	Mean difference (mPa)	Limits of agreement ($\pm 2\sigma$) (mPa)		<i>r</i>	<i>P</i>		Mean difference (mPa)	Limits of agreement ($\pm 2\sigma$) (mPa)		<i>r</i>	<i>P</i>	
Proximal AAO	-99.3	407.6	13	0.81	0.005	0.91	-29.2	120.3	7	0.89	<0.001	0.93
Distal AAO	-22.3	125.5	4	0.98	<0.001	0.98	7.3	45.9	3	1.0	<0.001	0.99
Aortic arch	42.6	153.1	5	0.94	<0.001	0.96	9.2	44.8	3	0.98	<0.001	0.98
Proximal DAAo	-75.0	192.9	5	0.84	0.002	0.97	-30.6	125.6	6	0.92	<0.001	0.93
Distal DAAo	-164.0	494.3	11	0.77	0.009	0.88	-36.6	84.3	3	0.95	<0.001	0.98

*Spearman correlation coefficient

AAo ascending aorta, DAAo descending aorta, COV coefficient of variation, ICC intraclass correlation coefficient

Title: Scan-rescan reproducibility of segmental aortic wall shear stress as assessed by phase-specific segmentation with 4D flow MRI in healthy volunteers

Journal: Magnetic Resonance Materials in Physics, Biology and Medicine

Authors Roel LF van der Palen, Arno AW Roest, Pieter J van den Boogaard, Albert de Roos, Nico A Blom, Jos JM Westenberg

Corresponding author: Roel LF van der Palen; Division of Pediatric Cardiology, department of Pediatrics, Leiden University Medical Center, Leiden, the Netherlands. Albinusdreef 2, 2333 ZA, Leiden, the Netherlands. E-mail: r.vanderpalen@lumc.nl