

Figure S1




Figure S2




Figure S3







Figure S4

A



B



CWR-22RV1

Figure S5

Microarray of Human Tissue




Figure S6




Figure S8

AR binding sites at BMX gene (intron 1):

Chx: 15,430,351 ; 15,431,227

```
ctcctaaggaagttgccagagagagtgccctaagcagaggagaggagcagaagaagaggttactgaaaagaagaaagacttagaaaa
gctctatggggcactgaagattaactcacacctaagcaaaacttagctcaaaaagactagcattaagattcttccttttgagaaaaatgatctc
ccaagatgctgggttttatacacttatttggatacaattaaggatgatgctccaagatctgagaattgactgtcaatgttaaaagattctgccaatcatg
ccaagatcaacttaactttcccctcctgcataacatcatgtgaataaggatctgcaggttctgtgaagccagatattgtccttggccagatcctaagac
ttttgaaccactttactgatcctcagcaaacctttgttctgtttaaaccacatcacatttgcagtatttagcacgaagataagcgggcctggcatttg
gacaaatattgaagatcaagttgtcacagggccctccagttccctccagatcccacccactggagcgtcttcccttcttccaccctctgctcta
ctgcccctccaccacatgtatttttaacatcttgacacctcaaaaacttttagctatgcatgtaaaagtaagagaggataactaaaccaagtaag
ggtaaggaattgctatcttactcgaattttaaagataaaactttaaagacaccacctgagccagtcaggaatacacttctctgttgagg
```

AR binding sites at BMX gene (intron 4,5):

Chx: 15,443,805 ; 15,444,611

```
ccctccccctctgccacaagaaaacaccatggttgaaccactcacttttccagatatctctaaaactcaacatcaagctgatctgtatgatt
tactagttatttttctcaaaaatgatgttaattgtgttctcaacatactcatggttagactttctttttcttttggcttataactgttgagtgaaagacctata
tccctcgggaaccattgtcttacctgggttgctggcacaatgggggttttattgttctgtgataacagcacctactgaatgtttctccttggatcaagtttgc
acgtctgttttctctgtctgctcctcagagataaggggtaacccacactgctggtcaagtaccatagtggttctctgtggacgggaagtctgtgttc
cagcagagctgtaaacagagcccaggatgacctctgggaagcatgtaattgtgttctctgttggactggacgtgggtggatgctccattagg
ctaaacctgccagagggcagaagagcttgcagaaaaacaagatgtccagattggtgcatcatgaaattcagcccttcagatgctatgtgacaaa
tgaatctcattcagggtcaattgagtcatggcattaagataatacaataataacatctgaccttttcttctatgagaacattttaaattgaaatca
ttaatcaagcaatgagctgttttctccataatttttctg
```


Figure S9

