

Supplementary Materials

Table S1: Parameters

Parameters used in our model.

Table S2: Key calibration targets and calibration values achieved

Calibration targets used in our model.

Figure S1: Total population size

This figure shows the total population size over the simulated period. Bars indicate target calibration range.

Figure S2: Sensitivity analysis of TB incidence to TB transmission rate

This figure shows sensitivity of active TB disease incidence to the rate at which TB infection is transmitted.

Figure S3: Sensitivity analysis of TB incidence to recovery rate on IPT

This figure shows sensitivity of TB incidence to the rate at which individuals with latent TB placed on IPT are cured of TB infection and return to the susceptible state.

Figure S4: Sensitivity analysis of TB incidence to TB activation rate in HIV-positive individuals

This figure shows sensitivity of TB incidence to the rate at which HIV-positive individuals with latent TB progress to active TB disease.

Figure S5: Sensitivity analysis to the rate at which individuals who have recovered from TB cease IPT treatment

This figure shows sensitivity of TB incidence to the rate at which individuals on IPT who have been cured of latent TB infection and returned to susceptible status stop IPT treatment.

Figure S6: Effects of IPT on TB disease indicators

Plots of the effects of IPT on TB and HIV indicators. Bars indicate calibration target ranges. The baseline IPT case is shown in green, 50% IPT coverage in the blue intervention line, and 90% IPT coverage in the purple intervention line.

Figure S7: Sensitivity analysis to the rate of HIV infection

This figure shows sensitivity of TB incidence to the rate of HIV infection.

Figure S8: Sensitivity analysis to birthrate

This figure shows sensitivity analysis to the total birth rate.

Figure S9: Effects to expanding IPT to adults

This figure describes the effects of expanding IPT coverage to the broader adult population. Bars indicate calibration target ranges. The baseline IPT case is shown in green, 50% IPT coverage in blue, and 90% IPT coverage in purple.

Figure S10: Effects of general adolescent IPT on TB incidence in HIV-positive population

This figure shows the impact of adolescent IPT on TB incidence in the HIV-positive population.

Figure S11: Effects of general adolescent IPT on TB incidence in HIV-positive adult population

This figure shows the impact of adolescent IPT on TB incidence in the adult HIV-positive population.

Figure S12: Conditions under which TB incidence could increase as a result of expanded IPT

This figure shows a parameter set in which it could be possible for IPT to increase TB incidence.

Table S3: Summary of one-way sensitivities of TB incidence in 2032

These tables summarize the numerical values of TB incidence in year 2032 of the model under key sensitivity analyses.

Figure S13: Impact of IPT access by demographic group

This figure compares the impact on general population TB incidence of IPT access in A) adolescents only, B) adults only, C) both adolescents and adults.

Figure S14: Multiple-way sensitivity analyses

This figure shows multi-way sensitivity analyses between key variables.

Figure S15: Effects of IPT in adolescents on various demographic groups

This figure shows the impact of IPT access in adolescents on TB incidence in A) adolescents, and B) adults

Equations

The equations of the model are included here.

Table S1: Parameters

TB Parameters¹

Parameter	Description	Calibrated Value	Source
Transmission Rate	Rate of TB transmission	0.0000004	Sensitivity Analysis
Latency Rate Upon Infection in HIV-	Rate at which HIV- individuals infected with TB remain latently, rather than actively, infected	0.9	Abu-Raddad et al. 2009 ^{1*}
Latency Rate Upon Infection in HIV+	Rate at which HIV+ individuals infected with TB remain latently, rather than actively, infected	0.5	Lawn et al. 2009 ²
Latency Rate Upon Infection in HIV+ on ART	Rate at which HIV+ individuals on ART infected with TB remain latently, rather than actively, infected	0.9	Abu-Raddad et al. 2009 ^{1*}
TB Activation Rate in HIV-	Rate at which HIV- individuals experience latent TB activation	0.005	Horsburgh et al. 2004 ³
TB Activation Rate in HIV+	Rate at which HIV+ individuals experience latent TB activation	0.09	Sensitivity Analysis
TB Activation Rate in ART	Rate at which HIV+ individuals on ART experience latent TB activation	0.005	Horsburgh et al. 2004 ³
TB Treatment Rate	Rate at which TB is treated with combination therapy	0.9	WHO 2013 ⁴
Recovery Rate for Combination Therapy	Rate at which individuals with TB recover when treated with combination therapy	0.9	WHO 2013 ⁴ , Bacaer et al. 2008 ^{5*}
Return to Latency After Combination Therapy	Rate at which individuals receiving combination therapy for active TB return to latency	0.08	Suen et al. 2014 ^{6*}
Recovery Rate for IPT	Rate at which individuals recover on IPT	0.47	Zelner et al. 2014 ⁷
TB Activation Rate on IPT for HIV-	Rate at which HIV- individuals latently infected with TB experience TB activation	0.0001	Houben et al. 2014 ^{8*}

¹ With regard to the units of the TB and HIV parameters, each of these parameters is reported as the fraction of the population within a given compartment flowing out of that compartment into another specified by the model diagram per unit time

*Parameter taken as either an input or an output from a modeling publication

TB Activation Rate on IPT for HIV+	Rate at which HIV+ individuals latently infected with TB experience TB activation	0.0001	Houben et al. 2014 ^{8*} , Selwyn et al. 1992 ⁹ , Lin et al. 2010 ¹⁰
Non-Cure on Combination Therapy	Rate at which individuals who have received combination therapy are not cured	0.02	Suen et al. 2014 ^{6*}
Natural Cure Rate	Rate at which individuals with active TB experience spontaneous resolution to latent TB	0.1	Tiemersma et al. 2011 ¹¹
Incorrect Diagnosis Rate in HIV-	Rate at which HIV- individuals who are actively infected with TB are incorrectly diagnosed as latently infected	0.00001	Boehme et al. 2011 ¹²
Incorrect Diagnosis Rate in HIV+	Rate at which HIV+ individuals not on ART who are actively infected with TB are incorrectly diagnosed as latently infected	0.0001	Boehme et al. 2011 ¹²
Incorrect Diagnosis Rate in HIV+ on ART	Rate at which HIV+ individuals on ART who are actively infected with TB are incorrectly diagnosed as latently infected	0.00001	Boehme et al. 2011 ¹²
Correct Move from IPT to Combination Therapy	Rate at which individuals who had incorrectly been placed on combination therapy are redirected to IPT	0.9	Boehme et al. 2011 ¹²
Re-infection adjustment	Factor to adjust for the possibility of re-infection with TB following treatment and cure	0.21	Andrews et al. 2012 ^{13*}
IPT Access Rate	Rate at which individuals latently infected with TB are placed on IPT	0.05/0.5/0.9	Sensitivity Analysis
Default rate on IPT	Rate at which individuals on IPT default	0	Sensitivity Analysis
Rate of ceasing IPT	Rate at which individuals on IPT stop treatment	0	Sensitivity Analysis

HIV Parameters²

Parameter	Description	Value	Source
HIV Infection in Adolescents	Rate at which adolescents are infected with HIV	0.0000000039	Auvert et al. 2005 ¹⁴
HIV Infection in Adults	Rate at which adults are infected with HIV	0.0000000039	Calibration
Progression of CD4 Count	Rate at which individuals infected with HIV progress to ART eligibility (experience CD4 count decline)	0.13	Mellors et al. 1997 ¹⁵
Access to ART	Rate at which eligible HIV+ individuals are placed on ART	0.02/ 0.1	Calibration
Recovery of CD4 Count on ART	Rate at which HIV+ individuals on ART experience CD4 count recovery	0.01	Calibration

Demographic Parameters³

Parameter	Description	Value
Child Natural Mortality	Mortality rate among children not infected with TB or HIV	0.001
Adolescent Natural Mortality	Mortality rate among adolescents not infected with TB or HIV	0.009
Adult Natural Mortality	Mortality rate among adults not infected with TB or HIV	0.02
HIV+ Pre-ART Adolescent Mortality	Mortality rate among adolescents who are HIV+ and not yet eligible for ART	0.02
HIV+ Pre-ART Adult Mortality	Mortality rate among adults who are HIV+ and not yet eligible for ART	0.03
HIV+ ART-Eligible Adolescent Mortality	Mortality rate among adolescents who are HIV+ and eligible for ART	0.05
HIV+ ART-Eligible Adult Mortality	Mortality rate among adults who are HIV+ and eligible for ART	0.05
HIV+ on ART Low CD4 Count Adolescent Mortality	Mortality rate among adolescents who are HIV+ and on ART with low CD4 count	0.09

² With regard to the units of the TB and HIV parameters, each parameter is reported as the fraction of the population within a given compartment flowing out of that compartment into another specified by the model diagram per unit time

³ All demographic parameters were generated via calibration to the population structure

HIV+ on ART Low CD4 Count Adult Mortality	Mortality rate among adults who are HIV+ and on ART with low CD4 count	0.02
HIV+ on ART High CD4 Count Adolescent Mortality	Mortality rate among adolescents who are HIV+ and on ART with high CD4 count	0.09
HIV+ on ART High CD4 Count Adult Mortality	Mortality rate among adults who are HIV+ and on ART with high CD4 count	0.02
TB Adolescent Mortality	Mortality rate among adolescents who are infected with TB, and are HIV-	0.058
TB Adult Mortality	Mortality rate among adults who are infected with TB, and are HIV-	0.068
TB & HIV+ Pre-ART Adolescent Mortality	Mortality rate among adolescents who are infected with TB, and are HIV+, not yet eligible for ART	0.12
TB & HIV+ Pre-ART Adult Mortality	Mortality rate among adults who are infected with TB, and are HIV+, not yet eligible for ART	0.23
TB & HIV+ ART-Eligible Adolescent Mortality	Mortality rate among adolescents who are infected with TB, and are HIV+, and eligible for ART	0.17
TB & HIV+ ART-Eligible Adult Mortality	Mortality rate among adults who are infected with TB, and are HIV+, and eligible for ART	0.3
TB & HIV+ Low CD4 Count Adolescent Mortality	Mortality rate among adolescents who are infected with TB, and are HIV+, on ART with low CD4 count	0.07
TB & HIV+ Low CD4 Count Adult Mortality	Mortality rate among adults who are infected with TB, and are HIV+, on ART with low CD4 count	0.1
TB & HIV+ High CD4 Count Adolescent Mortality	Mortality rate among adolescents who are infected with TB, and are HIV+, on ART with high CD4 count	0.062
TB & HIV+ High CD4 Count Adult Mortality	Mortality rate among adults who are infected with TB, and are HIV+, on ART with high CD4 count	0.072
Births	Birth rate	0.03
Aging Rate from Children to Adolescents	Rate at which children age into the adolescent group	0.0769
Aging Rate from Adolescents to Adults	Rate at which adolescents age into the adult group	0.2

*Parameter is reported as an input or output from a modeling publication

Note: All parameters subject to adjustment for calibration

Table S2: Key calibration targets and calibration values achieved

Calibration Indicator	Target Value	Calibration Value Achieved	Source
Incidence	1117	1113.13	Global TB Report
Mortality	220	268.33	Global TB Report
HIV Prevalence in Adult Population	15	14.99	South African National HIV Incidence, Prevalence and Behavior Survey
ART Coverage among HIV+	31	30.91	South African National HIV Incidence, Prevalence and Behavior Survey
HIV-Positivity in TB Deaths	74	40.82	Global TB Report

Table S3: Summary of one-way sensitivities of TB incidence in 2032

Sensitivity Analysis of TB Incidence to TB Transmission Rate	Transmission rate	0.0000001	0.0000002	0.0000003	0.0000005	0.0000006
	TB Incidence	1221	956	820	847	894
Sensitivity Analysis of TB Incidence to TB Transmission Rate	Transmission rate	0.0000007	0.0000008	0.0000009	0.000001	0.0000015
	TB Incidence	948	1008	1074	1148	1640

Sensitivity Analysis of TB Incidence to Recovery Rate on IPT	Recovery rate	0.1	0.3	0.6	0.9
	TB Incidence	1036.1274	838.5098	807.5356	799.5961

Sensitivity Analysis of TB Incidence to TB Activation Rate in HIV-positive individuals	TB Activation rate in HIV-positive individuals	0.005	0.05	0.2	0.5	0.9
	TB Incidence	726.4634	793.7456	822.9659	812.6559	808.0295

Sensitivity analysis to the rate at which individuals who have recovered from TB cease IPT treatment	Rate of ceasing IPT	0.05	0.1	0.15
	TB Incidence	1191.5818	1462.8285	1679.0699

Sensitivity analysis to the rate of HIV infection	<i>HIV Infection rate</i>	1E-10	1E-9	2E-9	3E-9	4E-9	5E-9	5.5E-09
	<i>TB Incidence</i>	707	699	694	724	829	1002	1090

Sensitivity analysis to birthrate	<i>Birth rate</i>	0.001	0.01	0.02	0.04
	<i>TB Incidence</i>	207.5082	338.2676	509.442	1559.0206

Effects to Expanding IPT to adults	<i>TB Incidence</i>	815.0284
---	----------------------------	----------

Figure S1: Total population size






Figure S2: Sensitivity analysis of TB incidence to TB transmission rate


Transmission Rate of 0.0000001




Transmission Rate of 0.0000002




Transmission Rate of 0.0000003




Transmission Rate of 0.0000005




Transmission Rate of 0.0000006




Transmission Rate of 0.0000007




Transmission Rate of 0.0000008



Transmission Rate of 0.0000009



Transmission Rate of 0.000001



Transmission Rate of 0.0000015







Figure S3: Sensitivity analysis of TB incidence to recovery rate on IPT



IPT Recovery Rate of 0.3



IPT Recovery Rate: 0.6



IPT Recovery of 0.9






Figure S4: Sensitivity analysis of TB incidence to TB activation rate in HIV-positive individuals


TB Activation in HIV+ of 0.005




TB Activation in HIV+ of 0.05



TB Activation in HIV+ of 0.2



TB Activation in HIV+ of 0.5



TB Activation in HIV+ of 0.9






Figure S5: Sensitivity analysis of the rate at individuals who have recovered from TB cease IPT treatment

IPT Discontinuation Rate of 0.05



IPT Discontinuation Rate of 0.1



IPT Discontinuation Rate of 0.15







Figure S6: Effects of IPT on TB disease indicators




TB Incidence in Adults




TB Prevalence in Adolescents




TB Prevalence in Adults




TB Mortality in Adolescents




TB Mortality in Adults



HIV Prevalence



Proportion of HIV-Positive Individuals on ART



Proportion of TB Mortality in HIV-Positive Individuals







Figure S7: Sensitivity analysis to the rate of HIV infection




HIV Incidence of 0.000000001




HIV Incidence of 0.000000002




HIV Incidence of 0.000000003



HIV Incidence of 0.000000004



HIV Incidence of 0.000000005



HIV Incidence of 0.0000000055






Figure S8: Sensitivity analysis to birthrate


Birthrate of 0.001



Birthrate of 0.01



Birthrate of 0.02



Birthrate of 0.04




Figure S9: Effects of expanding IPT to adults

TB Incidence as a Result of Adolescent and Adult IPT




Figure S10: Effects of general adolescent IPT on TB incidence in HIV-positive population




Figure S11: Effects of general adolescent IPT on TB incidence in HIV-positive adult population




Figure S12: Conditions under which TB incidence could increase as a result of expanded IPT






Figure S13: Impact of IPT access by demographic group

This figure compares the impact on general population TB incidence of IPT access in A) adolescents only, B) adults only, C) both adolescents and adults

A) Population level TB incidence in response to IPT access in adolescents only



B) Population level TB incidence in response to IPT access in adults only



C) Population level TB incidence in response to IPT access in both adolescents and adults





Figure S14: Multiple-way sensitivity analyses

This figure shows two multi-way sensitivity analyses between key variables, A) TB activation in HIV-positive individuals versus rate of stopping IPT, and B) TB transmission rate versus stopping IPT

A) TB activation in HIV-positive individuals versus rate of stopping IPT




B) TB transmission rate versus stopping IPT

Rate of Stopping IPT

TB Transmission Rate

0.05 0.1 0.15








Figure S15: Effects of IPT in adolescents on various demographic groups

This figure shows the impact of IPT access in adolescents on TB incidence in A) adolescents, and B) adults

A) Impact of IPT access in adolescents on TB incidence in adolescents



B) Impact of IPT access in adolescents on TB incidence in adults



Equations

Children

$$\begin{aligned}
dS_C = & v^*(S_C + I_C + S_{AdoHIVn} + S_{AdoPreART} + S_{AdoARTelig} + S_{AdoOnARTCD4low} + S_{AdoOnARTCD4high} + \\
& L_{nottreatedAdoHIVn} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{nottreatedAdoOnARTCD4low} + \\
& L_{nottreatedAdoOnARTCD4high} + L_{IPTAdoHIVn} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + L_{IPTAdoOnARTCD4low} + \\
& L_{IPTAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{CTAdoHIVn} + I_{CTAdoPreART} + I_{CTAdoARTelig} + \\
& I_{CTAdoOnARTCD4low} + I_{CTAdoOnARTCD4high} + S_{AdlHIVn} + S_{AdlPreART} + S_{AdlARTelig} + S_{AdlOnARTCD4low} + \\
& S_{AdlOnARTCD4high} + L_{nottreatedAdlHIVn} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + L_{nottreatedAdlOnARTCD4low} + \\
& + L_{nottreatedAdlOnARTCD4high} + L_{IPTAdlHIVn} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + L_{IPTAdlOnARTCD4low} + \\
& L_{IPTAdlOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + \\
& + I_{nottreatedAdlOnARTCD4high} + I_{CTAdlHIVn} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{CTAdlOnARTCD4low} + \\
& I_{CTAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + \\
& + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + \\
& I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + \\
& I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high} + R_{AdoHIVn} + R_{AdoPreART} + R_{AdoARTelig} + \\
& R_{AdoOnARTCD4low} + R_{AdoOnARTCD4high} + R_{AdlHIVn} + R_{AdlPreART} + R_{AdlARTelig} + R_{AdlOnARTCD4low} + \\
& R_{AdlOnARTCD4high}) - \beta_{TBchi} * \\
& (S_C * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTC} \\
& D4high + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD} \\
& 4high + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + \\
& + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + \\
& I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + \\
& I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high})) - \delta * S_C - \mu_{chi} * S_C
\end{aligned}$$

$$\begin{aligned}
dI_C = & \beta_{TBchi} * (S_C * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + \\
& + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + \\
& I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + \\
& I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + \\
& I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + \\
& + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + \\
& I_{IPTAdlOnARTCD4high})) - \delta * I_C - \mu_{ChiInf} * I_C
\end{aligned}$$

Adolescents

$$\begin{aligned}
dS_{AdoHIVn} = & v^* S_{Child} - S_{AdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \\
& \beta_{TBAdo} * S_{AdoHIVn} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high})) + \gamma_{CT} * I_{CTAdoHIVn} + \kappa_{IPT} * R_{AdoHIVn} - \\
& \mu_{ado} * S_{AdoHIVn} - \varepsilon * S_{AdoHIVn}
\end{aligned}$$

$$\begin{aligned}
dS_{AdoPreART} = & S_{AdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + \\
& + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + \\
& + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + \\
& + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + \\
& + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} \\
& + R_{AdoARTelig})) - \zeta_{HIV} * S_{AdoPreART} - \\
& \beta_{TBAdo} * S_{AdoPreART} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high})) + \gamma_{CT} * I_{CTAdoPreART} + \kappa_{IPT} * R_{AdoPreART} - \mu_{PreARTAdo} * S_{AdoPreART} - \varepsilon * S_{AdoPreART}
\end{aligned}$$

$$\begin{aligned}
dS_{AdoARTelig} = & \zeta_{HIV} * S_{AdoPreART} - \eta_{HIV} * S_{AdoARTelig} - \\
& \beta_{TBAdo} * S_{AdoARTelig} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high})) +
\end{aligned}$$

$$\gamma_{CT} * I_{CTAdoARTelig} + \kappa_{IPT} * R_{AdoARTelig} - \mu_{ARTeligAdo} * S_{AdoARTelig} - \epsilon * S_{AdoARTelig}$$

$$dS_{AdoOnARTCD4low} = \eta_{HIV} * S_{AdoARTelig} - \theta_{HIV} * S_{AdoOnARTCD4low} - \\ \beta_{TBAdo} * S_{AdoOnARTCD4low} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high})) + \\ \gamma_{CT} * I_{CTAdoOnARTCD4low} + \kappa_{IPT} * R_{AdoOnARTCD4low} - \mu_{ARTlowAdo} * S_{AdoOnARTCD4low} - \epsilon * S_{AdoOnARTCD4low}$$

$$dS_{AdoOnARTCD4high} = \theta_{HIV} * S_{AdoOnARTCD4low} - \\ \beta_{TBAdo} * S_{AdoOnARTCD4high} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high})) + \\ \gamma_{CT} * I_{CTAdoOnARTCD4high} + \kappa_{IPT} * R_{AdoOnARTCD4high} - \mu_{ARThighAdo} * S_{AdoOnARTCD4high} - \epsilon * S_{AdoOnARTCD4high}$$

$$dR_{AdoHIVn} = -R_{AdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + \gamma_{IPT} * L_{IPTAdoHIVn} - \kappa_{IPT} * R_{AdoHIVn} - \epsilon * R_{AdoHIVn} - \mu_{ado} * R_{AdoHIVn}$$

$$dR_{AdoPreART} = R_{AdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * R_{AdoPreART} + \gamma_{IPT} * L_{IPTAdoPreART} - \kappa_{IPT} * R_{AdoPreART} - \epsilon * R_{AdoPreART} - \mu_{PreARTAdo} * R_{AdoPreART}$$

$$dR_{AdoARTelig} = \zeta_{HIV} * R_{AdoPreART} - \eta_{HIV} * R_{AdoARTelig} + \gamma_{IPT} * L_{IPTAdoARTelig} - \kappa_{IPT} * R_{AdoARTelig} - \epsilon * R_{AdoARTelig} - \mu_{ARTeligAdo} * R_{AdoARTelig}$$

$$dR_{AdoOnARTCD4low} = \eta_{HIV} * R_{AdoARTelig} - \theta_{HIV} * R_{AdoOnARTCD4low} + \gamma_{IPT} * L_{IPTAdoOnARTCD4low} - \kappa_{IPT} * R_{AdoOnARTCD4low} - \epsilon * R_{AdoOnARTCD4low} - \mu_{ARTlowAdo} * R_{AdoOnARTCD4low}$$

$$dR_{AdoOnARTCD4high} = \theta_{HIV} * R_{AdoOnARTCD4low} + \gamma_{IPT} * L_{IPTAdoOnARTCD4high} - \kappa_{IPT} * R_{AdoOnARTCD4high} - \epsilon * R_{AdoOnARTCD4high} - \mu_{ARThighAdo} * R_{AdoOnARTCD4high}$$

$$dL_{nottreatedAdoHIVn} = \epsilon * I_{Child} - L_{nottreatedAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \xi_{AdoHIVn} * L_{nottreatedAdoHIVn} + \beta_{TBAdo} * \rho_{TBinfHIVn} * S_{AdoHIVn} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) - (a * (1 - \rho_{TBinfHIVn}) * \beta_{TBAdo} * L_{nottreatedAdoHIVn} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + (\tau_{AdoHIVn} * L_{nottreatedAdoHIVn})) + \psi * I_{CTAdoHIVn} - \mu_{Ado} * L_{nottreatedAdoHIVn} + \iota_{IPT} * L_{IPTAdoHIVn} - L_{nottreatedAdoHIVn} * \vartheta_{HIVn} - \epsilon * L_{nottreatedAdoHIVn} + \varphi * I_{nottreatedAdoHIVn}$$

$$dL_{nottreatedAdoPreART} = L_{nottreatedAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART})$$

$$\begin{aligned}
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * L_{nottreatedAdoPreART} + \\
& \beta_{TBA} * \rho_{TBInfHIVp} * S_{AdoPreART} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) - \\
& \xi_{AdoHIVp} * L_{nottreatedAdoPreART} - (a * (1 - \\
& \rho_{TBInfHIVp}) * \beta_{TBA} * L_{nottreatedAdoPreART} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + \\
& (\tau_{AdoHIVp} * L_{nottreatedAdoPreART}) + \psi * I_{CTAdoPreART} - \mu_{PreARTAdo} * L_{nottreatedAdoPreART} + \iota_{PT} * L_{IPTAdoPreART} - \\
& L_{nottreatedAdoPreART} * \vartheta_{HIVp} - \varepsilon * L_{nottreatedAdoPreART} + \varphi * I_{nottreatedAdoPreART}
\end{aligned}$$

$$\begin{aligned}
dL_{nottreatedAdoARTelig} &= \zeta_{HIV} * L_{nottreatedAdoPreART} - \eta_{HIV} * L_{nottreatedAdoARTelig} \\
& + \beta_{TBA} * \rho_{TBInfHIVp} * S_{AdoARTelig} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) - \\
& \xi_{AdoHIVp} * L_{nottreatedAdoARTelig} - (a * (1 - \\
& \rho_{TBInfHIVp}) * \beta_{TBA} * L_{nottreatedAdoARTelig} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + \\
& (\tau_{AdoHIVp} * L_{nottreatedAdoARTelig}) + \psi * I_{CTAdoARTelig} + \iota_{PT} * L_{IPTAdoARTelig} - L_{nottreatedAdoARTelig} * \vartheta_{HIVp} - \\
& \mu_{ARTeligAdo} * L_{nottreatedAdoARTelig} - \varepsilon * L_{nottreatedAdoARTelig}
\end{aligned}$$

$$\begin{aligned}
dL_{nottreatedAdoOnARTCD4low} &= \eta_{HIV} * L_{nottreatedAdoARTelig} - \theta_{HIV} * L_{nottreatedAdoOnARTCD4low} \\
& + \text{natcure} * I_{nottreatedAdoARTelig} + \beta_{TBA} * \\
& \rho_{TBInfHIVART} * S_{AdoOnARTCD4low} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) -
\end{aligned}$$

$$\begin{aligned}
& CD4low + I_{nottreatedAdoOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + \\
& I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) - \\
& \xi_{AdoHIVp} * L_{nottreatedAdoOnARTCD4low} - \\
& (a * \beta_{TBado} * \rho_{TBinfHIVART} * L_{nottreatedAdoOnARTCD4low} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} \\
& + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} \\
& + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + \\
& I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + \\
& I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} \\
& + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + \\
& I_{IPTAdlOnARTCD4high}) - (\tau_{ART} * L_{nottreatedAdoOnARTCD4low})) + \psi * I_{CTAdoOnARTCD4low} - \\
& \mu_{ARTlowAdo} * L_{nottreatedAdoOnARTCD4low} + \iota * L_{IPTAdoOnARTCD4low} - L_{nottreatedAdoOnARTCD4low} * \vartheta_{ART} - \\
& \varepsilon * L_{nottreatedAdoOnARTCD4low} + \phi * I_{nottreatedAdoOnARTCD4low}
\end{aligned}$$

$$\begin{aligned}
dL_{nottreatedAdoOnARTCD4high} = & \theta_{HIV} * L_{nottreatedAdoOnARTCD4low} + \\
& \beta_{TBado} * \rho_{TBinfHIVART} * S_{AdoOnARTCD4high} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} \\
& + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} \\
& + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} \\
& + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) - \\
& \xi_{AdoHIVp} * L_{nottreatedAdoOnARTCD4high} - \\
& (a * \beta_{TBado} * \rho_{TBinfHIVART} * L_{nottreatedAdoOnARTCD4high} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} \\
& + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} \\
& + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + \\
& I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + \\
& I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} \\
& + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + \\
& I_{IPTAdlOnARTCD4high}) + (\tau_{AdoHIVART} * L_{nottreatedAdoOnARTCD4high})) + \psi * I_{CTAdoOnARTCD4high} - \\
& \mu_{ARThighAdo} * L_{nottreatedAdoOnARTCD4high} + \iota_{IPT} * L_{IPTAdoOnARTCD4high} - L_{nottreatedAdoOnARTCD4high} * \vartheta_{ART} - \varepsilon \\
& * L_{nottreatedAdoOnARTCD4high} + \phi * I_{nottreatedAdoOnARTCD4high}
\end{aligned}$$

$$\begin{aligned}
dL_{IPTAdoHIVn} = & -L_{IPTAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART})
\end{aligned}$$

$$+ I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + \xi_{AdoHIVn} * L_{nottreatedAdoHIVn} - \gamma_{IPT} * L_{IPTAdoHIVn} - ((\lambda_{HIVn} * L_{IPTAdoHIVn}) - \iota_{IPT} * L_{IPTAdoHIVn} - \mu_{Ado} * L_{IPTAdoHIVn} - \varepsilon * L_{IPTAdoHIVn}$$

$$\begin{aligned} dL_{IPTAdoPreART} = & L_{IPTAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\ & L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\ & I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\ & L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\ & I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\ & + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * L_{IPTAdoPreART} + \xi_{AdoHIVp} * L_{nottreatedAdoPreART} - \\ & \gamma_{IPT} * L_{IPTAdoPreART} - ((\lambda_{HIVp} * L_{IPTAdoPreART})) - \iota_{IPT} * L_{IPTAdoPreART} - \mu_{PreARTAdo} * L_{IPTAdoPreART} - \\ & \varepsilon * L_{IPTAdoPreART} \end{aligned}$$

$$\begin{aligned} dL_{IPTAdoARTelig} = & \zeta_{HIV} * L_{IPTAdoPreART} - \eta_{HIV} * L_{IPTAdoARTelig} + \xi_{AdoHIVp} * L_{nottreatedAdoARTelig} - \\ & \gamma_{IPT} * L_{IPTAdoARTelig} - ((\lambda_{HIVp} * L_{IPTAdoARTelig})) - \iota_{IPT} * L_{IPTAdoARTelig} - \mu_{ARTeligAdo} * L_{IPTAdoARTelig} - \varepsilon \\ & * L_{IPTAdoARTelig} \end{aligned}$$

$$\begin{aligned} dL_{IPTAdoOnARTCD4low} = & \eta_{HIV} * L_{IPTAdoARTelig} - \theta_{HIV} * L_{nottreatedAdoOnARTCD4low} + \\ & \xi_{AdoHIVp} * L_{nottreatedAdoOnARTCD4low} - \gamma_{IPT} * L_{IPTAdoOnARTCD4low} - ((\lambda_{HIVp} * L_{IPTAdoOnARTCD4low})) - \\ & \iota_{IPT} * L_{IPTAdoOnARTCD4low} - \mu_{ARTlowAdo} * L_{IPTAdoOnARTCD4low} - \varepsilon * L_{IPTAdoOnARTCD4low} \end{aligned}$$

$$\begin{aligned} dL_{IPTAdoOnARTCD4high} = & \theta_{HIV} * L_{nottreatedAdoOnARTCD4low} + \xi_{AdoHIVp} * L_{nottreatedAdoOnARTCD4high} - \\ & \theta_{IPT} * L_{IPTAdoOnARTCD4high} - ((\lambda_{HIVp} * L_{IPTAdoOnARTCD4high})) - \iota_{IPT} * L_{IPTAdoOnARTCD4high} - \\ & \mu_{ARThighAdo} * L_{IPTAdoOnARTCD4high} - \varepsilon * L_{IPTAdoOnARTCD4high} \end{aligned}$$

$$\begin{aligned} dI_{nottreatedAdoHIVn} = & -I_{nottreatedAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\ & L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\ & I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\ & L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\ & I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\ & + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + \beta_{TBAdo} * (1 - \\ & \rho_{TBinfHIVn}) * S_{AdoHIVn} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\ & I_{IPTAdoOnARTCD4high}) \end{aligned}$$

$$\begin{aligned}
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + (a * (1 - \\
& \rho_{TBInfHIVp}) * \beta_{TBAdo} * L_{nottreatedAdoARTelig} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} \\
& + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} \\
& + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} \\
& + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + \\
& (\tau_{AdoHIVp} * L_{nottreatedAdoARTelig})) + \sigma * I_{CTAdoARTelig} - \chi_{Ado} * I_{nottreatedAdoARTelig} - \\
& \mu_{TBARTeligAdo} * I_{nottreatedAdoARTelig} - \varepsilon * I_{nottreatedAdoOnARTCD4low} - \varphi * I_{nottreatedAdoARTelig}
\end{aligned}$$

$$\begin{aligned}
dI_{nottreatedAdoOnARTCD4low} = & \eta_{HIV} * I_{nottreatedAdoARTelig} - \theta_{HIV} * I_{nottreatedAdoOnARTCD4low} + \beta_{TBAdo} * (1 - \\
& \rho_{TBInfHIVART}) * S_{AdoOnARTCD4low} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnA} \\
& RTCD4low + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnAR} \\
& TCD4low + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + \\
& I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + \\
& (a * \beta_{TBAdo} * \rho_{TBInfHIVART} * L_{nottreatedAdoOnARTCD4low} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTeli} \\
& g + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} \\
& + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + \\
& I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + \\
& I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + \\
& I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + \\
& I_{IPTAdlOnARTCD4high}) + (\tau_{AdoHIVART} * L_{nottreatedAdoOnARTCD4low})) - \chi_{Ado} * I_{nottreatedAdoOnARTCD4low} + \\
& \sigma * I_{CTAdoOnARTCD4low} - \mu_{TBARTlowAdo} * I_{nottreatedAdoOnARTCD4low} - \varepsilon * I_{nottreatedAdoOnARTCD4low} - \\
& \varphi * I_{nottreatedAdoOnARTCD4low}
\end{aligned}$$

$$\begin{aligned}
dI_{nottreatedAdoOnARTCD4high} = & \theta_{HIV} * I_{nottreatedAdoOnARTCD4low} + \beta_{TBAdo} * (1 - \\
& \rho_{TBInfHIVART}) * S_{AdoOnARTCD4high} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnA} \\
& RTCD4low + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnAR} \\
& TCD4low + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + \\
& I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + \\
& (a * \beta_{TBAdo} * \rho_{TBInfHIVART} * L_{nottreatedAdoOnARTCD4high} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTeli} \\
& g + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} \\
& + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} +
\end{aligned}$$

$$\begin{aligned}
& I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + \\
& I_{IPTAdoOnARTCD4low} + I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + \\
& + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + \\
& I_{IPTAdlOnARTCD4high}) + (\tau_{AdoHIVART} * L_{nottreatedAdoOnARTCD4high})) - \chi_{Ado} * I_{nottreatedAdoOnARTCD4high} + \sigma \\
& * I_{CTAdoOnARTCD4high} - \mu_{TBARTHIGHAdo} * I_{nottreatedAdoOnARTCD4high} - \varepsilon * I_{nottreatedAdoOnARTCD4high} - \\
& \varphi * I_{nottreatedAdoOnARTCD4high}
\end{aligned}$$

$$\begin{aligned}
dI_{CTAdoHIVn} = & -I_{CTAdoHIVn} * \beta_{HIVinfado} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + \chi_{Ado} * I_{nottreatedAdoHIVn} - \gamma_{CT} * I_{CTAdoHIVn} - \psi * I_{CTAdoHIVn} - \\
& \sigma * I_{CTAdoHIVn} + \phi * I_{IPTAdoHIVn} - \mu_{TBAdo} * I_{CTAdoHIVn} - \varepsilon * I_{CTAdoHIVn}
\end{aligned}$$

$$\begin{aligned}
dI_{CTAdoPreART} = & I_{CTAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * I_{CTAdoPreART} + \chi_{Ado} * I_{nottreatedAdoPreART} - \\
& \gamma_{CT} * I_{CTAdoPreART} - \sigma * I_{CTAdoPreART} - \psi * I_{CTAdoPreART} + \phi * I_{IPTAdoPreART} - \mu_{TBPreARTAdo} * I_{CTAdoPreART} - \\
& \varepsilon * I_{CTAdoPreART}
\end{aligned}$$

$$dI_{CTAdoARTelig} = \zeta_{HIV} * I_{CTAdoPreART} - \eta_{HIV} * I_{CTAdoARTelig} + \chi_{Ado} * I_{nottreatedAdoARTelig} - \gamma_{CT} * I_{CTAdoARTelig} - \\
\psi * I_{CTAdoARTelig} + \phi * I_{IPTAdoARTelig} - \mu_{TBARTeligAdo} * I_{CTAdoARTelig} - \varepsilon * I_{CTAdoARTelig}$$

$$\begin{aligned}
dI_{CTAdoOnARTCD4low} = & \eta_{HIV} * I_{CTAdoARTelig} - \theta_{HIV} * I_{CTAdoOnARTCD4low} + \chi_{Ado} * I_{nottreatedAdoOnARTCD4low} - \\
& \gamma_{CT} * I_{CTAdoOnARTCD4low} - \psi * I_{CTAdoOnARTCD4low} + \phi * I_{IPTAdoOnARTCD4low} - \sigma * I_{CTAdoARTelig} - \\
& \mu_{TBARTlowAdo} * I_{CTAdoOnARTCD4low} - \varepsilon * I_{CTAdoOnARTCD4low}
\end{aligned}$$

$$\begin{aligned}
dI_{CTAdoOnARTCD4high} = & \theta_{HIV} * I_{CTAdoOnARTCD4low} + \chi_{Ado} * I_{nottreatedAdoOnARTCD4high} - \\
& \gamma_{CT} * I_{CTAdoOnARTCD4high} - \psi * I_{CTAdoOnARTCD4high} + \phi * I_{IPTAdoOnARTCD4high} - \sigma * I_{CTAdoOnARTCD4high} - \\
& \mu_{TBARTHIGHAdo} * I_{CTAdoOnARTCD4high} - \varepsilon * I_{CTAdoOnARTCD4high}
\end{aligned}$$

$$\begin{aligned}
dI_{FNAdoHIVn} = & -I_{FNAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + L_{nottreatedAdoHIVn} * \vartheta_{HIVn} - I_{FNAdoHIVn} * \zeta_{Ado} - \varepsilon * I_{FNAdoHIVn} \\
& - \mu_{TBAdo} * I_{FNAdoHIVn}
\end{aligned}$$

$$\begin{aligned}
dI_{FNAdoPreART} = & I_{FNAdoHIVn} * \beta_{HIVinfado} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * I_{FNAdoPreART} + L_{nottreatedAdoPreART} * \vartheta_{HIVp} - \\
& I_{FNAdoPreART} * \zeta_{Ado} - \varepsilon * I_{FNAdoPreART} - \mu_{TBPreARTAdo} * I_{FNAdoPreART}
\end{aligned}$$

$$\begin{aligned}
dI_{FNAdoARTelig} = & L_{nottreatedAdoARTelig} * \vartheta_{HIVp} - I_{FNAdoARTelig} * \zeta_{Ado} + \zeta_{HIV} * I_{FNAdoPreART} - \theta_{HIV} * I_{FNAdoARTelig} \\
& - \varepsilon * I_{FNAdoARTelig} - \mu_{TBARTeligAdo} * I_{FNAdoARTelig}
\end{aligned}$$

$$\begin{aligned}
dI_{FNAdoOnARTCD4low} = & L_{nottreatedAdoOnARTCD4low} * \vartheta_{ART} - I_{FNAdoOnARTCD4low} * \zeta_{Ado} + \eta_{HIV} * I_{FNAdoARTelig} - \\
& \theta_{HIV} * I_{FNAdoOnARTCD4low} - \varepsilon * I_{FNAdoOnARTCD4low} - \mu_{TBARTlowAdo} * I_{FNAdoOnARTCD4low}
\end{aligned}$$

$$\begin{aligned}
dI_{FNAdoOnARTCD4high} = & L_{nottreatedAdoOnARTCD4high} * \vartheta_{ART} - I_{FNAdoOnARTCD4high} * \zeta_{Ado} + \\
& \theta_{HIV} * I_{FNAdoOnARTCD4low} - \varepsilon * I_{FNAdoOnARTCD4high} - \mu_{TBARThighAdo} * I_{FNAdoOnARTCD4high}
\end{aligned}$$

$$\begin{aligned}
dI_{IPTAdoHIVn} = & -I_{IPTAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + I_{FNAdoHIVn} * \zeta_{Ado} + ((\lambda_{HIVn} * L_{IPTAdoHIVn})) - \phi * I_{IPTAdoHIVn} \\
& - \varepsilon * I_{IPTAdoHIVn} - \mu_{TBAdo} * I_{IPTAdoHIVn}
\end{aligned}$$

$$\begin{aligned}
dI_{IPTAdoPreART} = & I_{IPTAdoHIVn} * \beta_{HIVInfAdo} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * I_{IPTAdoPreART} + I_{FNAdoPreART} * \zeta_{Ado} + \\
& ((\lambda_{HIVp} * L_{IPTAdoPreART})) - \phi * I_{IPTAdoPreART} - \epsilon * I_{IPTAdoPreART} - \mu_{TBPreARTAdo} * I_{IPTAdoPreART}
\end{aligned}$$

$$\begin{aligned}
dI_{IPTAdoARTelig} = & \zeta_{HIV} * I_{IPTAdoPreART} - \eta_{HIV} * I_{IPTAdoARTelig} + I_{FNAdoARTelig} * \zeta_{Ado} + \\
& ((\lambda_{HIVp} * L_{IPTAdoARTelig})) - \phi * I_{IPTAdoARTelig} - \epsilon * I_{IPTAdoARTelig} - \mu_{TBARTeligAdo} * I_{IPTAdoARTelig}
\end{aligned}$$

$$\begin{aligned}
dI_{IPTAdoOnARTCD4low} = & \eta_{HIV} * I_{IPTAdoARTelig} - \theta_{HIV} * I_{IPTAdoOnARTCD4low} + I_{FNAdoOnARTCD4low} * \zeta_{Ado} + \\
& ((\lambda_{HIVp} * L_{IPTAdoOnARTCD4low})) - \phi * I_{IPTAdoOnARTCD4low} - \epsilon * I_{IPTAdoOnARTCD4low} - \\
& \mu_{TBARTlowAdo} * I_{IPTAdoOnARTCD4low}
\end{aligned}$$

$$\begin{aligned}
dI_{IPTAdoOnARTCD4high} = & \theta_{HIV} * I_{IPTAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} * \zeta_{Ado} + \\
& ((\lambda_{HIVp} * L_{IPTAdoOnARTCD4high})) - \phi * I_{IPTAdoOnARTCD4high} - \epsilon * I_{IPTAdoOnARTCD4high} - \\
& \mu_{TBARThighAdo} * I_{IPTAdoOnARTCD4high}
\end{aligned}$$

Adults

$$\begin{aligned}
dS_{AdlHIVn} = & \epsilon * S_{AdoHIVn} - S_{AdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \\
& \beta_{TBAdl} * S_{AdlHIVn} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + I_{nottreatedAdoOnARTCD4high} + \\
& I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + \\
& I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + I_{FNAdoOnARTCD4high} + I_{FNAdlHIVn} + \\
& I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + \\
& I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high})) + \gamma_{CT} * I_{CTAdlHIVn} + \kappa_{IPT} * R_{AdlHIVn} - \\
& \mu_{hat} * S_{AdlHIVn}
\end{aligned}$$

$$\begin{aligned}
& I_{IPTAdlOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) - \\
& \xi_{Adl} * L_{nottreatedAdlOnARTCD4low} - (a * (1 - \rho_{TBinfHIVART})) * \beta \\
& TBAdl * L_{nottreatedAdlOnARTCD4low} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} \\
& + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} \\
& + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + \\
& I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + \\
& (\tau_{AdlHIVART} * L_{nottreatedAdlOnARTCD4low}) + \psi * I_{CTAdlARTelig} - \mu_{ARTlowAdl} * L_{nottreatedAdlOnARTCD4low} + \\
& \varphi * I_{nottreatedAdlOnARTCD4low} + \iota_{IPT} * L_{IPTAdlOnARTCD4low} - L_{nottreatedAdlOnARTCD4low} * \vartheta_{ART}
\end{aligned}$$

$$\begin{aligned}
dL_{nottreatedAdlOnARTCD4high} = & \varepsilon * L_{nottreatedAdoOnARTCD4high} + \theta_{HIV} * L_{nottreatedAdoOnARTCD4low} + \\
& \beta_{TBAdl} * \rho_{TBinfHIVART} * S_{AdlOnARTCD4high} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} \\
& + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} \\
& + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + \\
& I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + \\
& + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) - \\
& \xi_{Adl} * L_{nottreatedAdlOnARTCD4high} - (a * (1 - \\
& \rho_{TBinfHIVART})) * \beta_{TBAdl} * L_{nottreatedAdlOnARTCD4high} * (I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} \\
& + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} \\
& + I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdoOnARTCD4low} + \\
& I_{FNAdoOnARTCD4high} + I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdoOnARTCD4low} + \\
& I_{IPTAdoOnARTCD4high} + I_{FNAdlHIVn} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{FNAdlOnARTCD4low} + \\
& I_{FNAdlOnARTCD4high} + I_{IPTAdlHIVn} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + I_{IPTAdlOnARTCD4low} + \\
& I_{IPTAdlOnARTCD4high}) + (\tau_{AdlHIVART} * L_{nottreatedAdlOnARTCD4high}) + \psi * I_{CTAdlARTelig} - \\
& \mu_{ARThighAdl} * L_{nottreatedAdlOnARTCD4high} + \varphi * I_{nottreatedAdlOnARTCD4high} + \iota_{IPT} * L_{IPTAdlOnARTCD4high} - \\
& L_{nottreatedAdlOnARTCD4high} * \vartheta_{ART}
\end{aligned}$$

$$\begin{aligned}
dI_{IPTAdlHIVn} = & \varepsilon * L_{IPTAdoHIVn} - L_{IPTAdlHIVn} * \beta_{HIVinfadl} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + \\
& L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + \\
& I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + \\
& L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + \\
& I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} \\
& + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + \xi_{Adl} * L_{nottreatedAdlHIVn} - ((\lambda_{HIVn} * L_{IPTAdlHIVn})) - \\
& \gamma_{IPT} * L_{IPTAdlHIVn} - \mu_{nat} * L_{IPTAdlHIVn} - \iota_{IPT} * L_{IPTAdlHIVn}
\end{aligned}$$

$$\begin{aligned}
dL_{IPTAdlPreART} = & \varepsilon * L_{IPTAdoPreART} + L_{IPTAdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + \\
& L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + \\
& I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + \\
& L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} \\
& + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + \\
& I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * L_{IPTAdlPreART} + \\
& \xi_{Adl} * L_{nottreatedAdlPreART} - ((\lambda_{HIVp} * L_{IPTAdlPreART})) - \gamma_{IPT} * L_{IPTAdlPreART} - \mu_{PreARTAdl} * L_{IPTAdlPreART} - \\
& \iota_{IPT} * L_{IPTAdlPreART}
\end{aligned}$$

$$\begin{aligned}
dL_{IPTAdlARTelig} = & \varepsilon * L_{IPTAdoARTelig} + \zeta_{HIV} * L_{IPTAdlPreART} - \eta_{HIV} * L_{IPTAdlARTelig} + \xi_{Adl} * L_{nottreatedAdlARTelig} - \\
& ((\text{activIPTHIVp} * L_{IPTAdlARTelig})) - \gamma_{IPT} * L_{IPTAdlARTelig} - \mu_{ARTeligAdl} * L_{IPTAdlARTelig} - \iota_{IPT} * L_{IPTAdlARTelig}
\end{aligned}$$

$$\begin{aligned}
dL_{IPTAdlOnARTCD4low} = & \varepsilon * L_{IPTAdoOnARTCD4low} + \eta_{HIV} * L_{IPTAdlARTelig} - \theta_{HIV} * L_{IPTAdlOnARTCD4low} + \\
& \xi_{Adl} * L_{nottreatedAdlOnARTCD4low} - \lambda_{HIVp} * L_{IPTAdlOnARTCD4low} - \gamma_{IPT} * L_{IPTAdlOnARTCD4low} - \\
& \mu_{ARTlowAdl} * L_{IPTAdlOnARTCD4low} - \iota_{IPT} * L_{IPTAdlOnARTCD4low}
\end{aligned}$$

$$\begin{aligned}
dL_{IPTAdlOnARTCD4high} = & \varepsilon * L_{IPTAdoOnARTCD4high} + \theta_{HIV} * L_{nottreatedAdlOnARTCD4low} + \\
& \xi_{Adl} * L_{nottreatedAdlOnARTCD4high} - \lambda_{HIVp} * L_{IPTAdlOnARTCD4high} - \gamma_{IPT} * L_{IPTAdlOnARTCD4high} - \\
& \mu_{ARThighAdl} * L_{IPTAdlOnARTCD4high} - \iota_{IPT} * L_{IPTAdlOnARTCD4high} - \kappa_{IPT} * L_{IPTAdlOnARTCD4high}
\end{aligned}$$

$$\begin{aligned}
dI_{nottreatedAdlHIVn} = & \varepsilon * I_{nottreatedAdoHIVn} - I_{nottreatedAdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + \\
& L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + \\
& I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + \\
& L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} \\
& + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + \\
& I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + \beta_{TBAdl} * (1 - \\
& \rho_{TBinfHIVn}) * S_{AdlHIVn} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoOnARTCD4low} + \\
& I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOnARTCD4low} + I_{nottreatedAdlOnARTCD4high} + \\
& I_{nottreatedAdlOnARTCD4high} + I_{FNAdoHIVn} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{FNAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} + \\
& I_{IPTAdoHIVn} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{IPTAdlOnARTCD4low} + I_{IPTAdlOnARTCD4high}) + (a * (1 - \\
& \rho_{TBinfHIVn}) * \beta_{TBAdl} * L_{nottreatedAdlHIVn} * ((I_{nottreatedAdoHIVn} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{nottreatedAdoO} \\
& nARTCD4low + I_{nottreatedAdoOnARTCD4high} + I_{nottreatedAdlHIVn} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{nottreatedAdlOn}
\end{aligned}$$

$$\begin{aligned}
& \text{OnARTCD4low} + I_{\text{nottreatedAdlOnARTCD4high}} + I_{\text{FNAdoHIVn}} + I_{\text{FNAdoPreART}} + I_{\text{FNAdoARTelig}} + I_{\text{FNAdoOnARTCD4low}} + \\
& I_{\text{FNAdoOnARTCD4high}} + I_{\text{IPTAdoHIVn}} + I_{\text{IPTAdoPreART}} + I_{\text{IPTAdoARTelig}} + I_{\text{IPTAdoOnARTCD4low}} + \\
& I_{\text{IPTAdoOnARTCD4high}} + I_{\text{FNAdlHIVn}} + I_{\text{FNAdlPreART}} + I_{\text{FNAdlARTelig}} + I_{\text{FNAdlOnARTCD4low}} + I_{\text{FNAdlOnARTCD4high}} \\
& + I_{\text{IPTAdlHIVn}} + I_{\text{IPTAdlPreART}} + I_{\text{IPTAdlARTelig}} + I_{\text{IPTAdlOnARTCD4low}} + I_{\text{IPTAdlOnARTCD4high}}) + \\
& (\lambda_{\text{HIVp}} * L_{\text{nottreatedAdlARTelig}}) - \chi_{\text{Adl}} * I_{\text{nottreatedAdlARTelig}} + \sigma * I_{\text{CTAdlARTelig}} - \mu_{\text{TBARTeligAdl}} * I_{\text{nottreatedAdlARTelig}} - \\
& \phi * I_{\text{nottreatedAdlARTelig}}
\end{aligned}$$

$$\begin{aligned}
dI_{\text{nottreatedAdlOnARTCD4low}} = & \epsilon^* I_{\text{nottreatedAdoOnARTCD4low}} + \eta_{\text{HIV}}^* I_{\text{nottreatedAdlARTelig}} - \\
& \theta_{\text{HIV}}^* I_{\text{nottreatedAdlOnARTCD4low}} + \beta_{\text{TBadl}}^* (1 - \\
& \rho_{\text{TBinfHIVART}}) * S_{\text{AdoOnARTCD4low}} * ((I_{\text{nottreatedAdoHIVn}} + I_{\text{nottreatedAdoPreART}} + I_{\text{nottreatedAdoARTelig}} + I_{\text{nottreatedAdoOnARTCD4low}} + I_{\text{nottreatedAdoOnARTCD4high}} + I_{\text{nottreatedAdlHIVn}} + I_{\text{nottreatedAdlPreART}} + I_{\text{nottreatedAdlARTelig}} + I_{\text{nottreatedAdlOnARTCD4low}} + I_{\text{nottreatedAdlOnARTCD4high}} + I_{\text{FNAdoHIVn}} + I_{\text{FNAdoPreART}} + I_{\text{FNAdoARTelig}} + I_{\text{FNAdoOnARTCD4low}} + I_{\text{FNAdoOnARTCD4high}} + I_{\text{IPTAdoHIVn}} + I_{\text{IPTAdoPreART}} + I_{\text{IPTAdoARTelig}} + I_{\text{IPTAdoOnARTCD4low}} + I_{\text{IPTAdoOnARTCD4high}} + I_{\text{FNAdlHIVn}} + I_{\text{FNAdlPreART}} + I_{\text{FNAdlARTelig}} + I_{\text{FNAdlOnARTCD4low}} + I_{\text{FNAdlOnARTCD4high}} + I_{\text{IPTAdlHIVn}} + I_{\text{IPTAdlPreART}} + I_{\text{IPTAdlARTelig}} + I_{\text{IPTAdlOnARTCD4low}} + I_{\text{IPTAdlOnARTCD4high}})) + (a^* (1 - \\
& \rho_{\text{TBinfHIVART}}) * \beta_{\text{TBadl}}^* L_{\text{nottreatedAdlOnARTCD4low}} * (I_{\text{nottreatedAdoHIVn}} + I_{\text{nottreatedAdoPreART}} + I_{\text{nottreatedAdoARTelig}} + I_{\text{nottreatedAdoOnARTCD4low}} + I_{\text{nottreatedAdoOnARTCD4high}} + I_{\text{nottreatedAdlHIVn}} + I_{\text{nottreatedAdlPreART}} + I_{\text{nottreatedAdlARTelig}} + I_{\text{nottreatedAdlOnARTCD4low}} + I_{\text{nottreatedAdlOnARTCD4high}} + I_{\text{FNAdoHIVn}} + I_{\text{FNAdoPreART}} + I_{\text{FNAdoARTelig}} + I_{\text{FNAdoOnARTCD4low}} + I_{\text{FNAdoOnARTCD4high}} + I_{\text{IPTAdoHIVn}} + I_{\text{IPTAdoPreART}} + I_{\text{IPTAdoARTelig}} + I_{\text{IPTAdoOnARTCD4low}} + I_{\text{IPTAdoOnARTCD4high}} + I_{\text{FNAdlHIVn}} + I_{\text{FNAdlPreART}} + I_{\text{FNAdlARTelig}} + I_{\text{FNAdlOnARTCD4low}} + I_{\text{FNAdlOnARTCD4high}} + I_{\text{IPTAdlHIVn}} + I_{\text{IPTAdlPreART}} + I_{\text{IPTAdlARTelig}} + I_{\text{IPTAdlOnARTCD4low}} + I_{\text{IPTAdlOnARTCD4high}}) + (\tau_{\text{ART}} * L_{\text{nottreatedAdlOnARTCD4low}})) - \chi_{\text{Adl}}^* I_{\text{nottreatedAdlOnARTCD4low}} + \\
& \sigma_{\text{CT}}^* I_{\text{CTAdlOnARTCD4low}} - \mu_{\text{TBARTlowAdl}}^* I_{\text{nottreatedAdlOnARTCD4low}} - \varphi^* I_{\text{nottreatedAdlOnARTCD4low}}
\end{aligned}$$

$$\begin{aligned}
dI_{\text{nottreatedAdlOnARTCD4high}} = & \varepsilon^* I_{\text{nottreatedAdoOnARTCD4high}} + \theta_{\text{HIV}}^* I_{\text{nottreatedAdlOnARTCD4low}} + \beta_{\text{TBAdl}}^* (1 - \\
& \rho_{\text{TBinfHIVART}}) * S_{\text{AdlOnARTCD4high}} * ((I_{\text{nottreatedAdoHIVn}} + I_{\text{nottreatedAdoPreART}} + I_{\text{nottreatedAdoARTelig}} + I_{\text{nottreatedAdoOnARTCD4low}} + \\
& I_{\text{nottreatedAdoOnARTCD4high}} + I_{\text{nottreatedAdlHIVn}} + I_{\text{nottreatedAdlPreART}} + I_{\text{nottreatedAdlARTelig}} + I_{\text{nottreatedAdlOnARTCD4low}} + \\
& I_{\text{nottreatedAdlOnARTCD4high}} + I_{\text{FNAdoHIVn}} + I_{\text{FNAdoPreART}} + I_{\text{FNAdoARTelig}} + I_{\text{FNAdoOnARTCD4low}} + \\
& I_{\text{IPTAdoHIVn}} + I_{\text{IPTAdoPreART}} + I_{\text{IPTAdoARTelig}} + I_{\text{IPTAdoOnARTCD4low}} + \\
& I_{\text{IPTAdoOnARTCD4high}} + I_{\text{FNAdlHIVn}} + I_{\text{FNAdlPreART}} + I_{\text{FNAdlARTelig}} + I_{\text{FNAdlOnARTCD4low}} + I_{\text{FNAdlOnARTCD4high}} \\
& + I_{\text{IPTAdlHIVn}} + I_{\text{IPTAdlPreART}} + I_{\text{IPTAdlARTelig}} + I_{\text{IPTAdlOnARTCD4low}} + I_{\text{IPTAdlOnARTCD4high}})) + (a^* (1 - \\
& \rho_{\text{TBinfHIVART}}) * \beta_{\text{TBAdl}}^* L_{\text{nottreatedAdlOnARTCD4high}} * (I_{\text{nottreatedAdoHIVn}} + I_{\text{nottreatedAdoPreART}} + I_{\text{nottreatedAdoARTelig}} + \\
& I_{\text{nottreatedAdoOnARTCD4low}} + I_{\text{nottreatedAdoOnARTCD4high}} + I_{\text{nottreatedAdlHIVn}} + I_{\text{nottreatedAdlPreART}} + I_{\text{nottreatedAdlARTelig}} + I_{\text{nottreatedAdlOnARTCD4low}} + \\
& I_{\text{nottreatedAdlOnARTCD4high}} + I_{\text{FNAdoHIVn}} + I_{\text{FNAdoPreART}} + I_{\text{FNAdoARTelig}} + I_{\text{FNAdoOnARTCD4low}} + I_{\text{FNAdoOnARTCD4high}} + \\
& I_{\text{IPTAdoHIVn}} + I_{\text{IPTAdoPreART}} + I_{\text{IPTAdoARTelig}} + I_{\text{IPTAdoOnARTCD4low}} + I_{\text{IPTAdoOnARTCD4high}} + I_{\text{FNAdlHIVn}} + \\
& I_{\text{FNAdlPreART}} + I_{\text{FNAdlARTelig}} + I_{\text{FNAdlOnARTCD4low}} + I_{\text{FNAdlOnARTCD4high}} + I_{\text{IPTAdlHIVn}} + I_{\text{IPTAdlPreART}} + \\
& I_{\text{IPTAdlARTelig}} + I_{\text{IPTAdlOnARTCD4low}} + I_{\text{IPTAdlOnARTCD4high}}) + (\tau_{\text{AdlHIVART}}^* L_{\text{nottreatedAdlOnARTCD4high}})) + \sigma^* I_{\text{CTAdlOnARTCD4high}} -
\end{aligned}$$

$$\chi_{Adl} * I_{not treated Adl On ART CD4 high} - \mu_{TBARThighAdl} * I_{not treated Adl On ART CD4 high} - \phi * I_{not treated Adl On ART CD4 high}$$

$$dI_{CTAdlHIVn} = \varepsilon * I_{CTAdoHIVn} - I_{CTAdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{not treated AdoPreART} + L_{not treated AdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{not treated AdoPreART} + I_{not treated AdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{not treated AdlPreART} + L_{not treated AdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{not treated AdlPreART} + I_{not treated AdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) + \chi_{Adl} * I_{not treated AdlHIVn} - \sigma * I_{CTAdlHIVn} - \gamma_{CT} * I_{CTAdlHIVn} - \psi * I_{CTAdlHIVn} + \phi * I_{IPTAdlHIVn} - \mu_{TBAdl} * I_{CTAdlHIVn}$$

$$dI_{CTAdlPreART} = \varepsilon * I_{CTAdoPreART} + I_{CTAdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{not treated AdoPreART} + L_{not treated AdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{not treated AdoPreART} + I_{not treated AdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{not treated AdlPreART} + L_{not treated AdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{not treated AdlPreART} + I_{not treated AdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig})) - \zeta_{HIV} * I_{CTAdlPreART} + \chi_{Adl} * I_{not treated AdlPreART} - \sigma * I_{CTAdlPreART} - \gamma_{CT} * I_{CTAdlPreART} - \psi * I_{CTAdlPreART} - \mu_{TBPreARTAdl} * I_{CTAdlPreART}$$

$$dI_{CTAdlARTelig} = \varepsilon * I_{CTAdoARTelig} + \zeta_{HIV} * I_{CTAdlPreART} - \eta_{HIV} * I_{CTAdlARTelig} + \chi_{Adl} * I_{not treated AdlARTelig} - \sigma * I_{CTAdlARTelig} - \gamma_{CT} * I_{CTAdlARTelig} - \psi * I_{CTAdlARTelig} + \phi * I_{IPTAdlPreART} - \mu_{TBARTeligAdl} * I_{CTAdlARTelig}$$

$$dI_{CTAdlOnARTCD4low} = \varepsilon * I_{CTAdoOnARTCD4low} + \eta_{HIV} * I_{CTAdlARTelig} - \theta_{HIV} * I_{CTAdlOnARTCD4low} + \chi_{Adl} * I_{not treated AdlOnARTCD4low} - noncureCT * I_{CTAdlOnARTCD4low} - \theta_{CT} * I_{CTAdlOnARTCD4low} - \psi * I_{CTAdlOnARTCD4low} + \phi * I_{IPTAdlOnARTCD4low} - \mu_{TBARTlowAdl} * I_{CTAdlOnARTCD4low}$$

$$dI_{CTAdlOnARTCD4high} = \varepsilon * I_{CTAdoOnARTCD4high} + \theta_{HIV} * I_{CTAdlOnARTCD4low} + \chi_{Adl} * I_{not treated AdlOnARTCD4high} - \sigma_{CT} * I_{CTAdlOnARTCD4high} - \gamma_{CT} * I_{CTAdlOnARTCD4high} - \psi * I_{CTAdlOnARTCD4high} + \phi * I_{IPTAdlOnARTCD4high} - \mu_{TBARThighAdl} * I_{CTAdlOnARTCD4high}$$

$$dI_{FNAdlHIVn} = -I_{FNAdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{not treated AdoPreART} + L_{not treated AdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{not treated AdoPreART} + I_{not treated AdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{not treated AdlPreART} + L_{not treated AdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{not treated AdlPreART} + I_{not treated AdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig}))$$

$$I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig}) + L_{nottreatedAdlHIVn} * \vartheta_{HIVn} - I_{FNAdlHIVn} * \zeta_{Adl} + \varepsilon * I_{FNAdlHIVn} - \mu_{TBAdl} * I_{FNAdlHIVn}$$

$$dI_{FNAdlPreART} = I_{FNAdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig}) - \zeta_{HIV} * I_{FNAdlPreART} + L_{nottreatedAdlPreART} * \vartheta_{HIVp} - I_{FNAdlPreART} * \zeta_{Adl} + \varepsilon * I_{FNAdlPreART} - \mu_{TBPreARTAdl} * I_{FNAdlPreART}$$

$$dI_{FNAdlARTelig} = \zeta_{HIV} * I_{FNAdlPreART} - \eta_{HIV} * I_{FNAdlARTelig} + L_{nottreatedAdlARTelig} * \vartheta_{HIVp} - I_{FNAdlARTelig} * \zeta_{Adl} + \varepsilon * I_{FNAdlARTelig} - \mu_{TBARTeligAdl} * I_{FNAdlARTelig}$$

$$dI_{FNAdlOnARTCD4low} = \eta_{HIV} * I_{FNAdlARTelig} - \theta_{HIV} * I_{FNAdlOnARTCD4low} + L_{nottreatedAdlOnARTCD4low} * \vartheta_{ART} - I_{FNAdlOnARTCD4low} * \zeta_{Adl} + \varepsilon * I_{FNAdlOnARTCD4low} - \mu_{TBARTlowAdl} * I_{FNAdlOnARTCD4low}$$

$$dI_{FNAdlOnARTCD4high} = \theta_{HIV} * I_{FNAdlOnARTCD4low} + L_{nottreatedAdlOnARTCD4high} * \vartheta_{ART} - I_{FNAdlOnARTCD4high} * IPTtoacivesAdl + \varepsilon * I_{FNAdlOnARTCD4high} - \mu_{TBARTHigAdl} * I_{FNAdlOnARTCD4high}$$

$$dI_{IPTAdlHIVn} = - I_{IPTAdlHIVn} * \beta_{HIVInfAdl} * ((S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig}) + I_{FNAdlHIVn} * \zeta_{Adl} - \phi * I_{IPTAdlHIVn} + ((\lambda_{HIVn} * L_{IPTAdlHIVn})) + \varepsilon * I_{IPTAdlHIVn} - \mu_{TBAdl} * I_{IPTAdlHIVn}$$

$$dI_{IPTAdlPreART} = I_{IPTAdlHIVn} * \beta_{HIVInfAdl} * (S_{AdoPreART} + S_{AdoARTelig} + L_{nottreatedAdoPreART} + L_{nottreatedAdoARTelig} + L_{IPTAdoPreART} + L_{IPTAdoARTelig} + I_{nottreatedAdoPreART} + I_{nottreatedAdoARTelig} + I_{CTAdoPreART} + I_{CTAdoARTelig} + S_{AdlPreART} + S_{AdlARTelig} + L_{nottreatedAdlPreART} + L_{nottreatedAdlARTelig} + L_{IPTAdlPreART} + L_{IPTAdlARTelig} + I_{nottreatedAdlPreART} + I_{nottreatedAdlARTelig} + I_{CTAdlPreART} + I_{CTAdlARTelig} + I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig})$$

$$I_{FNAdoPreART} + I_{FNAdoARTelig} + I_{IPTAdoPreART} + I_{IPTAdoARTelig} + I_{FNAdlPreART} + I_{FNAdlARTelig} + I_{IPTAdlPreART} + I_{IPTAdlARTelig} + R_{AdoPreART} + R_{AdoARTelig}) - \zeta_{HIV} * I_{IPTAdlPreART} + I_{FNAdlPreART} * \zeta_{Adl} - \phi * I_{IPTAdlPreART} + ((\lambda_{HIVp} * L_{IPTAdlPreART})) + \epsilon * I_{IPTAdlPreART} - \mu_{TBPreARTAdl} * I_{IPTAdlPreART}$$

$$dI_{IPTAdlARTelig} = \zeta_{HIV} * I_{IPTAdlPreART} - \eta_{HIV} * I_{IPTAdlARTelig} + I_{FNAdlARTelig} * I_{PTtoacivesAdl} - \phi * I_{IPTAdlARTelig} + ((activIPT * L_{IPTAdlARTelig})) + \epsilon * I_{IPTAdlARTelig} - \mu_{TBARTeligAdl} * I_{IPTAdlARTelig}$$

$$dI_{IPTAdlOnARTCD4low} = \eta_{HIV} * I_{IPTAdlARTelig} - \theta_{HIV} * I_{IPTAdlOnARTCD4low} + I_{FNAdlOnARTCD4low} * I_{PTtoacivesAdl} - \phi * I_{IPTAdlOnARTCD4low} + ((\lambda_{HIVp} * L_{IPTAdlOnARTCD4low})) + \epsilon * I_{IPTAdlOnARTCD4low} - \mu_{TBARTlowAdl} * I_{IPTAdlOnARTCD4low}$$

$$dI_{IPTAdlOnARTCD4high} = \theta_{HIV} * I_{IPTAdlOnARTCD4low} + I_{FNAdlOnARTCD4high} * \zeta_{Adl} - \phi * I_{IPTAdlOnARTCD4high} + ((\lambda_{HIVp} * L_{IPTAdlOnARTCD4high})) + \epsilon * I_{IPTAdlOnARTCD4high} - \mu_{TBARThighAdl} * I_{IPTAdlOnARTCD4high}$$

Works Cited

1. Abu-raddad, L. J., Sabatelli, L., Achterberg, J. T., Sugimoto, J. D. & Longini, I. M. Epidemiological benefits of more-effective tuberculosis vaccines , drugs , and diagnostics. (2009).
2. Suthar, A. B. *et al.* Antiretroviral therapy for prevention of tuberculosis in adults with hiv: A systematic review and meta-analysis. *PLoS Med.* **9**, (2012).
3. Horsburgh, C. R. Priorities for the treatment of latent tuberculosis infection in the United States. *N. Engl. J. Med.* **350**, 2060–7 (2004).
4. WHO. *Global Tuberculosis Report 2013*. (2013).
5. Bacaër, N., Ouifki, R., Pretorius, C., Wood, R. & Williams, B. Modeling the joint epidemics of TB and HIV in a South African township. *J. Math. Biol.* **57**, 557–93 (2008).
6. Suen, S.-C., Bendavid, E. & Goldhaber-Fiebert, J. D. Disease Control Implications of India’s Changing Multi-Drug Resistant Tuberculosis Epidemic. *PLoS One* **9**, e89822 (2014).
7. Zelner, J. L. *et al.* Bacillus Calmette-Guerin and isoniazid preventative therapy protect contacts of tuberculosis patients. *AJRCCM* 1–33 (2014).
8. Houben, R. M. G. J., Sumner, T., Grant, a. D. & White, R. G. Ability of preventive therapy to cure latent Mycobacterium tuberculosis infection in HIV-infected individuals in high-burden settings. *Proc. Natl. Acad. Sci.* 10–15 (2014). doi:10.1073/pnas.1317660111
9. Selwyn, P. A. *et al.* Clinical Manifestations and Predictors of Disease Progression in Drug Users with Human Immunodeficiency Virus Infection. *N. Engl. J. Med.* **327**, 1697–1703 (1992).
10. Lin, P. L. & Flynn, J. L. Understanding latent tuberculosis: a moving target. *J. Immunol.* **185**, 15–22 (2010).
11. Tiemersma, E. W., van der Werf, M. J., Borgdorff, M. W., Williams, B. G. & Nagelkerke, N. J. D. Natural history of tuberculosis: duration and fatality of untreated pulmonary tuberculosis in HIV negative patients: a systematic review. *PLoS One* **6**, e17601 (2011).
12. Boehme, C. C. *et al.* Feasibility , diagnostic accuracy , and eff ectiveness of decentralised use of the Xpert MTB / RIF test for diagnosis of tuberculosis and multidrug resistance : a multicentre implementation study. *Lancet* **377**, 1495–1505 (2011).
13. Andrews, J. R. *et al.* Risk of progression to active tuberculosis following reinfection with Mycobacterium tuberculosis. *Clin. Infect. Dis.* **54**, 784–791 (2012).
14. Auvert, B. *et al.* Randomized, controlled intervention trial of male circumcision for reduction of HIV infection risk: the ANRS 1265 Trial. *PLoS Med.* **2**, e298 (2005).
15. Mellors, J. W. *et al.* Plasma viral load and CD4+ lymphocytes as prognostic markers of HIV-1 infection. *Ann. Intern. Med.* **126**, 946–54 (1997).