## Supporting information

Cyclodextrin-functionalized fiber yarns spun from deep eutectic cellulose solutions for non-specific hormone capture in aqueous matrices

Hannes Orelma<sup>a</sup>\*, Tommi Virtanen<sup>a</sup>, Steven Spoljaric<sup>b</sup>, Jani Lehmonen<sup>a</sup>, Jukka Seppälä<sup>b</sup>, Orlando Rojas<sup>c</sup>, Ali Harlin<sup>a</sup>

<sup>a</sup>VTT Technical Research Centre of Finland Ltd, Biologinkuja 7, FI-02044 Espoo, Finland

<sup>b</sup>Aalto University, Department of Chemical and Metallurgical Engineering, Kemistintie 1, FI-02150, Espoo, Finland

<sup>c</sup>Aalto University, Departments of Bioproducts and Biosystems and Applied Physics, Vuorimiehentie 1, FI-02150, Espoo, Finland.

$\alpha$		- 4		- 4	. ~
C	or	ш	eı	าเ	S

Figure S1. SEM images of fibre yarn before a) and after b) modification with chitosan adsorption. C) fibre yarn	
after cyclodextring conjugation via chitosan adsorption by using EDC/NHS chemistry	3




Figure S1. SEM images of fibre yarn before a) and after b) modification with chitosan adsorption. c) fibre yarn after cyclodextrin conjugation via chitosan adsorption by using EDC/NHS chemistry.