

Electronic Supporting Information

Preparation and in Vitro Photodynamic Activity of Glucosylated Zinc(II) Phthalocyanines as Underlying Targeting Photosensitizers

Jian-Yong Liu ^{1,*}, Chen Wang ¹, Chun-Hui Zhu ¹, Zhi-Hong Zhang ^{2,*} and Jin-Ping Xue ¹

¹ State Key Laboratory of Photocatalysis on Energy and Environment & National & Local Joint Biomedical Engineering Research Center on Photodynamic Technologies, College of Chemistry, Fuzhou University, Fuzhou 350108, P. R. China

² Fuzhou General Hospital of Nanjing Military Command, Fuzhou 350005, P.R. China

Table of Contents

Figure S1.	¹ H NMR spectrum of 2
Figure S2.	¹³ C NMR spectrum of 2
Figure S3.	HRMS spectrum of 2
Figure S4.	¹ H NMR spectrum of 3
Figure S5.	HRMS spectrum of 3
Figure S6.	¹ H NMR spectrum of 6a
Figure S7.	HRMS spectrum of 6a
Figure S8.	¹ H NMR spectrum of 6b
Figure S9.	HRMS spectrum of 6b
Figure S10	¹ H NMR spectrum of 7a
Figure S11	HRMS spectrum of 7a
Figure S12	¹ H NMR spectrum of 7b
Figure S13	HRMS spectrum of 7b

Residual solvent signals are marked with asterisks in all of the following spectra.




Figure S1. ^1H NMR spectrum of compound 2 in CDCl_3 .




Figure S2. ^{13}C NMR spectrum of compound 2 in CDCl_3 .

ZCH-2_140404113429 #847 RT: 1.97 AV: 1 NL: 3.12E8
T: FTMS + p ESI Full ms [200.00-500.00]




Figure S3. HRMS spectrum of compound 2.




Figure S7. HRMS spectrum of compound 6a.




Figure S8. ¹H NMR spectrum of compound **6b** in DMSO-d₆.







Figure S9. HRMS spectrum of compound **6b**.




Figure S10. ¹H NMR spectrum of compound 7a in DMSO-d₆.






Figure S11. HRMS spectrum of compound 7a.




Figure S12. ^1H NMR spectrum of compound **7b** in DMSO-d_6 .





Figure S13. HRMS spectrum of compound **7b**.