

Supplementary Material

Neural correlates of multi-day learning and savings in sensorimotor adaptation

M.F.L. Ruitenber^{1,a}, V. Koppelmans^{1,b}, Y.E. De Dios², N.E. Gadd², S.J. Wood³, P.A. Reuter-Lorenz⁴, I. Kofman², J.J. Bloomberg³, A.P. Mulavara², & R.D Seidler^{1,4,c*}

¹ School of Kinesiology, University of Michigan, Ann Arbor, MI, USA.

² KBRwyle Science, Technology, and Engineering Group, Houston, TX, USA.

³ NASA Johnson Space Center, Houston, TX, USA.

⁴ Department of Psychology, University of Michigan, Ann Arbor, MI, USA.

Current affiliations:

^a Department of Experimental Psychology, Ghent University, Ghent, Belgium

^b Department of Psychiatry, University of Utah, Salt Lake City, UT, USA

^c Department of Applied Physiology & Kinesiology, University of Florida, Gainesville, FL, USA

* Corresponding author:

Rachael Seidler

University of Florida, Department of Applied Physiology & Kinesiology

1864 Stadium Road, Gainesville, FL 32611-8205, USA

Telephone: +1 (352) 294-1722

Email: rachaelseidler@ufl.edu

Supplementary Figure S1. Exemplary single subject data and fitted exponential decay functions for the early and late adaptation phases.

