

Growth of children in Greenland exceeds the World Health Organization growth charts

Kløvgaard M, Odgaard Nielsen N, Lund-Sørensen T, Bjerregaard P, Olsen B, Júlíusson P, Roelants M, Christesen H. – Acta Paediatrica, 2018

Supplementary tables (pages 2 – 8)

Table S1a[b]. Mean (SD) length/height, weight, BMI and head circumference and the corresponding mean (SD) z-scores according to the WHO growth standard (0–5 years) or reference (5–10 years) and the Danish growth references in Greenlandic girls [boys].

Table S2a[b]. Percentage (95% confidence interval) of girls [boys] above +2 SD according to the WHO and the Danish growth standards/references.

Table S3a[b]. Percentage (95% confidence interval) of girls [boys] below -2 SD according to the WHO and the Danish growth standards/references.

Table S4a[b]: Reference data (LMS parameters) and percentiles 3–97 of length/height in Greenlandic girls from 0–8 years [boys from 0–9 years].

Table S5a[b]: Reference data (LMS parameters) and percentiles 3–97 of weight in Greenlandic girls from 0–8 years [boys from 0–9 years].

Table S6a[b]: Reference data (LMS parameters) and percentiles 3–97 of the body mass index (BMI) in Greenlandic girls from 0–8 years [boys from 0–9 years].

Table S7a[b]: Reference data (LMS parameters) and percentiles 3–97 of head circumference in Greenlandic girls [boys] from 0.25–2 years.

Supplementary figures (pages 9 – 12)

Figure S1 Length, weight and head circumference in girls from birth to 18 months.

Figure S2 Length/height, weight and BMI in girls from 1.5–8 years.

Figure S3 Length, weight and head circumference in boys from birth to 18 months.

Figure S4 Length/height, weight and BMI in boys from 1.5–9 years.

Table S1a. Mean (SD) length/height, weight, BMI and head circumference and the corresponding mean (SD) z-scores according to the WHO growth standard (0–5 years) or reference (5–10 years) and the Danish growth references in Greenlandic girls.

Age (years)	Length/height			Weight			BMI		Head circumference			
	cm	WHO	DK	kg	WHO	DK	kg/m ²	WHO	DK	cm	WHO	DK
Birth	51.6 (2.3)	1.3* (1.2)	-0.1 (1.1)	3.7 (0.5)	0.8* (1.1)	0.3* (1.1)	13.7 (1.3)	0.2* (1.0)	0.5* (1.0)	-	-	-
0–0.25	57.4 (4.1)	0.9* (1.3)	0.5* (1.2)	5.3 (1.1)	0.8* (1.0)	0.8* (1.1)	15.8 (1.9)	0.4* (1.0)	0.8* (1.1)	38.4 (1.7)	0.8* (1.0)	0.8* (0.9)
0.25–0.5	65.5 (3.0)	1.1* (1.1)	0.8* (1.1)	7.6 (1.1)	1.0* (1.0)	0.9* (1.1)	17.8 (1.9)	0.6* (1.2)	0.7* (1.2)	42.3 (1.4)	1.0* (0.9)	0.6* (0.9)
0.5–1	71.2 (3.5)	1.2* (1.2)	0.7* (1.1)	8.8 (1.3)	0.8* (1.1)	0.4* (1.1)	17.5 (1.7)	0.4* (1.1)	0.1 (1.1)	44.5 (1.2)	1.1* (0.8)	0.7* (0.8)
1–2	77.1 (3.0)	0.4* (1.0)	0.0 (1.0)	10.6 (1.4)	0.9* (1.1)	0.4* (1.2)	17.8 (1.6)	1.0* (1.0)	0.5* (1.1)	46.7 (1.1)	1.0* (0.7)	0.5* (0.7)
2–5	96.8 (7.8)	-0.1 (0.9)	-0.3* (1.0)	16.2 (3.5)	0.7* (1.1)	0.5* (1.3)	17.2 (2.2)	1.1* (1.2)	1.0* (1.4)	-	-	-
5–10	123.8 (7.8)	0.4* (0.9)	-0.2* (0.9)	27.4 (8.4)	0.9* (1.1)	0.5* (1.1)	17.6 (3.5)	0.8* (1.1)	0.8* (1.2)	-	-	-

SD: standard deviation; WHO: World Health Organization; DK: Denmark

Age intervals do not include the lowest value

* p<0.05.

Table S1b. Mean (SD) length/height, weight, BMI and head circumference and the corresponding mean (SD) z-scores according to the WHO growth standard (0–5 years) or reference (5–10 years) and the Danish growth references in Greenlandic boys.

Age (years)	Length/height			Weight			BMI		Head circumference			
	cm	WHO	DK	Kg	WHO	DK	kg/m ²	WHO	DK	cm	WHO	DK
Birth	52.3 (2.1)	1.3* (1.1)	-0.1 (1.0)	3.7 (0.6)	0.7* (1.1)	0.9* (1.1)	13.6 (1.3)	0.1 (1.1)	0.4* (1.1)	-	-	-
0–0.25	58.8 (4.4)	1.0* (1.3)	0.6* (1.1)	5.6 (1.3)	0.7* (1.0)	0.8* (1.0)	16.0 (2.0)	0.2* (1.1)	0.7* (1.1)	39.0 (1.8)	0.7* (1.0)	0.8* (1.0)
0.25–0.5	67.0 (3.2)	1.1* (1.3)	0.8* (1.2)	7.9 (1.0)	0.8* (1.0)	0.6* (1.0)	17.6 (1.7)	0.2* (1.1)	0.2* (1.1)	42.9 (1.4)	0.8* (0.8)	0.3* (0.7)
0.5–1	72.7 (3.2)	1.1* (1.2)	0.6* (1.1)	9.4 (1.1)	0.9* (1.0)	0.3* (0.9)	17.8 (1.6)	0.4* (1.1)	0.1 (1.1)	45.3 (1.3)	0.8* (1.0)	0.3* (0.9)
1–2	79.1 (3.5)	0.4* (1.1)	-0.0 (1.0)	11.3 (1.4)	0.9* (1.0)	0.3* (1.0)	17.9 (1.6)	0.9* (1.1)	0.4* (1.2)	47.4 (1.4)	0.7* (1.0)	-0.0 (1.0)
2–5	99.8 (8.3)	0.1 (1.0)	-0.3* (1.0)	17.0 (2.9)	0.8* (0.8)	0.5* (0.9)	16.9 (1.2)	1.0* (0.9)	0.9* (1.0)	-	-	-
5–10	124.8 (7.5)	0.5* (0.8)	-0.3* (0.9)	26.5 (4.8)	0.8* (0.9)	0.3* (1.0)	16.9 (1.9)	0.7* (1.0)	0.7* (1.1)	-	-	-

SD: standard deviation; WHO: World Health Organization; DK: Denmark

Age intervals do not include the lowest value

* p<0.05.

Table S2a. Percentage (95% confidence interval) of girls above +2 SD according to the WHO and the Danish growth standards/references.

Age (years)	Length/height		Weight		BMI		Head circumference	
	WHO	DK	WHO	DK	WHO	DK	WHO	DK
Birth	30.0 (22.2–39.1)	2.5 (0.6–7.7)	11.5 (6.6–18.8)	8.2 (4.2–14.9)	2.5 (0.6–7.7)	7.5 (3.7–14.2)	–	–
0–0.25	19.8 (14.1–26.9)	10.5 (6.4–16.5)	9.2 (5.6–14.5)	10.3 (6.5–15.8)	4.9 (2.3–9.8)	14.2 (9.4–20.8)	7.6 (3.8–4.4)	4.2 (1.6–10.1)
0.25–0.5	23.6 (17.2–31.5)	14.2 (9.2–21.1)	18.5 (13.0–25.5)	16.7 (11.5–23.5)	13.5 (8.6–20.3)	12.8 (8.1–19.6)	11.9 (6.9–19.4)	3.4 (1.1–9.0)
0.5–1	26.7 (18.0–37.6)	11.6 (6.0–20.8)	10.2 (5.3–18.4)	6.1 (2.5–13.4)	7.0 (2.9–15.1)	5.8 (2.2–13.7)	6.5 (2.1–16.5)	3.2 (0.6–12.2)
1–2	7.3 (3.2–14.9)	4.2 (1.3–10.9)	12.0 (6.6–20.4)	6.0 (2.5–13.1)	15.8 (9.4–25.0)	9.5 (4.7–17.7)	6.2 (2.0–16.0)	3.1 (0.5–11.8)
2–5	1.1 (0.1–6.8)	1.1 (0.1–6.8)	12.9 (7.1–21.8)	12.9 (7.1–21.8)	18.7 (11.6–28.5)	19.8 (12.4–29.7)	–	–
5–10	2.1 (0.7–5.5)	0.5 (0.0–3.3)	10.4 (6.7–15.7)	9.4 (5.9–14.5)	10.4 (6.6–15.8)	10.9 (7.0–16.4)	–	–

WHO: World Health Organization; DK: Denmark

Age intervals do not include the lowest value

Table S2b. Percentage (95% confidence interval) of boys above +2 SD according to the WHO and the Danish growth standards/references.

Age (years)	Length/height		Weight		BMI		Head circumference	
	WHO	DK	WHO	DK	WHO	DK	WHO	DK
Birth	26.4 (19.5–34.7)	2.8 (0.9–7.6)	9.3 (5.2–15.7)	14.1 (9.0–21.2)	2.1 (0.6–6.6)	4.3 (1.7–9.4)	–	–
0–0.25	22.2 (16.6–29)	9.0 (5.5–14.2)	9.1 (5.8–13.9)	12.3 (8.4–17.5)	3.2 (1.3–7.2)	7.5 (4.3–12.5)	10.0 (5.9–16.2)	10.0 (5.9–16.2)
0.25–0.5	27.6 (21.0–35.2)	14.7 (9.8–21.3)	13.7 (9.3–19.8)	7.7 (4.4–12.8)	7.4 (4.0–12.8)	6.7 (3.6–12.1)	6.0 (2.8–11.8)	1.5 (0.3–5.8)
0.5–1	17.6 (11.1–26.7)	8.8 (4.4–16.5)	13.2 (8.0–20.9)	1.7 (0.3–6.4)	4.0 (1.3–10.4)	3.0 (0.8–9.1)	15.2 (8.4–25.4)	2.5 (0.4–9.7)
1–2	8.8 (4.1–17.1)	1.1 (0.1–6.8)	12.6 (7.0–21.4)	1.1 (0.1–6.6)	16.5 (9.8–26.1)	7.7 (3.4–15.7)	8.8 (3.3–20.0)	5.3 (1.4–5.5)
2–5	1.1 (0.1–6.8)	1.1 (0.1–6.8)	4.2 (1.3–10.9)	4.2 (1.3–10.9)	13.3 (7.4–22.5)	14.4 (8.2–23.8)	–	–
5–10	5.2 (2.7–9.3)	0.5 (0.0–3.0)	9.7 (6.2–14.6)	6.5 (3.7–10.8)	14.2 (9.9–19.7)	13.7 (9.5–19.2)	–	–

WHO: World Health Organization; DK: Denmark

Age intervals do not include the lowest value

Table S3a. Percentage (95% confidence interval) of girls below -2 SD according to the WHO and the Danish growth standards/references.

Age (years)	Length/height		Weight		BMI		Head circumference	
	WHO	DK	WHO	DK	WHO	DK	WHO	DK
Birth	0.8 (0–5.2)	5.0 (2.0–11.0)	0.8 (0.0–5.2)	0.8 (0.0–5.2)	1.7 (0.3–6.5)	0.8 (0.0–5.2)	–	–
0–0.25	2.5 (0.8–6.6)	3.1 (1.1–7.4)	1.6 (0.4–5.0)	1.1 (0.2–4.3)	2.5 (0.8–6.6)	1.9 (0.5–5.7)	1.7 (0.3–6.6)	0.8 (0.0–5.3)
0.25–0.5	0.0 (0.0–3.2)	1.4 (0.2–5.3)	0.0 (0.0–2.9)	0.6 (0.0–3.9)	1.4 (0.2–5.3)	2.0 (0.5–6.3)	0.8 (0.0–5.3)	0.8 (0.0–5.3)
0.5–1	0.0 (0.0–5.3)	0.0 (0.0–5.3)	0.0 (0.0–4.7)	2.0 (0.4–7.9)	0.0 (0.0–5.3)	4.7 (1.5–12.1)	0.0 (0.0–7.3)	0.0 (0.0–7.3)
1–2	0.0 (0.0–4.8)	1.0 (0.1–6.5)	0.0 (0.0–4.6)	5.0 (1.9–11.8)	0.0 (0.0–4.8)	4.2 (1.4–11)	0.0 (0.0–7.1)	0.0 (0.0–7.1)
2–5	0.0 (0.0–5.0)	1.1 (0.1–6.8)	1.1 (0.1–6.7)	1.1 (0.1–6.7)	0.0 (0.0–5.0)	1.1 (0.1–6.8)	–	–
5–10	0.0 (0.0–2.4)	2.6 (1.0–6.2)	0.0 (0.0–2.3)	0.0 (0.0–2.3)	0.0 (0.0–2.4)	0.0 (0.0–2.4)	–	–

WHO: World Health Organization; DK: Denmark

Age intervals do not include the lowest value

Table S3b. Percentage (95% confidence interval) of boys below -2 SD according to the WHO and the Danish growth standards/references.

Age (years)	Length/height		Weight		BMI		Head circumference	
	WHO	DK	WHO	DK	WHO	DK	WHO	DK
Birth	0.7 (0.0–4.5)	2.8 (0.9–7.6)	1.4 (0.2–5.6)	1.4 (0.2–5.5)	3.6 (1.3–8.6)	2.1 (0.6–6.6)	–	–
0–0.25	1.1 (0.2–4.2)	1.6 (0.4–4.9)	1.4 (0.4–4.3)	0.9 (0.2–3.6)	2.7 (1.0–6.5)	1.6 (0.4–5.0)	1.3 (0.2–5.2)	1.3 (0.2–5.2)
0.25–0.5	1.2 (0.2–4.8)	1.2 (0.2–4.8)	0.0 (0.0–2.6)	0.0 (0.0–2.6)	0.6 (0.0–3.9)	0.6 (0.0–3.9)	0.0 (0.0–3.5)	0.0 (0.0–3.5)
0.5–1	1.0 (0.1–6.1)	1.0 (0.1–6.1)	0.0 (0.0–3.8)	0.8 (0.0–5.2)	2.0 (0.3–7.7)	4.0 (1.3–10.4)	0.0 (0.0–5.8)	0.0 (0.0–5.8)
1–2	0.0 (0.0–5.0)	0.0 (0.0–5.0)	0.0 (0.0–4.8)	1.1 (0.1–6.6)	0.0 (0.0–5.0)	1.1 (0.1–6.8)	0.0 (0.0–7.9)	1.8 (0.1–10.6)
2–5	1.1 (0.1–6.8)	6.5 (2.7–14.2)	0.0 (0.0–4.8)	0.0 (0.0–4.8)	0.0 (0.0–5.1)	1.1 (0.1–6.9)	–	–
5–10	0.0 (0.0–2.2)	1.4 (0.4–4.4)	0.0 (0.0–2.2)	0.9 (0.2–3.6)	0.0 (0.0–2.2)	0.5 (0.0–3.0)	–	–

WHO: World Health Organization; DK: Denmark

Age intervals do not include the lowest value

Table S4a: Reference data (LMS parameters) and percentiles 3–97 of length/height in Greenlandic girls from 0–8 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0	1	52.0	0.04340	47.7	49.1	50.4	52.0	53.5	54.8	56.2
0.25	1	61.6	0.04132	56.8	58.3	59.8	61.6	63.3	64.8	66.3
0.5	1	68.3	0.03962	63.2	64.8	66.4	68.3	70.1	71.7	73.4
0.75	1	72.7	0.03844	67.4	69.1	70.8	72.7	74.6	76.3	77.9
1	1	76.0	0.03766	70.6	72.3	74.0	76.0	77.9	79.6	81.4
1.5	1	81.4	0.03681	75.7	77.5	79.4	81.4	83.4	85.2	87.0
2	1	86.1	0.03640	80.2	82.0	83.9	86.1	88.2	90.1	91.9
3	1	94.3	0.03604	87.9	89.9	92.0	94.3	96.5	98.6	100.6
4	1	101.6	0.03594	94.7	96.9	99.1	101.6	104.1	106.3	108.5
5	1	109.1	0.03604	101.7	104.1	106.4	109.1	111.8	114.1	116.5
6	1	116.5	0.03627	108.6	111.1	113.7	116.5	119.4	121.9	124.5
7	1	123.3	0.03659	114.8	117.5	120.2	123.3	126.3	129.1	131.8
8	1	129.4	0.03694	120.4	123.3	126.2	129.4	132.6	135.5	138.4

Table S4b: Reference data (LMS parameters) and percentiles 3–97 of length/height in Greenlandic boys from 0–9 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0	1	53.3	0.04420	48.8	50.2	51.7	53.3	54.8	56.3	57.7
0.25	1	62.5	0.04266	57.5	59.1	60.7	62.5	64.3	65.9	67.5
0.5	1	69.5	0.04125	64.1	65.8	67.5	69.5	71.4	73.1	74.9
0.75	1	74.3	0.04012	68.7	70.5	72.3	74.3	76.3	78.1	79.9
1	1	77.9	0.03926	72.1	74.0	75.8	77.9	80.0	81.8	83.7
1.5	1	83.7	0.03819	77.7	79.6	81.5	83.7	85.8	87.8	89.7
2	1	88.5	0.03758	82.3	84.3	86.3	88.5	90.8	92.8	94.8
3	1	96.6	0.03683	89.9	92.1	94.2	96.6	99.0	101.2	103.3
4	1	103.8	0.03627	96.7	99.0	101.2	103.8	106.3	108.6	110.9
5	1	110.9	0.03576	103.5	105.9	108.3	110.9	113.6	116.0	118.4
6	1	118.0	0.03521	110.2	112.7	115.2	118.0	120.8	123.3	125.8
7	1	124.3	0.03462	116.2	118.8	121.4	124.3	127.2	129.8	132.4
8	1	130.0	0.03398	121.6	124.3	127.0	130.0	132.9	135.6	138.3
9	1	135.5	0.03331	127.0	129.8	132.5	135.5	138.6	141.3	144.0

Table S5a: Reference data (LMS parameters) and percentiles 3–97 of weight in Greenlandic girls from 0–8 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0	1.20	3.7	0.13445	2.7	3.0	3.4	3.7	4.0	4.3	4.6
0.25	0.90	6.5	0.13286	4.9	5.4	5.9	6.5	7.1	7.6	8.2
0.5	0.66	8.3	0.13231	6.3	6.9	7.5	8.3	9.0	9.7	10.4
0.75	0.47	9.4	0.13246	7.2	7.9	8.6	9.4	10.2	11.0	11.9
1	0.33	10.2	0.13288	7.9	8.6	9.3	10.2	11.2	12.1	13.0
1.5	0.10	11.5	0.13394	8.9	9.7	10.5	11.5	12.6	13.7	14.8
2	-0.10	12.7	0.13508	9.9	10.7	11.6	12.7	13.9	15.2	16.5
3	-0.48	15.0	0.13761	11.7	12.6	13.7	15.0	16.5	18.0	19.7
4	-0.83	17.2	0.14036	13.5	14.5	15.7	17.2	18.9	20.9	23.1
5	-1.20	19.6	0.14368	15.5	16.6	17.9	19.6	21.7	24.1	27.2
6	-1.57	22.3	0.14786	17.7	18.9	20.3	22.3	24.8	27.9	32.1
7	-1.94	25.2	0.15378	20.1	21.4	23.0	25.2	28.3	32.4	38.6
8	-2.32	28.6	0.16145	22.7	24.1	25.9	28.6	32.4	37.9	48.3

Table S5b: Reference data (LMS parameters) and percentiles 3–97 of weight in Greenlandic boys from 0–9 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0	1.31	3.8	0.13083	2.8	3.1	3.4	3.8	4.1	4.4	4.7
0.25	1.01	6.9	0.12142	5.3	5.8	6.3	6.9	7.5	8.0	8.5
0.5	0.79	8.7	0.11499	6.9	7.5	8.1	8.7	9.4	10.0	10.7
0.75	0.64	9.9	0.11136	7.9	8.5	9.2	9.9	10.6	11.3	12.0
1	0.53	10.8	0.10933	8.7	9.3	10.0	10.8	11.6	12.3	13.1
1.5	0.34	12.2	0.10743	9.9	10.6	11.3	12.2	13.1	14.0	14.8
2	0.19	13.4	0.10681	10.9	11.6	12.4	13.4	14.3	15.3	16.3
3	-0.09	15.6	0.10727	12.7	13.6	14.5	15.6	16.7	17.9	19.1
4	-0.38	17.9	0.10970	14.7	15.6	16.7	17.9	19.3	20.7	22.2
5	-0.69	20.5	0.11410	16.8	17.8	19.0	20.5	22.2	23.9	25.9
6	-0.97	23.0	0.11975	18.8	20.0	21.3	23.0	25.1	27.2	29.7
7	-1.19	25.5	0.12591	20.7	22.0	23.5	25.5	27.9	30.5	33.7
8	-1.38	28.1	0.13261	22.7	24.1	25.8	28.1	30.9	34.1	38.1
9	-1.58	30.9	0.13967	24.8	26.4	28.3	30.9	34.2	38.1	43.3

Table S6a: Reference data (LMS parameters) and percentiles 3–97 of the body mass index (BMI) in Greenlandic girls from 0–8 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0	1.13	13.7	0.09360	11.2	12.0	12.8	13.7	14.5	15.3	16.0
0.25	0.88	17.2	0.09950	14.0	15.0	16.0	17.2	18.3	19.4	20.4
0.5	0.68	17.8	0.09994	14.6	15.6	16.6	17.8	19.0	20.1	21.3
0.75	0.48	17.7	0.09821	14.6	15.6	16.6	17.7	18.9	20.0	21.2
1	0.28	17.7	0.09719	14.6	15.6	16.5	17.7	18.9	20.0	21.1
1.5	-0.12	17.4	0.09774	14.5	15.4	16.3	17.4	18.6	19.8	21.0
2	-0.49	17.2	0.09946	14.4	15.2	16.1	17.2	18.5	19.7	21.0
3	-1.13	16.9	0.10318	14.2	15.0	15.8	16.9	18.2	19.5	21.1
4	-1.65	16.7	0.10651	14.0	14.7	15.6	16.7	18.0	19.5	21.3
5	-2.07	16.6	0.10948	14.0	14.7	15.5	16.6	18.0	19.6	21.7
6	-2.43	16.6	0.11223	14.0	14.7	15.5	16.6	18.1	19.9	22.4
7	-2.74	16.8	0.11490	14.2	14.8	15.7	16.8	18.3	20.3	23.3
8	-3.01	17.0	0.11739	14.4	15.1	15.9	17.0	18.7	20.8	24.5

Table S6b: Reference data (LMS parameters) and percentiles 3–97 of the body mass index (BMI) in Greenlandic boys from 0–9 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0	1.70	13.7	0.09575	11.1	11.9	12.8	13.7	14.6	15.3	16.0
0.25	0.53	17.1	0.09192	14.2	15.1	16.0	17.1	18.1	19.1	20.1
0.5	0.06	17.8	0.09102	15.0	15.8	16.7	17.8	18.9	20.0	21.1
0.75	-0.15	17.8	0.09007	15.1	15.9	16.8	17.8	19.0	20.0	21.2
1	-0.29	17.8	0.08895	15.1	15.9	16.7	17.8	18.9	20.0	21.1
1.5	-0.51	17.5	0.08674	15.0	15.7	16.5	17.5	18.6	19.6	20.8
2	-0.70	17.3	0.08517	14.8	15.5	16.3	17.3	18.3	19.3	20.5
3	-1.06	16.9	0.08445	14.6	15.3	16.0	16.9	17.9	19.0	20.1
4	-1.37	16.7	0.08616	14.4	15.1	15.8	16.7	17.8	18.8	20.1
5	-1.65	16.6	0.08923	14.3	15.0	15.7	16.6	17.7	18.9	20.2
6	-1.88	16.6	0.09272	14.2	14.9	15.6	16.6	17.7	18.9	20.5
7	-2.08	16.5	0.09616	14.2	14.8	15.6	16.5	17.7	19.1	20.7
8	-2.25	16.5	0.09932	14.2	14.8	15.5	16.5	17.8	19.2	21.1
9	-2.40	16.6	0.10217	14.1	14.8	15.5	16.6	17.9	19.4	21.4

Table S7a: Reference data (LMS parameters) and percentiles 3–97 of head circumference in Greenlandic girls from 0.25–2 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0.25	1	40.6	0.28890	38.4	39.1	39.9	40.6	41.4	42.2	42.9
0.5	1	43.5	0.02561	41.4	42.1	42.7	43.5	44.2	44.9	45.6
0.75	1	45.2	0.02335	43.2	43.8	44.5	45.2	45.9	46.5	47.2
1	1	46.3	0.02191	44.4	45.0	45.6	46.3	47.0	47.6	48.3
1.5	1	47.8	0.02004	46.0	46.5	47.1	47.8	48.4	49.0	49.6
2	1	48.8	0.01870	47.0	47.6	48.1	48.8	49.4	49.9	50.5

Table S7b: Reference data (LMS parameters) and percentiles 3–97 of head circumference in Greenlandic boys from 0.25–2 years.

Age	L	M	S	P3	P10	P25	P50	P75	P90	P97
0.25	1	41.4	0.02652	39.4	40.0	40.7	41.4	42.2	42.8	43.5
0.5	1	44.3	0.02532	42.2	42.8	43.5	44.3	45.0	45.7	46.4
0.75	1	45.9	0.02528	43.7	44.4	45.1	45.9	46.7	47.4	48.1
1	1	46.9	0.02504	44.7	45.4	46.1	46.9	47.7	48.4	49.1
1.5	1	48.3	0.02365	46.2	46.9	47.5	48.3	49.1	49.8	50.5
2	1	49.3	0.02209	47.2	47.9	48.5	49.3	50.0	50.7	51.3

Following pages: Figures S1–S4, growth reference charts (print layout)


Ateq / Navn / Name

Alliartornerup naleqqussarnerani (0 – 18 qaammatit)

Inuuik / Fødselsdato / Date of birth

Niviarsiaqqat

Piger / Girls




Ateq / Navn / Name

Inuuik / Fødselsdato / Date of birth

Alliartornerup naaleqqussarnerani (1.5 – 8 ukiut) Vækstkurve / growth chart (1.5 – 8 år/years)

Niviarsiaqqat

Piger / Girls



Ateq / Navn / Name


Alliartornerup naleqqussarnerani (0 – 18 qaammatit)

Vækstkurve / growth chart (0 – 18 måneder/months)

Nukappiaraq

Drenge / Boys

Inuuik / Fødselsdato / Date of birth



Alliartornerup naleqqussarnerani (1.5 – 9 ukiut) Vækstkurve / growth chart (1.5 – 9 år/years)

Nukappiaraq

Drenge / Boys

Ateq / Navn / Name

Inuuik / Fødselsdato / Date of birth

