




Rationale: Spatial map includes positive and negative patches that respect known areal boundaries (e.g. POS2 and RSC)




Rationale: Spatial map includes positive and negative patches that respect known areal boundaries (e.g. V1 and V2)




Rationale: Globally positive component except for cerebellum that is globally negative; which could be due to differing vascular supplies of these structures




Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)




Rationale: Spatial map includes positive and negative patches that respect known areal boundaries (e.g. around MT+); most specific to sensori-motor cortex




Rationale: Globally positive component matching hypothesized pattern for physiological artifact; does not clearly follow known areal boundaries




Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)



Rationale: Globally positive component matching hypothesized pattern for physiological artifact; does not clearly follow known areal boundaries



Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)




Single Subject: No % Variance Explained: 2.39 Globality Index: 0.35


Task Component: 5 Taskr Component: 2 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)



Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)




Single Subject: No % Variance Explained: 2.25 Globality Index: 0.56

Task Component: 4 Taskr Component: 12+17+2 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Fronto-Parietal Network)




Single Subject: No % Variance Explained: 2.15 Globality Index: 0.34

Task Component: 10 Taskr Component: 9 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Cingulo-Opercular Network)




Single Subject: No % Variance Explained: 2.11 Globality Index: 1.07

Task Component: No Sleep Noted: Yes

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Ventral Attention; Language Network) and areal boundaries (44 and 45)




Single Subject: No % Variance Explained: 2.09 Globality Index: 0.57


Task Component: 26 Taskr Component: 19 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)



Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Foveal vs Peripheral)




Single Subject: No % Variance Explained: 1.65 Globality Index: 0.85

Task Component: No Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Yeo Network 13




RVT Correlated: No DVARS Dip Associated: No Cross-Subject Variable: No Single Subject: No % Variance Explained: 1.6 Globality Index: 0.28


Task Component: No Taskr Component: 16 Sleep Noted: No

Rationale: Spatial manincludes positive and pegative natches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Dorsal Attention Network)



Rationale: Spatial map contains substantial white matter and venous signal




Single Subject: No % Variance Explained: 1.49 Globality Index: 1

Task Component: 22+36 Taskr Component: 30+32 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

areal boundaries (e.g. 44; 45; 55b; SFL)




Single Subject: No % Variance Explained: 1.46 Globality Index: 0.32

Task Component: No Taskr Component: -13 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Fronto-Parietal Network)




Single Subject: No % Variance Explained: 1.35 Globality Index: 0.92

Task Component: No Sleep Noted: Yes

Rationale: Spatial map includes positive and negative patches that respect known


retinotopic visual organization (Foveal vs Peripheral)



Single Subject: No % Variance Explained: 1.35 Globality Index: 0.91

Task Component: No Sleep Noted: No


Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Fronto-Parietal Network)




Single Subject: No % Variance Explained: 1.32 Globality Index: 0.94

Task Component: No Taskr Component: 48 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)



Rationale: Spatial map contains substantial white matter signal; may also reflect vascular distribution




Single Subject: No % Variance Explained: 1.29 Globality Index: 1.17

Task Component: No Taskr Component: No Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

areal boundaries (e.g. PSL; 45; 55b; FEF)



RVT Correlated: No

DVARS Dip Associated: Yes

Cross-Subject Variable: Yes


Single Subject: No

Wariance Explained: 1.23 Globality Index: 0.45


Task Component: 16 Taskr Component: 18 Sleep Noted: No

Rationale: Spatial man includes positive and pegative patches that respect known


Rationale: Spatial map includes positive and negative patches that respect known somatotopic sensori-motor organization (Face)




Rationale: Spatial map contains substantial white matter and venous signal; positive and negative patches do not reflect known areal boundaries



Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Peripheral vs Foveal)



Rationale: Spatial map includes positive and negative patches that respect known areal boundaries (e.g. POS2 and RSC)




Single Subject: No % Variance Explained: 1.1 Globality Index: 0.87

Task Component: No Sleep Noted: Yes

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Dorsal Attention Network)




Single Subject: No % Variance Explained: 1.1 Globality Index: 0.55

Task Component: No Taskr Component: 39 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Parietal Occipital Network)




Single Subject: No % Variance Explained: 1.07 Globality Index: 0.25


Task Component: 6 Taskr Component: 7 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known


Rationale: Spatial map includes positive and negative patches that respect known somatotopic sensori-motor organization (Right Hand)



Rationale: Controversial: Spatial map is challenging to interpret so component was primarily classified on the basis of being associated with DVARS dips



Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Fronto-Parietal Network)




Single Subject: No % Variance Explained: 1.01 Globality Index: 0.08


Task Component: No Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known


Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Auditory and Default Mode Network)



Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Medial Parietal Network)



Rationale: Spatial map not reflective of known areas or RSNs; associated with DVARS Dips




Single Subject: No % Variance Explained: 0.86 Globality Index: 0.26

Task Component: 29 Taskr Component: 28 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect knowr somatotopic sensori-motor organization (Eye and Trunk)




Single Subject: No % Variance Explained: 0.83 Globality Index: 0.76

Task Component: 31 Taskr Component: 26 Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known


Rationale: Spatial map includes positive and negative patches that respect known somatotopic sensori-motor organization (Left Hand)



Single Subject: No % Variance Explained: 0.83 Globality Index: 0.73

Task Component: 34 Taskr Component: 15 Sleep Noted: No


Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Foveal vs ParaCentral)



RVT Correlated: No DVARS Dip Associated: No Cross-Subject Variable: No Single Subject: No % Variance Explained: 0.79 Globality Index: 0.46

Task Component: No Taskr Component: 49 Sleep Noted: No


Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (ParaCentral vs Peripheral)




Single Subject: No % Variance Explained: 0.78 Globality Index: 0.92

Task Component: No Taskr Component: No Sleep Noted: No Rationale: Spatial map includes positive and negative patches that respect known

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)




Rationale: Controversial: Diencephalon together with surrounding white matter positive vs rest of brain negative; could be due to differing vascular supplies




Single Subject: No % Variance Explained: 0.73 Globality Index: 0.47

Task Component: No Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Language Network) and areal boundaries (44; 45; 55b; PSL; SFL)




Rationale: Spatial map not reflective of known areas or RSNs without connectivity other brain structures; some banding in sagittal plane suggestive of multi-band recon



RVT Correlated: No DVARS Dip Associated: Yes Cross-Subject Variable: Yes Single Subject: Yes % Variance Explained: 0.7 Globality Index: 2.16
Task Component: 50 Taskr Component: 50 Sleep Noted: Yes

Rationale: Known single run artifact due to coil element failure



RVT Correlated: No

DVARS Dip Associated: Yes

Cross-Subject Variable: Yes

Single Subject: No

Wariance Explained: 0.67

Globality Index: 0.21


Task Component: 19

Taskr Component: 24


Sleep Noted: No

Rationale: Spatial man includes positive and pegative patches that respect known


Rationale: Spatial map includes positive and negative patches that respect known somatotopic sensori-motor organization (Feet)





Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Lower vs Upper)




Rationale: Highly DVARS Dips associated component; looks like movement regressor beta map (Z rotation)









Rationale: Single subject component with obvious banding in sagittal plane suggestive of multi-band recon artifact along slice direction




Rationale: Spatial map includes positive and negative patches that respect known areal boundaries (e.g. 4 and 1)




Rationale: Controversial: Single subject component with high correlation to global timecourse; looked more like RC1 than global noise components)





Rationale: Controversial: Single subject component with high correlation to global timecourse; looked more like RC1 than global noise components)





Rationale: Cerebellar edge motion component with high correlation to DVARS dips; looks like movement regressor beta map (derivative of X translation)















Rationale: Controversial: Single subject component with spatial map dominated by subcortical patches




Single Subject: Yes % Variance Explained: 0.54 Globality Index: 0.42


Task Component: No Sleep Noted: No


Rationale: Single subject component with banding in sagittal plane; potentially a


multi-band recon artifact




Rationale: Controversial: Single subject component with high correlation to global timecourse; looked more like RC1 than global noise components)












Rationale: Controversial: Single subject component with high correlation to global timecourse; looked more like RC1 than global noise components)




Rationale: Spatial map is a band across frontal cortex and white matter; could be related to coil; head motion; or eye motion







RVT Correlated: No DVARS Dip Associated: No Cross-Subject Variable: No Single Subject: Yes % Variance Explained: 0.5 Globality Index: 1.36
Task Component: No Sleep Noted: No




Rationale: Single subject component with correlation to DVARS dips; potentially coil related or movement related




Rationale: Controversial: Single Subject Component with spatial map that includes positive and negative patches that respect known RSNs (e.g. Default Mode Network)




Rationale: Spatial map includes positive and negative patches that respect known areal boundaries (e.g. PF and PFm)




Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Foveal and Lower vs Upper)



Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Paracentral vs Foveal)



Rationale: Single subject component with high correlation to global timecourse




Single Subject: No % Variance Explained: 0.44 Globality Index: 0.33


Task Component: No Sleep Noted: No

Rationale: Spatial map includes positive and negative patches that respect known


Rationale: Spatial map includes positive and negative patches that respect known RSNs (e.g. Dorsal Attention Network)




Rationale: Single subject component with high correlation to global timecourse




Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Foveal Right vs Left)



Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Upper vs Lower)



Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Peripheral vs Foveal)



Rationale: Spatial map includes positive and negative patches that respect known retinotopic visual organization (Peripheral Right vs Left)