	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 1			US, AU, UK	US, AU, UK
Country		-		<u> </u>

3193

95.7%

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	4.300%	3.700%	4.700%	95.700%	96.300%	95.300%
S	1137	-	-	1137	-	-
	100.00%	-	-	100.00%	-	-
U	-	1098	-	-	1098	-
	-	100.00%	-	-	100.00%	-
к	-	-	1100	-	-	1100
	-	-	100.00%	-	-	100.00%

/	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 2			US, AU, UK	US, AU, UK

What is your gender?

	US	AU	UK	US	AU	UK
Total	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
Male	33	24	34	492	519	516
	67.30%	58.50%	65.40%	45.20%	49.10%	49.20%
Female	16	17	18	596	538	532
	32.70%	41.50%	34.60%	54.80%	50.90%	50.80%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 3			US, AU, UK	US, AU, UK

What is your age?

	US	AU	UK	US	AU	UK
Total	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
18-24 (21)	9	7	10	116	149	154
	18.40%	17.10%	19.20%	10.70%	14.10%	14.70%
25-34 (29.5)	16	14	25	249	225	206
	32.70%	34.10%	48.10%	22.90%	21.30%	19.70%
35-44 (39.5)	20	10	11	271	246	231
	40.80%	24.40%	21.20%	24.90%	23.30%	22.00%
15-54 (49.5)	3	9	5	249	232	238
	6.10%	22.00%	9.60%	22.90%	21.90%	22.70%
55-65 (60)	1	1	1	203	205	219
	2.00%	2.40%	1.90%	18.70%	19.40%	20.90%

Table 4 US Region.

	US		US	
Total	49		1088	
	100.00%		100.00%	
Northeast	9		198	
	18.40%		18.20%	
Midwest	11		235	
	22.40%		21.60%	
South	18		404	
	36.70%		37.10%	
West	11		251	
	22.40%		23.10%	

Table 5

AUTRALIA Region.

	AU	AU
Total	41	1057
	100.00%	100.00%
Australian Capital Territory	-	20
	-	1.90%
New South Wales	15	345
	36.60%	32.60%
Northern Territory	-	7
	-	0.70%
Queensland	9	208
	22.00%	19.70%
South Australia	2	83
	4.90%	7.90%
Tasmania	1	24
	2.40%	2.30%
Victoria	8	270
	19.50%	25.50%
Western Australia	6	100
	14.60%	9.50%

Table 6 UK Region.

	υκ	UK
Total	52	1048
	100.00%	100.00%
East Anglia	4	95
·	7.70%	9.10%
East Midlands	5	72
	9.60%	6.90%
London	10	144
	19.20%	13.70%
North East	3	41
	5.80%	3.90%
Northern Ireland	2	31
	3.80%	3.00%
North West	7	114
	13.50%	10.90%
Scotland	2	97
	3.80%	9.30%
South East	6	137
	11.50%	13.10%
South West	3	85
	5.80%	8.10%
Wales	2	53
	3.80%	5.10%
West Midlands	6	93
	11.50%	8.90%
Yorkshire & Humberside	2	86
	3.80%	8.20%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 7			US, AU, UK	US, AU, UK

Q2. Do you experience any health problems when exposed to air fresheners or deodorizers?

	US	AU	UK	US	AU	UK
Fotal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
es	33	23	34	199	157	136
	67.30%	56.10%	65.40%	18.30%	14.90%	13.00%
0	11	13	11	780	747	787
	22.40%	31.70%	21.20%	71.70%	70.70%	75.10%
on't know/not sure	4	5	7	105	152	123
	8.20%	12.20%	13.50%	9.70%	14.40%	11.70%
ecline to answer	1	-	-	4	1	2
	2.00%	-	-	0.40%	0.10%	0.20%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 8			US, AU, UK	US, AU, UK

BA. Which of the following health problems do you experience?

Base: Respondents who experienced below health problems when exposed to air fresheners or deodorizers

	US	AU	UK	US	AU	UK		
Total	33	23	34	199	157	136		
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%		
Migraine headaches	14	9	10	68	37	30		
Asthma attacks	42.40%	39.10%	29.40%	34.20%	23.60%	22.10%	37.0%	26.6%
	6 18.20%	12 52.20%	9 26.50%	47 23.60%	37 23.60%	35 25.70%	32.3%	24.3%
Neurological problems (e.g., dizziness, seizures,	18.20%	52.20%	20.30%	25.00%	23.00% 19	25.70%	52.570	24.3/0
head pain, fainting, loss of coordination)							25 20/	10.20/
	33.30%	21.70%	20.60%	12.60%	12.10%	5.90%	25.2%	10.2%
Respiratory problems (e.g., difficulty breathing,	11	10	7	97	90	69		/
coughing, shortness of breath)	33.30%	43.50%	20.60%	48.70%	57.30%	50.70%	32.5%	52.2%
Skin problems (e.g., rashes, hives, red skin,	11	8	11	54	45	39		
tingling skin, dermatitis)	33.30%	34.80%	32.40%	27.10%	28.70%	28.70%	33.5%	28.2%
Cognitive problems (e.g., difficulties thinking,	10	7	7	21	14	7		
concentrating, or remembering)	30.30%	30.40%	20.60%	10.60%	8.90%	5.10%	27.1%	8.2%
Mucosal symptoms (e.g., watery or red eyes, nasal	11	10	7	75	58	42		
congestion, sneezing)	33.30%	43.50%	20.60%	37.70%	36.90%	30.90%	32.5%	35.2%
Immune system problems (e.g., swollen lymph	11	9	4	10	11	6		
glands, fever, fatigue)	33.30%	39.10%	11.80%	5.00%	7.00%	4.40%	28.1%	5.5%
Gastrointestinal problems (e.g., nausea, bloating,	10	6	10	21	10	7		
cramping, diarrhea)	30.30%	26.10%	29.40%	10.60%	6.40%	5.10%	28.6%	7.4%
Cardiovascular problems (e.g., fast or irregular	12	11	14	18	10	9		
heartbeat, jitteriness, chest discomfort)	36.40%	47.80%	41.20%	9.00%	6.40%	6.60%	41.8%	7.3%
Musculoskeletal problems (e.g., muscle or joint	14	7	8	13	11	3		
pain, cramps, weakness)	42.40%	30.40%	23.50%	6.50%	7.00%	2.20%	32.1%	5.2%
Other	1	-	1	7	6	6		
	3.00%	-	2.90%	3.50%	3.80%	4.40%	3.0%	3.9%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 9			US, AU, UK	US, AU, UK

Q3. Do you experience any health problems from the scent of laundry products coming from a dryer vent?

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
25	35	21	26	107	46	40
	71.40%	51.20%	50.00%	9.80%	4.40%	3.80%
	14	18	20	892	891	906
	28.60%	43.90%	38.50%	82.00%	84.30%	86.50%
't know/not sure	-	2	6	88	118	101
	-	4.90%	11.50%	8.10%	11.20%	9.60%
line to answer	-	-	-	1	2	1
	-	-	-	0.10%	0.20%	0.10%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 10			US, AU, UK	US, AU, UK

BA. Which of the following health problems do you experience?

Base: Respondents who experienced below health problems from the scent of laundry products coming from a dryer vent

	US	AU	UK	US	AU	UK		
Total	35	21	26	107	46	40		
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%		
Migraine headaches	9	5	7	28	9	8		- · · · · · · · · · · · · · · · · · · ·
Asthma attacks	25.70%	23.80%	26.90%	26.20%	19.60%	20.00%	25.5%	21.9%
Astrima attacks	7 20.00%	8 38.10%	9 34.60%	21 19.60%	7 15.20%	14 35.00%	30.9%	23.3%
Neurological problems (e.g., dizziness, seizures,	10	58.10%	54.00%	19.00%	15.20%	35.00%	50.978	23.370
						-	22.00/	0.0%
head pain, fainting, loss of coordination)	28.60%	23.80%	19.20%	13.10%	6.50%	7.50%	23.9%	9.0%
Respiratory problems (e.g., difficulty breathing,	12	9	7	34	19	14	24.70/	26.00/
coughing, shortness of breath)	34.30%	42.90%	26.90%	31.80%	41.30%	35.00%	34.7%	36.0%
Skin problems (e.g., rashes, hives, red skin,	14	9	6	27	14	11		
tingling skin, dermatitis)	40.00%	42.90%	23.10%	25.20%	30.40%	27.50%	35.3%	27.7%
Cognitive problems (e.g., difficulties thinking,	7	7	9	8	4	2		
concentrating, or remembering)	20.00%	33.30%	34.60%	7.50%	8.70%	5.00%	29.3%	7.1%
Mucosal symptoms (e.g., watery or red eyes, nasal	11	6	7	37	11	5		
congestion, sneezing)	31.40%	28.60%	26.90%	34.60%	23.90%	12.50%	29.0%	23.7%
Immune system problems (e.g., swollen lymph	13	11	5	6	9	4		
glands, fever, fatigue)	37.10%	52.40%	19.20%	5.60%	19.60%	10.00%	36.2%	11.7%
Gastrointestinal problems (e.g., nausea, bloating,	13	5	7	16	8	-		
cramping, diarrhea)	37.10%	23.80%	26.90%	15.00%	17.40%	-	29.3%	16.2%
Cardiovascular problems (e.g., fast or irregular	6	9	4	9	6	2		
heartbeat, jitteriness, chest discomfort)	17.10%	42.90%	15.40%	8.40%	13.00%	5.00%	25.1%	8.8%
Musculoskeletal problems (e.g., muscle or joint	16	8	6	7	2	2		
pain, cramps, weakness)	45.70%	38.10%	23.10%	6.50%	4.30%	5.00%	35.6%	5.3%
Other	1	-	-	3	2	1		
	2.90%	-	-	2.80%	4.30%	2.50%	2.9%	3.2%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 11			US, AU, UK	US, AU, UK

Q4. Do you experience any health problems from being in a room after it has been cleaned with scented products?

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
25	39	24	31	185	144	123
	79.60%	58.50%	59.60%	17.00%	13.60%	11.70%
	10	14	15	829	803	824
	20.40%	34.10%	28.80%	76.20%	76.00%	78.60%
't know/not sure	-	3	6	73	107	99
	-	7.30%	11.50%	6.70%	10.10%	9.40%
line to answer	-	-	-	1	3	2
	-	-	-	0.10%	0.30%	0.20%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 12			US, AU, UK	US, AU, UK

BA. Which of the following health problems do you experience?

Base: Respondents who experienced below health problems from

being in a room after it has been cleaned with scented products

	US	AU	UK	US	AU	UK	
Total	39	24	31	185	144	123	
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	
Migraine headaches	12	8	12	63	30	29	
A sthese states to	30.80%	33.30%	38.70%	34.10%	20.80%	23.60%	34.3%
Asthma attacks	7	7	9	39	20	24	25.4%
	17.90%	29.20%	29.00%	21.10%	13.90%	19.50%	25.4%
Neurological problems (e.g., dizziness, seizures,	14	6	8	33	11	10	
head pain, fainting, loss of coordination)	35.90%	25.00%	25.80%	17.80%	7.60%	8.10%	28.9%
Respiratory problems (e.g., difficulty breathing,	11	9	10	98	73	56	
coughing, shortness of breath)	28.20%	37.50%	32.30%	53.00%	50.70%	45.50%	32.7%
Skin problems (e.g., rashes, hives, red skin,	12	9	10	33	22	26	
tingling skin, dermatitis)	30.80%	37.50%	32.30%	17.80%	15.30%	21.10%	33.5%
Cognitive problems (e.g., difficulties thinking,	12	9	7	19	11	9	
concentrating, or remembering)	30.80%	37.50%	22.60%	10.30%	7.60%	7.30%	30.3%
Mucosal symptoms (e.g., watery or red eyes, nasal	11	9	8	72	57	33	
congestion, sneezing)	28.20%	37.50%	25.80%	38.90%	39.60%	26.80%	30.5%
Immune system problems (e.g., swollen lymph	13	12	2	10	6	7	
glands, fever, fatigue)	33.30%	50.00%	6.50%	5.40%	4.20%	5.70%	29.9%
Gastrointestinal problems (e.g., nausea, bloating,	7	7	5	25	9	6	
cramping, diarrhea)	17.90%	29.20%	16.10%	13.50%	6.30%	4.90%	21.1%
Cardiovascular problems (e.g., fast or irregular	12	6	9	14	8	2	
heartbeat, jitteriness, chest discomfort)	30.80%	25.00%	29.00%	7.60%	5.60%	1.60%	28.3%
Musculoskeletal problems (e.g., muscle or joint	12	8	6	11	3	1	
pain, cramps, weakness)	30.80%	33.30%	19.40%	5.90%	2.10%	0.80%	27.8%
Other	1	-	-	3	7	9	
	2.60%	_	-	1.60%	4.90%	7.30%	2.6%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 13			US, AU, UK	US, AU, UK

Q5. Do you experience any health problems from being near someone who is wearing a fragranced product?

	US	AU	UK	US	AU	UK
Total	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
25	32	24	30	236	189	121
	65.30%	58.50%	57.70%	21.70%	17.90%	11.50%
	15	14	15	784	779	857
	30.60%	34.10%	28.80%	72.10%	73.70%	81.80%
on't know/not sure	2	3	7	66	87	69
	4.10%	7.30%	13.50%	6.10%	8.20%	6.60%
cline to answer	-	-	-	2	2	1
	-	-	-	0.20%	0.20%	0.10%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 14			US, AU, UK	US, AU, UK

BA. Which of the following health problems do you experience?

Base: Respondents who experienced below health problems from

being near someone who is wearing a fragranced product

	US	AU	UK	US	AU	UK		
Total	32	24	30	236	189	121		
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%		
Migraine headaches	8	8	8	88	46	29		
Anthropa attacks	25.00%	33.30%	26.70%	37.30%	24.30%	24.00%	28.3%	28.5%
Asthma attacks	7	8	6	37	29	19	25.1%	15.6%
Neurological archieres (e.g. dissinger saisures	21.90%	33.30%	20.00%	15.70%	15.30%	15.70%	25.1%	15.0%
Neurological problems (e.g., dizziness, seizures,	10	4	8	31	22	5	24.00/	0.6%
head pain, fainting, loss of coordination)	31.30%	16.70%	26.70%	13.10%	11.60%	4.10%	24.9%	9.6%
Respiratory problems (e.g., difficulty breathing,	12	6	7	106	85	39		
coughing, shortness of breath)	37.50%	25.00%	23.30%	44.90%	45.00%	32.20%	28.6%	40.7%
Skin problems (e.g., rashes, hives, red skin,	13	7	4	26	12	22		
tingling skin, dermatitis)	40.60%	29.20%	13.30%	11.00%	6.30%	18.20%	27.7%	11.8%
Cognitive problems (e.g., difficulties thinking,	14	5	7	16	12	5		
concentrating, or remembering)	43.80%	20.80%	23.30%	6.80%	6.30%	4.10%	29.3%	5.7%
Mucosal symptoms (e.g., watery or red eyes, nasal	8	10	6	90	77	45		
congestion, sneezing)	25.00%	41.70%	20.00%	38.10%	40.70%	37.20%	28.9%	38.7%
Immune system problems (e.g., swollen lymph	9	9	4	10	5	1		
glands, fever, fatigue)	28.10%	37.50%	13.30%	4.20%	2.60%	0.80%	26.3%	2.5%
Gastrointestinal problems (e.g., nausea, bloating,	9	5	6	22	11	6		
cramping, diarrhea)	28.10%	20.80%	20.00%	9.30%	5.80%	5.00%	23.0%	6.7%
Cardiovascular problems (e.g., fast or irregular	9	4	9	11	9	4		
heartbeat, jitteriness, chest discomfort)	28.10%	16.70%	30.00%	4.70%	4.80%	3.30%	24.9%	4.3%
Musculoskeletal problems (e.g., muscle or joint	12	10	7	5	3	4		
pain, cramps, weakness)	37.50%	41.70%	23.30%	2.10%	1.60%	3.30%	34.2%	2.3%
Other	1	-	-	6	9	6		,
	3.10%	-	-	2.50%	4.80%	5.00%	3.1%	4.1%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 15			US, AU, UK	US, AU, UK

Q6. In general, do you experience any health problems from exposure to any type of fragranced product?

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
25	36	30	24	217	193	129
	73.50%	73.20%	46.20%	19.90%	18.30%	12.30%
	12	10	19	784	768	811
	24.50%	24.40%	36.50%	72.10%	72.70%	77.40%
on't know/not sure	1	1	9	86	95	107
	2.00%	2.40%	17.30%	7.90%	9.00%	10.20%
cline to answer	-	-	-	1	1	1
	-	-	-	0.10%	0.10%	0.10%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 16			US, AU, UK	US, AU, UK

BA. Which of the following health problems do you experience?

Base: Respondents who experienced below health problems from exposure to any type of fragranced product

	US	AU	UK	US	AU	UK		
Total	36	30	24	217	193	129		
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%		
Migraine headaches	9	8	7	89	43	26		
	25.00%	26.70%	29.20%	41.00%	22.30%	20.20%	27.0%	27.
Asthma attacks	8	9	5	47	31	25	24.3%	19.
	22.20%	30.00%	20.80%	21.70%	16.10%	19.40%	24.3%	19.
Neurological problems (e.g., dizziness, seizures,	17	5	5	25	17	10		-
head pain, fainting, loss of coordination)	47.20%	16.70%	20.80%	11.50%	8.80%	7.80%	28.2%	9.
Respiratory problems (e.g., difficulty breathing,	13	11	7	106	99	44		
coughing, shortness of breath)	36.10%	36.70%	29.20%	48.80%	51.30%	34.10%	34.0%	44.
Skin problems (e.g., rashes, hives, red skin,	15	11	4	43	43	41		
tingling skin, dermatitis)	41.70%	36.70%	16.70%	19.80%	22.30%	31.80%	31.7%	24.
Cognitive problems (e.g., difficulties thinking,	13	7	4	18	12	9		
concentrating, or remembering)	36.10%	23.30%	16.70%	8.30%	6.20%	7.00%	25.4%	7.
Nucosal symptoms (e.g., watery or red eyes, nasal	12	10	5	90	73	43		
congestion, sneezing)	33.30%	33.30%	20.80%	41.50%	37.80%	33.30%	29.1%	37.
Immune system problems (e.g., swollen lymph	11	7	4	13	6	7		
glands, fever, fatigue)	30.60%	23.30%	16.70%	6.00%	3.10%	5.40%	23.5%	4.
Gastrointestinal problems (e.g., nausea, bloating,	7	3	7	26	11	4		
cramping, diarrhea)	19.40%	10.00%	29.20%	12.00%	5.70%	3.10%	19.5%	6.
Cardiovascular problems (e.g., fast or irregular	10	5	7	8	8	6		
heartbeat, jitteriness, chest discomfort)	27.80%	16.70%	29.20%	3.70%	4.10%	4.70%	24.6%	4.
Musculoskeletal problems (e.g., muscle or joint	13	9	7	7	2	3		
pain, cramps, weakness)	36.10%	30.00%	29.20%	3.20%	1.00%	2.30%	31.8%	2.
Other	1	-	-	2	8	10		
	2.80%	-	-	0.90%	4.10%	7.80%	2.8%	4.

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 17			US, AU, UK	US, AU, UK

Disability definition question:

US: Do any of these health problems substantially limit one or more major life activities, such as seeing, hearing, eating, sleeping, walking, standing, lifting, bending, speaking, breathing, learning, reading, concentrating, thinking, communicating, or working, for you personally?

AU: Do any of these health problems mean a total or partial loss of bodily or mental functions, for you personally?

UK: Do any of these health problems cause a substantial, likely to recur, and adverse effect on your ability to carry out normal day-to-day activities?

	US	AU	UK	US	AU	UK		
Total	41	34	44	353	328	262		
	100.00%	100.00%	100.00%	100.0%	100.00%	100.00%		
Yes	35	28	24	160	34	54		
	85.40%	82.40%	54.50%	45.3%	10.40%	20.60%	74.1%	25.49
No	5	6	14	170	263	181		
	12.20%	17.60%	31.80%	48.2%	80.20%	69.10%	20.5%	65.89
Don't know/not sure	1	-	6	21	31	27		
	2.40%	-	13.60%	5.9%	9.50%	10.30%	8.0%	8.69
Decline to answer	-	-	-	2	-	-		
	-	-	-	0.6%	-	-		

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 18			US, AU, UK	US, AU, UK

Has a doctor or health care professional ever told you that you have autism or autism spectrum disorder?

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
es - autism	25	24	27	-	-	-
	51.00%	58.50%	51.90%	-	-	-
es - autism spectrum disorder	26	26	29	-	-	-
	53.10%	63.40%	55.80%	-	-	-
)	-	-	-	1073	1025	1021
	-	-	-	98.60%	97.00%	97.40%
n't know/not sure	-	-	-	13	30	26
	-	-	-	1.20%	2.80%	2.50%
cline to answer	-	-	-	2	2	1
	-	-	-	0.20%	0.20%	0.10%
rcentages below relative to general population:	1137	1098	1100	1137	1098	1100
sm or autism spectrum disorder	49	41	52			
	4.3%	3.7%	4.7%			
tism	25	24	27			
	2.2%	2.2%	2.5%			
tism spectrum disorder	26	26	29			
	2.3%	2.4%	2.6%			
autistic				1088	1057	1048
				95.7%	96.3%	95.3%
t autism or autism spectrum disorder				1073	1025	1021
				94.4%	93.4%	92.8%
n't know/not sure				13	30	26
				1.1%	2.7%	2.4%
cline to answer				2	2	1
				0.2%	0.2%	0.1%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 19			US, AU, UK	US, AU, UK

Have you ever been unable or reluctant to use the restrooms in a public place,

because of the presence of an air freshener, deodorizer, or scented product?

	US	AU	UK	US	AU	UK
Fotal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
2S	36	25	27	163	102	106
	73.50%	61.00%	51.90%	15.00%	9.60%	10.10%
	12	13	20	885	907	871
	24.50%	31.70%	38.50%	81.30%	85.80%	83.10%
utral/not sure	1	3	4	39	46	68
	2.00%	7.30%	7.70%	3.60%	4.40%	6.50%
cline to answer	-	-	1	1	2	3
	-	-	1.90%	0.10%	0.20%	0.30%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 20			US, AU, UK	US, AU, UK

If you enter a business, and you smell air fresheners or some fragranced product,

do you want to leave as quickly as possible?

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
;	31	25	27	198	158	117
	63.30%	61.00%	51.90%	18.20%	14.90%	11.20%
	14	14	15	773	759	812
	28.60%	34.10%	28.80%	71.00%	71.80%	77.50%
ral/not sure	4	2	10	116	139	115
	8.20%	4.90%	19.20%	10.70%	13.20%	11.00%
line to answer	-	-	-	1	1	4
	-	-	-	0.10%	0.10%	0.40%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 21			US, AU, UK	US, AU, UK

Have you ever been unable or reluctant to wash your hands with soap in a public place,

because you know or suspect that the soap is fragranced?

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
25	29	28	27	131	85	86
	59.20%	68.30%	51.90%	12.00%	8.00%	8.20%
D	16	13	20	908	898	879
	32.70%	31.70%	38.50%	83.50%	85.00%	83.90%
eutral/not sure	3	-	4	47	72	78
	6.10%	-	7.70%	4.30%	6.80%	7.40%
ecline to answer	1	-	1	2	2	5
	2.00%	-	1.90%	0.20%	0.20%	0.50%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 22			US, AU, UK	US, AU, UK

Have you ever been prevented from going to some place because

you would be exposed to a fragrance product that would make you sick?

	US	AU	UK	US	AU	UK
Total	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
Yes	37	29	28	221	136	120
	75.50%	70.70%	53.80%	20.30%	12.90%	11.50%
lo	11	9	20	808	823	853
	22.40%	22.00%	38.50%	74.30%	77.90%	81.40%
on't know/not sure	-	3	3	58	96	73
	-	7.30%	5.80%	5.30%	9.10%	7.00%
Decline to answer	1	-	1	1	2	2
	2.00%	-	1.90%	0.10%	0.20%	0.20%
SUM	49	41	52			
	100.00%	100.00%	100.00%			

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 23			US, AU, UK	US, AU, UK

Has any exposure to fragranced products in your work environment caused you to become sick, lose work days, or lose a job?

	US	AU	UK	US	AU	UK
otal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
S	35	28	20	137	57	49
	71.40%	68.30%	38.50%	12.60%	5.40%	4.70%
	12	11	23	898	918	930
	24.50%	26.80%	44.20%	82.50%	86.80%	88.70%
n't know/not sure	2	2	8	52	79	66
	4.10%	4.90%	15.40%	4.80%	7.50%	6.30%
line to answer	-	-	1	1	3	3
	-	-	1.90%	0.10%	0.30%	0.30%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 24			US, AU, UK	US, AU, UK

Would you be supportive of a fragrance-free policy in the workplace?

	US	AU	UK	US	AU	UK
Fotal	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
es	28	32	32	576	438	460
	57.10%	78.00%	61.50%	52.90%	41.40%	43.90%
)	13	6	16	211	238	240
	26.50%	14.60%	30.80%	19.40%	22.50%	22.90%
utral/not sure	8	3	4	296	378	340
	16.30%	7.30%	7.70%	27.20%	35.80%	32.40%
ecline to answer	-	-	-	5	3	8
	-	-	-	0.50%	0.30%	0.80%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 25			US, AU, UK	US, AU, UK

Would you prefer that health care facilities and health care professionals be fragrance-free?

	US	AU	UK	US	AU	UK
Total	49	41	52	1088	1057	1048
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%
25	39	34	36	584	440	440
	79.60%	82.90%	69.20%	53.70%	41.60%	42.00%
)	5	5	14	250	272	280
	10.20%	12.20%	26.90%	23.00%	25.70%	26.70%
utral/not sure	4	2	2	250	340	322
	8.20%	4.90%	3.80%	23.00%	32.20%	30.70%
cline to answer	1	-	-	4	5	6
	2.00%	-	-	0.40%	0.50%	0.60%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 26			US, AU, UK	US, AU, UK

People Who Answer "Yes" To One Or More Of These Questions: Q2/Q3/Q4/Q5/Q6 (fragrance sensitive group).

	US	AU	UK	US	AU	UK		
Total	49	41	52	1088	1057	1048	142	3193
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%		
Yes	41	34	44	353	328	262	119	943
	83.70%	82.90%	84.60%	32.40%	31.00%	25.00%	83.7%	29.5%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 27			US, AU, UK	US, AU, UK

People who answer "Yes" to each type of health problem for each of these questions Q2/Q3/Q4/Q5/Q6.

	US	AU	UK	US	AU	UK	
Total	49	41	52	1088	1057	1048	
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	
Aigraine headaches	22	17	22	157	93	70	
	44.90%	41.50%	42.30%	14.40%	8.80%	6.70%	42.9%
sthma attacks	14	19	17	77	64	58	25.00/
	28.60%	46.30%	32.70%	7.10%	6.10%	5.50%	35.9%
eurological problems (e.g., dizziness, seizures,	20	12	17	62	37	24	
ead pain, fainting, loss of coordination)	40.80%	29.30%	32.70%	5.70%	3.50%	2.30%	34.3%
espiratory problems (e.g., difficulty breathing,	23	20	20	188	163	108	
bughing, shortness of breath)	46.90%	48.80%	38.50%	17.30%	15.40%	10.30%	44.7%
kin problems (e.g., rashes, hives, red skin,	19	18	19	102	86	89	
ngling skin, dermatitis)	38.80%	43.90%	36.50%	9.40%	8.10%	8.50%	39.7%
ognitive problems (e.g., difficulties thinking,	20	13	13	46	32	18	
oncentrating, or remembering)	40.80%	31.70%	25.00%	4.20%	3.00%	1.70%	32.5%
lucosal symptoms (e.g., watery or red eyes, nasal	21	20	18	163	134	83	
ngestion, sneezing)	42.90%	48.80%	34.60%	15.00%	12.70%	7.90%	42.1%
nmune system problems (e.g., swollen lymph	18	18	7	27	18	14	
ands, fever, fatigue)	36.70%	43.90%	13.50%	2.50%	1.70%	1.30%	31.4%
astrointestinal problems (e.g., nausea, bloating,	15	10	17	48	26	16	
amping, diarrhea)	30.60%	24.40%	32.70%	4.40%	2.50%	1.50%	29.2%
ardiovascular problems (e.g., fast or irregular	18	13	18	32	20	17	
eartbeat, jitteriness, chest discomfort)	36.70%	31.70%	34.60%	2.90%	1.90%	1.60%	34.3%
usculoskeletal problems (e.g., muscle or joint	19	15	14	24	14	8	
iin, cramps, weakness)	38.80%	36.60%	26.90%	2.20%	1.30%	0.80%	34.1%
ther	1	-	1	18	21	22	
	2.00%	-	1.90%	1.70%	2.00%	2.10%	2.0%

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 28			US, AU, UK	US, AU, UK

Demographics.

Base: Autistic, Non-Austistic

	US	AU	UK	US	AU	UK	
Total	49	41	52	1088	1057	1048	
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%	
Male/Female							
All Males	33	24	34	492	519	516	
	67.30%	58.50%	65.40%	45.20%	49.10%	49.20%	63.7%
II Females	16	17	18	596	538	532	
	32.70%	41.50%	34.60%	54.80%	50.90%	50.80%	36.3%
iender vs Age							
Nale 18-24	6	5	6	41	65	77	
	12.20%	12.20%	11.50%	3.80%	6.10%	7.30%	12.0%
1ale 25-34	13	7	15	117	102	87	
	26.50%	17.10%	28.80%	10.80%	9.60%	8.30%	24.1%
lale 35-44	12	6	8	124	113	99	
	24.50%	14.60%	15.40%	11.40%	10.70%	9.40%	18.2%
lale 45-54	2	5	4	106	121	131	
	4.10%	12.20%	7.70%	9.70%	11.40%	12.50%	8.0%
ale 55-65	-	1	1	104	118	122	
	-	2.40%	1.90%	9.60%	11.20%	11.60%	2.2%
emale 18-24	3	2	4	75	84	77	
	6.10%	4.90%	7.70%	6.90%	7.90%	7.30%	6.2%
emale 25-34	3	7	10	132	123	119	
	6.10%	17.10%	19.20%	12.10%	11.60%	11.40%	14.1%
emale 35-44	8	4	3	147	133	132	
	16.30%	9.80%	5.80%	13.50%	12.60%	12.60%	10.6%
emale 45-54	1	4	1	143	111	107	
	2.00%	9.80%	1.90%	13.10%	10.50%	10.20%	4.6%
emale 55-65	1	-	-	99	87	97	-
	2.00%	-	-	9.10%	8.20%	9.30%	2.0%

Table 29

Demographics.

Base: General Population

					US, AU, UK
	US	AU	UK		
Total	1137	1098	1100		
	100.00%	100.00%	100.00%		
Male/Female					
All Males	525	543	550		
	46.20%	49.50%	50.00%		48.6%
All Females	612	555	550		
	53.80%	50.50%	50.00%		51.4%
Gender vs Age					
Male 18-24	47	70	83		
	4.10%	6.40%	7.50%		6.0%
Male 25-34	130	109	102		
	11.40%	9.90%	9.30%		10.2%
Male 35-44	136	119	107		
	12.00%	10.80%	9.70%		10.8%
Male 45-54	108	126	135		
	9.50%	11.50%	12.30%		11.1%
Male 55-65	104	119	123		
	9.10%	10.80%	11.20%		10.4%
Female 18-24	78	86	81		
	6.90%	7.80%	7.40%		7.4%
Female 25-34	135	130	129		
	11.90%	11.80%	11.70%		11.8%
Female 35-44	155	137	135		
	13.60%	12.50%	12.30%		12.8%
Female 45-54	144	115	108		
	12.70%	10.50%	9.80%		11.0%
Female 55-65	100	87	97		
	8.80%	7.90%	8.80%		8.5%

US. AU. UK

	Autistic	Non-Autistic	Autistic	Non-Autistic
Table 30			US, AU, UK	US, AU, UK

Demographics.

Base: Autistic, Non-Austistic: Fragrance Sensitive

	US	AU	UK	US	AU	UK		
Total	41	34	44	353	328	262	119	943
	100.00%	100.00%	100.00%	100.00%	100.00%	100.00%		
Male/Female								
All Males	28	21	28	145	123	113		
	68.30%	61.80%	63.60%	41.10%	37.50%	43.10%	64.6%	40.6%
All Females	13	13	16	208	205	149		
	31.70%	38.20%	36.40%	58.90%	62.50%	56.90%	35.4%	59.4%
Gender vs Age								
Male 18-24	4	3	6	10	14	14		
	9.80%	8.80%	13.60%	2.80%	4.30%	5.30%	10.7%	4.1%
Male 25-34	11	7	14	36	35	25		
	26.80%	20.60%	31.80%	10.20%	10.70%	9.50%	26.4%	10.1%
Male 35-44	11	6	7	44	22	23		
	26.80%	17.60%	15.90%	12.50%	6.70%	8.80%	20.1%	9.3%
Male 45-54	2	5	-	30	29	27		
	4.90%	14.70%	-	8.50%	8.80%	10.30%	9.8%	9.2%
Male 55-65	-	-	1	25	23	24		
	-	-	2.30%	7.10%	7.00%	9.20%	2.3%	7.8%
Female 18-24	3	2	3	17	25	19		
	7.30%	5.90%	6.80%	4.80%	7.60%	7.30%	6.7%	6.6%
Female 25-34	2	5	9	48	38	32		
	4.90%	14.70%	20.50%	13.60%	11.60%	12.20%	13.4%	12.5%
Female 35-44	7	2	3	54	53	40		
	17.10%	5.90%	6.80%	15.30%	16.20%	15.30%	9.9%	15.6%
Female 45-54	1	4	1	52	45	32		
	2.40%	11.80%	2.30%	14.70%	13.70%	12.20%	5.5%	13.5%
Female 55-65	-	-	-	37	44	26		
	-	-	-	10.50%	13.40%	9.90%		11.3%