ANRIL promotes chemoresistance via disturbing expression of ABCC1 by regulating the expression of Let-7a in colorectal cancer

Zhen Zhang^{1#}, Lifeng Feng^{2#}, Pengfei Liu³*, Wei Duan⁴*

*Corresponding author: Wei Duan, Department of Oncology, Yan'an University Affiliated Hospital, Yanan University, NO.43, North Main Street, Baota District, Yan'an 716000, Shaanxi Province, China. Tel: +86-13289647254; Email: duanwei1976dw@163.com

Or Pengfei Liu, The Department of Gastroenterology, Yan'an University Affiliated Hospital, NO.43, North Main Street, Baota District, Yan'an 716000, Shaanxi Province, China. Tel: +86-13891121986; Email: lpf19780103@163.com.


¹ The Department of Gerontology, Yeda Hospital of Yantai City, Yantai, China.

² The Department of general surgery, Shangluo Central Hospital, Shangluo, China.

³ The Department of Gastroenterology, Yan'an University Affiliated Hospital, Yan'an, China.

⁴ The Department of Oncology, Yan'an University Affiliated Hospital, Yan'an, China.

[#] Contribute equally to this work



Suppl.Figure S1. The expression of ABCC1 and Let-7a in tissues samples. (A) The expression of ABCC1 in tissues samples. (B) The association of ABCC1 expression in the high level ANRIL group and low level ANRIL group with overall survival. (C) The expression of Let-7a in tissues samples. (D) The association of Let-7a expression in the high level ANRIL group and low level ANRIL group with overall survival.

Supplementary Table S1

Table S1. Primers used for real-time RT-PCR and the sequence of si-ANRIL

	Sequence	
	Forwards primers	Reverse primers
ANRIL	TGCTCTATCCGCCAATCAGG	GGGCCTCAGTGGCACATACC
ABCC1	AAGGAGGTACTAGGTGGGCTT	CCAGTAGGACCCTTCGAGC
ABCC5	GAACTCGACCGTTGGAATGC	TCATCCAGGATTCTGAGCTGAG
miR-let-7a	TGAGGTAGTAGGTTAAA	AACGAGACGACGACAGACTTT
U6	CTCGCTTCGGCAGCACA	AACGCTTCACGAATTTGCGT
GAPDH	GGAGCGAGATCCCTCCAAAAT	GGCTGTTGTCATACTTCTCATGG
	Sequence	
si-h-ANRIL1	GGAATGAGGAGCACAGTGA	
si-h-ANRIL2	CAGAAAGAGAAGTTAAA	
si-h-ANRIL3	GGAGAAACAATTCAAGATA	