

S2 Table. Summary of fall-related injuries within one year^a

Syncope (n=125,763)	Total	Age <50 y	Age 50-64 y	Age 65-79 y	Age ≥80 y
Any fall-related injury	8394 (100.0)	1882 (100.0)	1282 (100.0)	2226 (100.0)	3004 (100.0)
Minor head injury ^b	3913 (46.6)	1232 (65.5)	653 (50.9)	924 (41.5)	1104 (36.8)
Wrist or forearm fracture	1491 (17.8)	407 (21.6)	260 (20.3)	399 (17.9)	425 (14.1)
Shoulder or upper arm fracture	822 (9.8)	80 (4.3)	166 (12.9)	278 (12.5)	298 (9.9)
Major head injury ^c	562 (6.7)	137 (7.3)	89 (6.9)	166 (7.5)	170 (5.7)
Hip fracture	1606 (19.1)	26 (1.4)	114 (8.9)	459 (20.6)	1007 (33.5)
No syncope (n=125,763)	Total	Age <50 y	Age 50-64 y	Age 65-79 y	Age ≥80 y
Any fall-related injury	4049 (100.0)	669 (100.0)	477 (100.0)	986 (100.0)	1917 (100.0)
Minor head injury ^b	1383 (34.2)	344 (51.4)	195 (40.9)	291 (29.5)	553 (28.8)
Wrist or forearm fracture	1040 (25.7)	245 (36.6)	169 (35.4)	284 (28.8)	342 (17.8)
Shoulder or upper arm fracture	428 (10.6)	29 (4.3)	63 (13.2)	136 (13.8)	200 (10.4)
Major head injury ^c	182 (4.5)	44 (6.6)	19 (4.0)	41 (4.2)	78 (4.1)
Hip fracture	1016 (25.1)	7 (1.0)	31 (6.5)	234 (23.7)	744 (38.8)

^aAge refers to age at inclusion

^bDefined as concussion, superficial contusion, or wound

^cDefined as skull fracture or traumatic intracranial bleeding