

This is raw statistical data involved in the study.

R:Right side L:Left side

Parameter	Level	Slice	1R	2R	3R	4R	5R	6R	7R	8R	9R	10R	1L	2L	3L	4L	5L	6L	7L	8L	9L	10L	
P-SAP	L3/4	mtranc	15.67	15.06	22.4	15.87	20.65	18.28	13.24	15.18	17.72	15.59	13.9	14.66	17.42	12.7	20.12	18.28	13.57	18.37	18.88	14.45	
		id-slic	11.67	11.57	19.02	11.31	16.69	14.57	8.98	11.54	11.73	13.02	11.32	14.25	14.5	9.21	15.56	14.57	12.41	13.38	16.21	12.3	
		exit	10.08	11.73	15.11	9.23	14.51	13.12	12.44	15.02	11.06	12.73	9.37	13.12	14.38	8.82	15.58	13.12	11.69	13.72	13.58	12.17	
		mtranc	20.45	12.67	22.25	17.66	19.39	20.6	14.36	10.99	9.06	17.64	16.93	20.77	15.53	16.21	22.46	20.6	17.29	16.1	14.26	13.66	
	L4/5	mtranc	13.1	10.74	18.24	11.89	14.25	15.4	10.94	10.37	8.22	13.17	12.95	15.62	14.4	9	15.23	15.4	12.21	12.43	10.09	12.12	
		id-slic	10.64	10.37	15.31	9.23	12.6	12.77	12.18	10.72	10.93	13.37	11.4	12.32	13.93	8.28	13.21	12.77	11.33	11.04	10.57	11.93	
		exit	9.12	12.85	19.65	12.31	9.7	14.09	10.63	10.38	9.97	13.47	10.31	21.89	10.34	11.01	15.16	14.09	16.35	15.05	15.52	10.06	
		mtranc	7.97	11.6	10.99	9.06	10.87	10.27	9.36	10.05	11.28	10.66	8.67	12.46	7.98	8.7	9.47	10.27	11.81	10.43	12.66	10.94	
	L5S1	id-slic	12.07	11.11	11.6	11.41	12.67	10.79	9.48	12	14.41	9.94	12.04	12.71	10.24	10.53	11.97	10.79	10.19	11.48	13.07	11.31	
		exit	6.38	9.08	8.86	8.28	12.43	9.61	6.13	11.97	7.77	9.16	5.7	9.69	8.76	8.71	12.74	9.61	6.38	11.2	9.24	9.27	
		mtranc	4.92	9.56	9.37	8.12	11.77	12.21	6.66	12.19	7.09	7.4	8.64	12.21	11.76	8.17	11.36	12.21	7	11.86	9.63	10.38	
		id-slic	5.86	12.85	9.99	10.09	11.11	11.8	7.4	15.03	9.32	6.44	8.98	10.8	12.44	8.24	11.38	11.8	6.82	14.41	11.05	9.85	
	IPV-SAP	mtranc	6.91	9.77	8.6	8.45	9.12	9.16	6.2	11.05	9.6	7.73	5.97	9.15	7.96	7.3	11.06	9.16	5.89	9.96	7.62	9.43	
		L4/5	mtranc	6.57	11.26	11.04	8.74	9.14	9.07	7.45	12.43	9.1	8.81	6.13	9.57	10.27	8.47	8.66	9.07	5.68	11.07	9.17	9.66
		id-slic	6.8	11.71	13.03	9.73	8.84	13.92	8.46	15.03	12	9.28	7.68	9.86	11.91	9.53	10.58	13.92	7.22	11.47	12.03	11.21	
		exit	7.79	11.49	8.29	7.08	8.53	9.5	7.78	13.42	12.35	6.59	8.92	9.07	8.82	5.9	6.36	9.5	7.07	12.16	13.06	9.38	
	L5S1	mtranc	13.73	14.35	10	10.17	11.92	11.59	11.84	16.04	15.55	8.15	11.42	10.37	11.75	8.83	9.91	11.59	8.25	13.87	13.38	12.3	
		id-slic	20.24	15.91	15.48	15.48	16.51	16.88	13.93	21.11	20.51	9.16	19.35	17	18.91	16.15	17.55	16.88	13.18	16.18	18.47	13.52	
		exit	15.19	13.42	18.32	14.55	11.61	14.23	11.78	13.47	17.91	14.46	10.16	14.23	13.14	11.85	10.87	14.23	12.71	17.73	19.23	13.02	
		mtranc	10.22	9.41	15.76	10.35	9.38	11.16	7.92	11.47	12.35	11.2	7.97	11.16	10.41	8.7	8.63	11.16	11.31	12.66	15.93	9.89	
P-IV	L3/4	mtranc	8.89	9.79	13.05	9.45	8.64	11.18	11.93	13.6	10.46	10.24	7.09	11.02	9.75	8.55	8.94	11.18	10.54	11.74	11.62	9.16	
	id-slic	18.38	11.04	19.34	18.72	14.88	16.73	14.26	11.46	11.02	16.15	14.19	18.45	13.1	13.84	14.03	16.73	17.25	17.29	16.35	10.49		
	exit	11	10.54	15	11.18	10.63	13.44	10.11	10.16	9.67	12.3	10.57	14.17	10.34	10.9	11.52	13.44	13.86	14.26	12.16	8.79		
	mtranc	9.12	9.25	11.83	10.27	8.57	11.31	11.98	11.74	9.74	11.82	9.55	12.05	9.62	8.61	9.26	11.31	11.74	11.38	11.64	9.18		
Young Group	L4/5	mtranc	11.91	12.76	16.8	13.17	7.87	13.78	12.01	12.94	11.62	14.23	13.21	20.32	13.25	13.19	16.82	13.78	15.61	19.21	18.19	10.26	
	id-slic	8.1	9.41	12.8	10.29	9.84	11.67	9.41	10.45	10.54	11.34	9.15	13.61	11.36	9.06	12.19	11.67	13.57	13.35	13.57	10.26		
	exit	8.31	9.85	12.36	8.84	7.01	10.42	9.92	11.46	9.18	9.93	7.77	10.09	12.2	8.49	9.57	10.42	10.74	10.47	11.05	9.74		
	mtranc	5.79	5.37	5.94	4.23	6.76	4.91	3.47	6.63	4.92	3.98	6.9	5.06	5.34	3.88	6.61	4.56	4.39	6.41	4.11	4.21		
DH	L3/4	mtranc	5.51	6.16	5.57	4.38	6.45	5.12	4.18	5.75	5.97	4.65	6.27	5.33	5.69	4.23	7.24	6.61	4.22	6.63	4.97	4.43	
	id-slic	6.9	6.5	5.93	4.8	7.56	5.57	4.56	6.18	6.98	5.98	6.48	5.55	5.95	4.02	8.14	6.67	3.44	6.16	5.35	5.76		
	exit	5.45	4.37	4.92	4.38	4.56	4.39	3.63	4.71	3.49	3.98	6.04	5.93	5.55	4.02	6.61	4.71	3.8	3.91	2.9	5.32		
	mtranc	6.79	5.01	5.24	4.38	5.21	5.43	3.75	3.54	3.83	5.32	6.05	5.09	5.08	4.02	6.62	5.21	3.57	4.43	3.18	4.48		
L4/5	mtranc	7.26	5.76	5.56	5.41	7.12	5.73	4.45	3.49	4.76	4.91	7.42	5.61	6.19	4.98	7.71	6.86	4.07	5.34	4.73	4.67		
	id-slic	3.57	3.41	3.89	3.01	4.6	2.67	2.89	3.67	3.53	3.37	3.63	3.79	4.28	2.91	4.92	4.39	3.08	3.99	3.63	3.55		
	exit	3.83	3.75	4.63	3.76	4.76	4.21	2.38	3.58	3.24	4.56	4.23	4.28	4.49	4.97	5.21	5.71	3.44	3.27	3.65	4.3		
	mtranc	6.88	6.39	7.12	6.26	5.97	5.18	5.03	3.27	3.78	5.25	5.98	6.14	7.31	6.05	6.47	7.31	3.69	5.71	4.85	4.51		
BBA	L5S1	mtranc	205.2	211	261.8	179.9	240.5	262.7	163	235.2	205.2	166.6	228.4	211.6	247.3	184.3	257.7	262.72	157.59	249.58	228.43	173.06	
	id-slic	159.4	195.4	222	132.1	195.1	232.2	106.1	115.2	59.4	146.4	139.4	211.2	211.2	251	152	221.9	232.18	137.27	225.14	211.22	150.88	
	exit	216	234.9	219.5	143.1	203.3	223	199.3	5.95	216	146.5	196.7	236.7	251.8	154.7	236.8	222.95	133.2	231.74	196.65	164.52		
	mtranc	198.88	203.24	216.01	198.88	175.05	281.7	154.1	158.7	150.41	194.81	163.6	236.47	204.94	163.6	227.85	281.69	182.44	192.34	158.99	170.74		
SP-IFE	L4/5	mtranc	147.01	213.81	208.85	147.01	155.15	233.3	119.9	155	142.31	158.32	124.63	203.74	203.13	124.63	161.62	233.34	138.25	177.67	135.34	155.97	
	id-slic	147.78	216.97	219.2	147.78	173.57	271.3	174.2	12.39	149.2	147.36	130.87	175.89	216.91	130.87	199.95	271.3	144.17	171.78	145.47	157.43		
	exit	187.7	189	204	121.1	139.2	187.7	134.7	142.2	164.8	159.3	187.7	216.7	150	104.9	172.3	187.69	177	174.39	190.03	147.62		
	mtranc	168	176.8	158.8	112.9	152.1	168	124	151.2	179.9	133.8	168	151.1	158.9	97.64	156.9	167.96	152.05	148.61	194.3	170.65		
IPV-SAP	L3/4	mtranc	205.7	259.5	211.8	149.4	169.3	205.7	170.3	183	199.1	142.1	205.7	215.5	213.8	166.9	177.7	205.68	162.76	152.02	206.33	181.34	
	id-slic	12.02	16.67	20.13	15	18.18	18.62	14.97	15.03	16.1	14.92	13.57	16.59	19.08	14.48	17.88	18.78	15.68	15.74	15.12	18.01		
	exit	9.31	14.94	16.43	12.55	15.71	15.01	13.54	13.28	14.25	12.53	12.04	14.39	16.43	12.99	15.97	14.2	12.85	13.84	14.73	15.45		
	mtranc	9.69	13.21	13.29	11.03	12.08	12.53	12.48	12.31	11.41	11.23	11.63	13.25	14.83	12.53	13.94	13.02	11.34	12.57	12.39	12.6		
P-SAP	L3/4	mtranc	13.44	18	11.58	19.64	26.67	11.75	19.5	19.86	18.52	19.23	10.62	19.71	23.32	16.98	18.45	19.63	16.55	16.52			
		id-slic	10.32	13.09	10.11	17.18	20.95	11.03	12.8	14.05	10.59	12.71	7.92	18.03	21.01	12.74	12.63	15.76	11.39	15.32			
		exit	9.13	13.21	10.88	12.27	16.11	10.63	13.62	11.47	8.59	11.98	8.24	12.71	16.97	10.97	10.6	12.62	11.02	14.12			
		mtranc	13.62	19.81	10.91	23.04	16.33	12.59	13.9	14.6	16.11	14.12	15.64	8.82	15.82	25.15	10.96	17.46	16.2	17.26			
	L4/5	mtranc	10.52	13.52	9.2	15.8	14.63	11.52	10.53	12.62	11.89	12.25	11.19	8.46	12.25	21.64	11.43	13.02	12.77	11.92			
		id-slic	10.94	12.12	12.4	11.8	14.28	11.34	11.12	12.38	13.9	11.75	11.85	7.79	12.25	17.31	11.03	12.35	10.81	14.8			
		exit	15.07	15.74	12.55	12.7	15.74	11.45	9.61	12.9	11.8	14.99	10.16	7.26	16.49	21.13	12.93	13.44	11.58	14.33			
		mtranc	12.48	8.57	6.88	10.37	16.38	10.25	9.92	8.85	13.03	10.83	9.69	9.38	9.68	14.75	6.76	8.74	8.6	10.38			
	L5S1	id-slic	11.92	12.9	12.22	13.44	15.23	12.78	11.79	10.68	12.4	11.49	14.27	13.61	11.64	15.35	9.39	11.55	12.51	9			
		exit	6.35	8.4	8.34	7.02	11.04	6	10.27	8.35	7.95	7.82	9.78	7.4	8.79	9.82	7.64	10.03	9.07	7.92			
		mtranc	5.12	7.98	9.33	7.66	10	6.29	9.63	7.58	7.5	6.94	8.96	9.45	8.81	8.96	6.12	11.06	7.97	8.09			

		exit	14.07	19.44	20.55	19.87	13.52	17.68	16.26	16.7	19.93	18.18	22.12	19.57	16.57	16.86	16.84	18.05	18.39	13.34
		mtranc	13.65	13.56	14.8	19.69	19.28	9.55	14.11	18.18	15.53	16.03	14.83	13.57	15.66	19.6	15.75	14.58	16.44	13.38
	L3/4	id-slic	9.81	9.67	9.59	15.48	14.36	9.69	10.19	11.37	8.3	10.12	10.69	11.24	11.71	17.76	10.84	9.77	13.29	9.11
		exit	8.43	9.18	9.04	12.61	12.26	9.69	10.89	9.27	13.38	9.22	9.54	10.28	9.88	14.37	10.61	11.28	11.02	9.77
		mtranc	12.09	17.49	14.51	18.72	12.74	10.97	13.29	13.13	14.81	13.03	9.81	11.8	13.64	20.62	16.14	16.23	16.44	15.64
	P-IV	L4/5	id-slic	10.04	12.6	9.6	15.42	10.87	10.22	10.03	11.91	8.55	9.63	9.36	11.69	11.86	18.39	11.53	11.98	10.79
		exit	10.99	11.15	13.22	12.3	10.36	10.2	10.37	10.53	10.41	10.41	9.47	10.21	10.19	14.27	10.85	11.57	10.86	10.81
		mtranc	15.22	16.42	15.44	12.78	14.08	12.43	10.7	13.87	9.76	14.75	12.33	11.21	20.18	19.52	15.97	15.22	13.28	12.29
		L5S1	id-slic	10.21	10.17	10.06	9.85	12.66	9.72	7.2	8.41	8.32	9.82	9.37	11.22	13.45	16.09	10.21	9.47	10.91
		exit	10.29	9.78	11.23	9.05	11.83	8.86	6.63	9.46	9.4	9	7.3	9.54	10.1	11	7.51	8.45	8.44	10.06
		mtranc	3.96	4.67	5.15	5.44	5.64	4.8	5.01	5.67	4.79	5.51	5.32	4.68	5.9	5.83	3.89	4.52	5.93	4.07
	L3/4	id-slic	5.53	4.37	5.05	5.89	6.34	3.77	4.2	5.29	5.13	5.37	4.67	5.61	5.93	5.29	4.23	4.05	5.42	4.28
		exit	5.57	5.01	6.55	6.25	7.13	4.04	4.68	6.07	4.95	7.27	5.16	6.42	6.45	5.78	4.53	4.87	5.32	5.72
		mtranc	4.88	4.87	4.04	5.37	6.49	5.04	3.73	5.73	4.72	6.37	5.49	3.76	6.3	6.97	6.11	4.11	5.29	4.82
	DH	L4/5	id-slic	5.51	5.18	4.85	6.59	6.28	4.93	3.98	5.81	5.29	6.22	5.26	4.64	5.81	6.96	6.6	3.45	5.08
		exit	6.55	5.02	5.31	7.12	6.46	5.83	5.6	6.33	5.44	7.13	5.93	4.96	6.95	8.33	7.54	3.99	5.17	6.38
		mtranc	4.51	3.69	4.46	3.73	5.6	3.14	0.5	2.76	3.28	4.85	3.1	4.01	3.98	6.56	2.73	1.49	2.07	3.79
		L5S1	id-slic	4.73	3.08	4.12	4.33	5.53	2.9	1.03	3.82	3.46	4.47	3.51	3.67	4.03	6.44	2.98	1.05	3.06
		exit	5	5.4	4.29	6.15	5.27	4.17	1.97	4.32	4.2	5.17	6.6	4.12	6.19	6.88	4.01	2.35	5.03	4.6
		mtranc	145	175.2	130.9	189.7	241.4	130.2	165.2	190.4	164.5	185.8	194	142	205.3	236.3	154.9	154.17	202.84	176.52
	L3/4	id-slic	123.1	139.4	117.3	181.5	216.4	124.7	134.2	149.3	155.4	124.3	155.3	123.3	195.2	197.7	131.9	145.38	183.9	139.54
		exit	129.4	168.4	126.8	182.7	206.8	137	200	180.2	304.2	173.9	166.2	132.4	196.9	198.1	180.2	227.63	161.91	236
		mtranc	142.43	178.82	108.28	187.33	147	151	143.1	152.3	170.46	151.25	160.13	112.19	173.55	207.54	140.37	154.55	174.96	190.56
	BBA	L4/5	id-slic	119.74	145.42	99.69	159.83	155.66	168	110.6	144.4	157.5	136.24	141.17	114.68	171.52	184.1	156.78	120.98	151.64
		exit	145.37	151.33	217.17	174.34	157.64	215.2	186.2	176.9	276.3	192.08	161.57	120.38	190.22	165.37	201.06	132.31	167	227.77
		mtranc	175.3	161.5	120.1	145.5	197.1	134.2	117.1	147.7	168.1	172.5	147	105.2	171.6	220.1	111.9	136.28	138.22	165.53
		L5S1	id-slic	133.8	143.9	94.03	142.1	195.9	134.9	107.9	98.55	191.8	146.8	143.7	112.1	154	206.9	104	96.61	116.79
		exit	171.1	191.8	205.3	188.9	206.3	163.6	112.8	139	238.5	209.4	238.1	173.4	170	250.4	141	147.11	145.76	187.26
		mtranc	16.63	13.04	13.41	17.4	16.73	15.25	12.98	13.79	15.96	15.52	14.73	14.39	14.52	16.87	14.39	13.38	14.18	14.61
	SP-IFE	L3/4	14.2	11.91	11.01	14.35	13.69	14.82	12.58	13.76	12.14	15.26	12.14	12.14	15.13	13.12	14.74	13.02	13.79	12.37
		L5S1	11.88	11.01	10.34	12.9	13.12	13.71	12.19	12.22	11.92	10.97	10.79	11.72	13.35	12.36	12.99	11.98	11.8	13.26
	Parameter Level	Slice	1R	2R	3R	4R	5R	6R	1L	2L	3L	4L	5L	6L						
		mtranc	12.78	13.16	17.88	11.11	14.5	22.09	15.34	17.26	9.74	11.49	18.74	18.46						
	L3/4	id-slic	10.32	11.57	14.42	6.43	9.92	10.62	10.11	13.16	10.18	7.18	14.34	12.15						
		exit	9.89	9.57	10.6	6.88	9.33	10.29	8.3	14.71	9.3	11.66	18.74	16.9						
		mtranc	15.23	15.5	20.4	14.18	8.25	16.07	19.31	18.36	8.73	14.66	16.53	13.57						
	P-SAP	L4/5	id-slic	9.12	11.45	13.73	5.71	7.17	11.7	12.98	12.67	6.57	6.88	12.38	10.48					
		exit	16.03	11.44	8.82	11.19	12.37	12.16	10.83	13.9	8	6.77	9.13	10						
		mtranc	10.99	11.2	7.49	7.23	10.17	10.8	19.11	17.49	12.59	12.15	13.58	15.49						
		L5S1	id-slic	9.91	9.53	7.11	9.86	13.15	8.01	10.66	12.69	6.32	7.98	9.21	6.21					
		exit	12.41	9.04	11.2	13.73	17.61	9.65	7.92	12.38	5.19	9.46	11.37	13.11						
		mtranc	6.12	5.86	6.69	7.86	9.1	9.64	5.62	9.17	7.45	8.17	9.83	11.5						
	L3/4	id-slic	4.56	8.1	6.69	6.42	7.19	9.48	6.73	8.17	9.33	9.16	8.11	11.63						
		exit	5.94	9.05	6.6	7.12	9.03	11.34	7.32	9.82	7.27	12.39	9.83	14.91						
		mtranc	5.25	5.6	8.43	7.86	9.56	9.12	6.92	5.54	5.94	4.88	7.26	10.26						
	IPV-SAP	L4/5	id-slic	4.27	8.68	7.9	5.22	10.5	10.06	6.68	11.11	7.66	9.29	6.12	8.91					
		exit	9.47	12.74	8.69	10.46	14.65	12.52	8.55	14.52	9.54	8.55	9.34	12.56						
		mtranc	8.42	4.71	7.78	7.11	9.36	5.94	6.2	6.91	8.83	7.02	11.07	6.18						
		L5S1	id-slic	6.56	6.79	13.21	8.46	10.83	8.88	12.41	7.47	9.14	12.97	19.36	9.49					
		exit	8.18	11.6	12.59	16.63	17.07	19.43	12.37	9.46	14	16.92	22.25	15.44						
		mtranc	12.69	13.94	19.77	15.53	17.14	15.64	16.19	15.67	11.51	14.91	18.3	12.54						
	L3/4	id-slic	10.03	11.69	15.91	10.9	12.57	10.54	11.09	11.32	12.48	9.75	16.19	10.18						
		exit	11.01	9.8	11.72	9.11	1.85	10.18	9.22	10.02	12.61	10.51	18.3	12.91						
		mtranc	13.74	15.07	21.1	15.53	13.93	14.99	17.46	17.9	13.38	18.71	19.74	13.65						
	P-IV	L4/5	id-slic	9.73	11.32	14.24	11.08	13.89	11.11	12.79	10.93	11.15	12.82	16.32	11.16					
		exit	13.73	11.7	12.87	12.96	13.68	10.31	10.93	12.82	13.21	10.07	13.24	11.54						
		mtranc	10.5	17.04	13.03	9.99	12.86	11.63	14.04	20.9	16.95	17.67	22.36	15.64						
		L5S1	id-slic	10.25	14.07	9.33	10.7	13.46	10.92	10.17	15.13	11.19	9.61	15.78	9.96					
		exit	9.49	11.49	8.85	10.12	13.08	10.75	9.23	13.26	9.82	10.66	14.13	10.06						
		mtranc	4.01	3.58	2.69	3.25	3.35	2.38	3.38	4.05	5.22	0.5	1.52	1.92						
	L3/4	id-slic	3.66	4.13	3.11	3	2.46	3.16	4.99	4.02	5.07	1.54	2.47	2.71						
		exit	5.78	4.71	3.39	4.18	3.2	3.94	6.1	5.23	5.32	1.34	3.23	3.16						
		mtranc	3.87	3.49	4.91	1.27	1.22	4.54	2.72	3.63	4.14	1.02	3.8	3.73						
	DH	L4/5	id-slic	3.31	2.81	5.47	2.69	1.31	5.66	4.25	4.59	3.65	2.32	4.11	4.32					
		exit	4.68	5.57	6.47	3.91	1.7	6.23	5.13	4.36	4.65	2.12	4.87	5.98						
		mtranc	0.65	2.21	0.59	0.98	0.69	0.95	0.42	2.66	1.81	1.35	0.44	0.72						
		L5S1	id-slic	0.35	1.71	0.38	1.02	0.53	0.78	0.54	2.25	2.63	1.45	0.58	0.75					
		exit	0.51	2.6	0.32	1.55	0.32	0.71	0.68	3.05	3.59	1.8	0.73	0.84						
		mtranc	132.7	137	223.5	127	165.2	200.2	144.2	167.9	164.7	111.9	203.3	148.8						

	L3/4 id-slic	125.5	135.2	179	88.97	138.5	141	128.5	145.3	146.7	93.81	188.7	158.7
	exit	113.2	133.6	157.4	94.68	154.6	215.1	112.1	206.6	137.3	162.8	186.9	229
	ntranc	125.09	132.28	200.65	136.59	103.17	183.7	158.7	136.1	161.07	141.91	154.82	153.19
BBA	L4/5 id-slic	115.61	115.34	190.2	75.04	94.58	153.8	141	138.8	158.91	93.98	154.43	143.1
	exit	167.32	207.1	161.93	170.98	142.38	242.2	147.9	234.5	169.83	104.09	137.08	203.22
	ntranc	111	121.7	105.5	78.33	13.72	115.9	103.9	146.1	161.3	127.9	154.3	137.8
	L5S1 id-slic	130.3	120.3	92.13	91.89	138.6	101.1	103.7	142.2	160.6	124.7	157	136.2
	exit	189.4	138.8	110.7	121.9	130.7	122.9	145.3	144.3	133.1	144.2	166.8	152.4
	L3/4	13.99	14.42	16.23	14.33	17.79	16.34	12.88	12.88	16.12	13.48	17.28	16.69
SP-IFE	L4/5	12.59	13.2	14.69	11.96	13.48	12.26	11.41	12.58	15.38	11.29	13.06	13.59
	L5S1	12.81	14.73	12.84	13.08	13.09	11.26	12.2	13.59	14.79	13.71	13.69	12.4
		Young Group											
Age		35	31	22	35	36	29	24	20	29	27		
Height		175	173	177	174	179	176	173	177	174	185		
Weight		82.5	70.1	82.2	76.8	78.5	83	70.4	79.6	83.1	90		
BMI		26.94	23.42	26.24	25.37	24.5	26.8	23.52	25.41	27.45	26.3		
		Mid-aged Group											
Age		47	50	40	49	50	49	51	43	50			
Height		172	174	176	178	170	173	175	177	182			
Weight		66	72.4	80.3	74.5	68.6	76.7	77.8	82.8	94			
BMI		22.31	23.91	25.92	23.51	23.73	25.63	25.4	26.43	28.38			
		Old Group											
Age		74	65	64	71	70	71						
Height		177	171	176	174	175	172						
Weight		80.5	69.9	75.4	68.1	73.9	85.1						
BMI		25.7	23.9	24.7	22.49	24.13	28.77						

