## IMB-T130 targets 3-dehydroquinate synthase and inhibits

## 2 **Mycobacterium tuberculosis**


- 3 Ningyu Zhu<sup>1†</sup>, Xia Wang<sup>1†</sup>, Dongsheng Li<sup>1</sup>, Yuan Lin<sup>2</sup>, Xuefu You<sup>1</sup>, Jiandong Jiang<sup>1, 2</sup>,
- 4 Yanni Xu<sup>1</sup>, Wei Jiang<sup>1\*‡</sup>, Shuyi Si<sup>1\*‡</sup>
- <sup>1</sup>Beijing Key Laboratory of Antimicrobial Agents, Institute of Medicinal Biotechnology,
- 6 Peking Union Medical College and Chinese Academy of Medical Sciences, Beijing,
- 7 100050 China; <sup>2</sup>State Key Laboratory of Bioactive Substances and Function of Natural
- 8 Medicine, Institute of Materia Medica, Chinese Academy of Medical Sciences and
- 9 Peking Union Medical College, Beijing 100050, China
- \*Corresponding author: Tel: +86-10-63180604; Fax: +86-10-63180604; E-mail:
- 11 sisyimb@hotmail.com

1

## 13 Supplementary materials


14

19



Supplementary Figure 1 Expression and purification of *M. tuberculosis* DHQS. a) Protein samples were separated by SDS-PAGE and the bands were visualised by Coomassie blue staining. Lane M, protein marker. Lane 1, purified His-tagged *Mt*DHQS. b) Expression of the

18 His-tagged *Mt*DHQS protein detected by western blotting with an anti-His antibody.



20 **Supplementary Figure 2** Superimposed CD spectra of the native protein and DHQS

21 complexed with IMB-T130.