

Supplementary Table 4: Associations between serological profile and histological features and C4d scores*

Serological Profile	Histological Features			Compartment and Total C4d Scores		
	Ishak Fibrosis Stage	Portal Inflammation	Lobular Inflammation	Portal Capillary	Sinusoidal	Total
IgG (mg/dL)	1.00 (0.10)	1.00 (0.28)	1.00 (0.13)	1.00 (0.06)	1.00 (0.79)	1.00 (0.07)
ANA ≥1:40	2.35 (0.06)	1.72 (0.26)	3.27 (0.046)	2.34 (0.06)	1.51 (0.42)	1.68 (0.21)
ASMA = 1:80	3.94 (0.18)	0.19 (0.18)	1.05 (0.97)	0.96 (0.97)	4.51 (0.13)	0.80 (0.80)
α-AT1R (U/mL)	1.05 (0.09)	1.02 (0.63)	1.05 (0.17)	0.97 (0.41)	0.94 (0.14)	0.95 (0.08)
α-ETAR (U/mL)	0.97 (0.40)	0.99 (0.89)	0.98 (0.59)	1.05 (0.15)	1.06 (0.16)	1.07 (0.02)
MFI sum ≤20,000	1.68 (0.28)	1.81 (0.25)	1.28 (0.71)	1.05 (0.92)	3.25 (0.04)	1.25 (0.61)
MFI sum >20,000	4.53 (0.001)	3.59 (0.01)	1.00 (0.99)	5.11 (<0.001)	4.40 (0.007)	4.73 (<0.001)

*Shown are odds ratios (p-values) from the models of the individual features. Overall model p-values are not shown.