

A study of tuberculosis in road traffic-killed badgers on the edge of the British bovine TB epidemic area

Elsa Sandoval Barron^{1*}, Ben Swift², Julian Chantrey³, Robert Christley³, Richard Gardner⁴, Chris Jewell⁵, Ian McGrath⁶, Andrew Mitchell⁷, Colman O’Cathail¹,
Alison Prosser⁷, Sue Ridout⁸, Gonzalo Sanchez-Cabezudo⁸, Noel Smith⁷, Dorina Timofte³, Nicola Williams³, Malcolm Bennett^{1*}

School Veterinary Medicine and Science, University of Nottingham¹, Royal Veterinary College², Institutes of Infection and Global Health and Veterinary Science, University of Liverpool³, Cheshire Wildlife Trust⁴, Lancaster University⁵, Grange Farm⁶, APHA, Weybridge⁷, APHA Northern Region⁸

90	13/11/2014	53.271591	-2.238900	F	A	15	+	SB0129	25	+					+	
91	14/11/2014	53.061900	-2.609300	F	Y	11										
92	18/11/2014	53.230752	-2.305848	M	A	13.5										
93	19/11/2014	53.249013	-2.654189	M	A	15										
95	09/12/2014	53.250900	-2.088400	F	A	6										
96	09/12/2014	53.275500	-2.322200	F	A	14	+	SB0129	25	+					+	
97	20/01/2015	53.069212	-2.633437	M	Y	12.5										
98	20/01/2015	53.105857	-2.848439	F	Y	8.5										
99	23/01/2015	53.018888	-2.367947	M	A	10										
102	29/01/2015	53.270986	-2.667939	M	A	12.5	+	SB0129	25	+						

Sex was classified as Male (M), Female (F) or Other (O). All carcasses in the O category were considered males

Age was classified as Adult (A) over a year old and Juvenile (Y) under a year old