

Supplementary Table 1. Gene-specific primers used for quantitative real-time PCR analysis.

	Oligonucleotides
FW <i>Abca1</i>	5'-GGTTTGGAGATGGTTATACAATAGTTGT-3'
RV <i>Abca1</i>	5'-CCCGGAAACGCAAGTCC-3'
FW <i>Axl</i>	5'-ATGGCCGACATTGCCAGTG-3'
RV <i>Axl</i>	5'-CGGTAGTAATCCCCGTTGTAGA-3'
FW <i>Cd36</i>	5'-ATGGGCTGTGATCGGAACTG-3'
RV <i>Cd36</i>	5'-GTCTTCCCAATAAGCATGTCTCC-3'
FW <i>Chemr23</i>	5'-ATGGAGTACGACGCTTACAACG-3'
RV <i>Chemr23</i>	5'-GGTGGCGATGACAATCACCA-3'
FW <i>Del1</i> *	5'-CCTGTGAGATAAGCGAAGC-3'
RV <i>Del1</i> *	5'-GAGCTCGGTGAGTAGATG-3'
FW <i>Del1-[E1-E3]**</i>	5'-TTTGGTTGGACTCAGCCTCG-3'
RV <i>Del1-[E1-E3]**</i>	5'-AGCCAGTCCTGACAGACAGA-3'
FW <i>Fpr2</i>	5'-GAGCCTGGCTAGGAAGGTG-3'
RV <i>Fpr2</i>	5'-TGCTGAAACCAATAAGGAACCTG-3'
FW <i>Gata6</i>	5'-CATCACCATCACCCGACCTAC-3'
RV <i>Gata6</i>	5'-GGCCCTGTAAGCTGTGGAG-3'
FW <i>Gpr18</i>	5'-CACCTGAGCAATCACAACCA-3'
RV <i>Gpr18</i>	5'-AGTGACATTAACAAACAGCCCA-3'
FW <i>Lxra</i>	5'-CTCAATGCCTGATGTTTCTCCT-3'
RV <i>Lxra</i>	5'-TCCAACCCTATCCCTAAAGCAA-3'
FW <i>Lxrb</i>	5'-ATGTCTTCCCCACAAGTTCT-3'
RV <i>Lxrb</i>	5'-GACCACGATGTAGGCAGAGC-3'
FW <i>Rxra</i>	5'-ATGGACACCAAACATTTCTGC-3'
RV <i>Rxra</i>	5'-CCAGTGGAGAGCCGATTCC-3'
FW <i>Tgfb1</i>	5'-CTCCCGTGGCTTCTAGTGC-3'
RV <i>Tgfb1</i>	5'-GCCTTAGTTTGGACAGGATCTG-3'
FW <i>Tgm2</i>	5'-GACAATGTGGAGGAGGGATCT-3'
RV <i>Tgm2</i>	5'-CTCTAGGCTGAGACGGTACAG-3'
FW <i>Ucp2</i>	5'-ATGGTTGGTTTCAAGGCCACA-3'
RV <i>Ucp2</i>	5'-CGGTATCCAGAGGGAAAGTGAT-3'
FW <i>18s</i>	5'-GTTCCGACCATAAACGATGCC-3'
RV <i>18s</i>	5'-TGGTGGTGCCCTTCCGTCAAT-3'
	* full length
	** EGF domains (E1-E3)