

Supplementary information

Table S1 Scoring system for diagnosis of polycystic ovary syndrome

Question	Criteria to attain score value	Score value
Have you ever been told by a doctor that you had PCOS?		
• Yes		
• No		
Between the ages of 16 and 40, about how long was your average menstrual cycle (time from first day of one period to the first day of the next period)? (select ONE only)	Participant indicates any one of • <25 d • 25-34 d • 35-60 d • More than 60 d • Totally variable	1
During your menstruating years (not including during pregnancy), did you have a tendency to grow dark, coarse hair on your (circle ALL that apply)	Participant indicates 3 or more sites	1
• upper lip? • chin? • breasts? • chest between the breasts? • back? • belly? • upper arms? • upper thighs?		
Between the ages of 16 and 40, have you ever noticed a milky discharge from your nipples (not including during pregnancy or recent childbirth)? (circle ONE)		
• Yes	Participant indicates Yes	-1
• No	Participant indicates No	0
Whether participants were obese or overweight according to the mean BMI at adult visits.		

• Yes	Participant indicates Yes	1
• No	If participant answered "Yes" to the first question; or total score value ≥ 2 .	

Table S2. Childhood cardiovascular risk factors by time period and reported fertility difficulties in adulthood, adjusted for PCOS

Child (<12)	1.41	0.97- 2.04	1.15	0.85- 1.56	1.14	0.84- 1.53	1.06	0.63-1.80	1.13	0.89-1.45	1.05	0.73-1.52
Adolescent (>=12, <18)	0.82	0.54- 1.23	0.97	0.69- 1.37	1.05	0.76- 1.45	0.94	0.55-1.63	1.01	0.77-1.33	1.18	0.76-1.83
Glucose												
Child (<12)	0.78	0.51- 1.20	0.70	0.48- 1.01	1.23	0.87- 1.74	0.63	0.32-1.23	1.03	0.77-1.38	0.79	0.51-1.20
Adolescent (>=12, <18)	1.29	0.83- 2.02	1.19	0.82- 1.73	1.13	0.80- 1.60	1.23	0.69-2.21	1.10	0.82-1.48	1.23	0.76-1.99
Insulin												
Child (<12)	0.83	0.40- 1.71	0.77	0.42- 1.40	0.83	0.47- 1.49	0.97	0.33-2.83	0.78	0.48-1.27	1.26	0.63-2.52
Adolescent (>=12, <18)	1.02	0.54- 1.90	0.89	0.52- 1.52	0.75	0.45- 1.23	0.43	0.19-0.98	0.91	0.60-1.39	1.38	0.69-2.75

SBP, systolic blood pressure; DBP, diastolic blood pressure; HDL, high-density lipoprotein; LDL, low-density lipoprotein
 Estimates adjusted for education level, race, tobacco use history and BMI at time of measure, and BMI-squared.

Table S3. Pre-pregnant cardiovascular risk factors, the Bogalusa Heart Study, adjusted for PCOS

	Ever sought medical help		Ever tried but unable		unprotected sex >1 year		Received medical help		Any fertility difficulties†		Never got pregnant	
	95% OR CI		95% OR CI		OR 95% CI		OR 95% CI		OR 95% CI		OR 95% CI	
SBP	2.22	1.07-4.58	2.07	3.67	1.18	0.75-1.86	2.30	0.76-6.93	1.51	1.01-2.26	1.46	0.80-2.66
DBP	0.99	0.50-1.95	1.11	1.89	0.77	0.49-1.21	0.94	0.34-2.60	0.93	0.63-1.38	1.36	0.76-2.42
LDL	0.96	0.44-2.06	0.89	1.59	0.97	0.59-1.58	1.22	0.42-3.54	0.95	0.62-1.46	0.99	0.52-1.87
HDL	1.76	0.83-3.73	0.94	1.68	0.63	0.38-1.05	1.93	0.65-5.75	0.78	0.51-1.21	0.71	0.38-1.36
Cholesterol	0.86	0.40-1.85	0.83	1.52	1.13	0.68-1.86	0.99	0.67-5.98	1.08	0.70-1.67	1.20	0.63-2.28
Triglycerides	0.70	0.34-1.45	0.99	1.77	1.38	0.84-2.29	0.44	0.14-1.37	1.06	0.69-1.64	1.32	0.70-2.47
Glucose	2.04	0.92-4.50	2.58	4.94	1.01	0.60-1.73	2.74	0.80-9.36	1.18	0.75-1.88	0.97	0.49-1.92
Insulin	1.63	0.60-4.44	1.32	3.00	1.03	0.50-2.13	0.71	0.19-2.61	1.07	0.58-1.96	0.70	0.27-1.85

SBP, systolic blood pressure; DBP, diastolic blood pressure; HDL, high-density lipoprotein; LDL, low-density lipoprotein
 Estimates adjusted for education level, race, tobacco use history and BMI at time of measure, and BMI-squared.