

Expanded view Table.1. Differential blood cell counts on peripheral blood from *PKCδ^{+/+}* and *PKCδ^{-/-}* littermates revealed no differences in hematologic parameters.

Parameter	<i>PKCδ^{+/+}</i>	<i>PKCδ^{-/-}</i>	p-value
WBCs (K/ μ L)	5.63 \pm 3.30	7.16 \pm 2.01	0.28
Neutrophils (K/ μ L)	1.40 \pm 0.91	1.97 \pm 0.74	0.19
Lymphocytes (K/ μ L)	3.91 \pm 2.21	4.78 \pm 1.60	0.39
Monocytes (K/ μ L)	0.26 \pm 0.19	0.30 \pm 0.13	0.68
Eosinophils (K/ μ L)	0.04 \pm 0.08	0.100 \pm 0.11	0.29
Basophils (K/ μ L)	0.01 \pm 0.02	0.02 \pm 0.03	0.31
RBC (M/ μ L)	9.69 \pm 0.67	9.73 \pm 0.89	0.92
Hb (g/dL)	14.64 \pm 0.77	14.36 \pm 0.99	0.52
HCT (%)	47.41 \pm 3.10	46.91 \pm 3.53	0.77
MCV (fL)	48.98 \pm 2.01	48.36 \pm 2.73	0.61
PLT (K/ μ L)	1,015.78 \pm 142	880.67 \pm 255.74	0.22

Values shown are means \pm SEM (n=10 mice per group). WBC indicates white blood cell; RBC, red blood cell; Hb, hemoglobin; HCT hematocrit; MCV, mean corpuscular volume; PLT, platelets.