

# CONSORT-EHEALTH (V 1.6.1) - Submission/Publication Form

The CONSORT-EHEALTH checklist is intended for authors of randomized trials evaluating web-based and Internet-based applications/interventions, including mobile interventions, electronic games (incl multiplayer games), social media, certain telehealth applications, and other interactive and/or networked electronic applications. Some of the items (e.g. all subitems under item 5 - description of the intervention) may also be applicable for other study designs.

The goal of the CONSORT EHEALTH checklist and guideline is to be

- a guide for reporting for authors of RCTs,
- to form a basis for appraisal of an ehealth trial (in terms of validity)

CONSORT-EHEALTH items/subitems are MANDATORY reporting items for studies published in the Journal of Medical Internet Research and other journals / scientific societies endorsing the checklist.

Items numbered 1., 2., 3., 4a., 4b etc are original CONSORT or CONSORT-NPT (non-pharmacologic treatment) items.

Items with Roman numerals (i., ii, iii, iv etc.) are CONSORT-EHEALTH extensions/clarifications.

As the CONSORT-EHEALTH checklist is still considered in a formative stage, we would ask that you also RATE ON A SCALE OF 1-5 how important/useful you feel each item is FOR THE PURPOSE OF THE CHECKLIST and reporting guideline (optional).

Mandatory reporting items are marked with a red \*.

In the textboxes, either copy & paste the relevant sections from your manuscript into this form - please include any quotes from your manuscript in QUOTATION MARKS, or answer directly by providing additional information not in the manuscript, or elaborating on why the item was not relevant for this study.

YOUR ANSWERS WILL BE PUBLISHED AS A SUPPLEMENTARY FILE TO YOUR PUBLICATION IN JMIR AND ARE CONSIDERED PART OF YOUR PUBLICATION (IF ACCEPTED).



Please fill in these questions diligently. Information will not be copyedited, so please use proper spelling and grammar, use correct capitalization, and avoid abbreviations.

DO NOT FORGET TO SAVE AS PDF \_AND\_ CLICK THE SUBMIT BUTTON SO YOUR ANSWERS ARE IN OUR DATABASE !!!

Citation Suggestion (if you append the pdf as Appendix we suggest to cite this paper in the caption):

Eysenbach G, CONSORT-EHEALTH Group

CONSORT-EHEALTH: Improving and Standardizing Evaluation Reports of Web-based and Mobile Health Interventions

J Med Internet Res 2011;13(4):e126

URL: <http://www.jmir.org/2011/4/e126/>

doi: 10.2196/jmir.1923

PMID: 22209829

\* Required

**Your name \***

First Last

Joshua Smyth

**Primary Affiliation (short), City, Country \***

University of Toronto, Toronto, Canada

Pennsylvania State University, University

**Your e-mail address \***

[abc@gmail.com](mailto:abc@gmail.com)

Smyth@psu.edu



**Title of your manuscript \***

Provide the (draft) title of your manuscript.

Online positive affect journaling improves mental distress and well-being in general medical patients: Evidence from preliminary randomized controlled trial

**Name of your App/Software/Intervention \***

If there is a short and a long/alternate name, write the short name first and add the long name in brackets.

StressVax

**Evaluated Version (if any)**

e.g. "V1", "Release 2017-03-01", "Version 2.0.27913"

V1.0

**Language(s) \***

What language is the intervention/app in? If multiple languages are available, separate by comma (e.g. "English, French")

English

**URL of your Intervention Website or App \***

e.g. a direct link to the mobile app on app in appstore (itunes, Google Play), or URL of the website. If the intervention is a DVD or hardware, you can also link to an Amazon page.

<http://www.stressvax.com>



## URL of an image/screenshot (optional)

Your answer

### Accessibility \*

Can an enduser access the intervention presently?

- access is free and open
- access only for special usergroups, not open
- access is open to everyone, but requires payment/subscription/in-app purchases
- app/intervention no longer accessible
- Other: Intervention currently offline for improvements

### Primary Medical Indication/Disease/Condition \*

e.g. "Stress", "Diabetes", or define the target group in brackets after the condition, e.g. "Autism (Parents of children with)", "Alzheimers (Informal Caregivers of)"

General medical patients evidencing me

### Primary Outcomes measured in trial \*

comma-separated list of primary outcomes reported in the trial

Anxiety, Depression



## Secondary/other outcomes

Are there any other outcomes the intervention is expected to affect?

Resilience, Physical Functioning, Stress, Life Satisfaction, Social Support

## Recommended "Dose" \*

What do the instructions for users say on how often the app should be used?

- Approximately Daily
- Approximately Weekly
- Approximately Monthly
- Approximately Yearly
- "as needed"
- Other:



Approx. Percentage of Users (starters) still using the app as recommended after 3 months \*

- unknown / not evaluated
- 0-10%
- 11-20%
- 21-30%
- 31-40%
- 41-50%
- 51-60%
- 61-70%
- 71%-80%
- 81-90%
- 91-100%
- Other:



**Overall, was the app/intervention effective? \***

- yes: all primary outcomes were significantly better in intervention group vs control
- partly: SOME primary outcomes were significantly better in intervention group vs control
- no statistically significant difference between control and intervention
- potentially harmful: control was significantly better than intervention in one or more outcomes
- inconclusive: more research is needed
- Other:

**Article Preparation Status/Stage \***

At which stage in your article preparation are you currently (at the time you fill in this form)

- not submitted yet - in early draft status
- not submitted yet - in late draft status, just before submission
- submitted to a journal but not reviewed yet
- submitted to a journal and after receiving initial reviewer comments
- submitted to a journal and accepted, but not published yet
- published
- Other:



**Journal \***

If you already know where you will submit this paper (or if it is already submitted), please provide the journal name (if it is not JMIR, provide the journal name under "other")

- not submitted yet / unclear where I will submit this
- Journal of Medical Internet Research (JMIR)
- JMIR mHealth and UHealth
- JMIR Serious Games
- JMIR Mental Health
- JMIR Public Health
- JMIR Formative Research
- Other JMIR sister journal
- Other:

**Is this a full powered effectiveness trial or a pilot/feasibility trial?**

\*

- Pilot/feasibility
- Fully powered





**Manuscript tracking number \***

If this is a JMIR submission, please provide the manuscript tracking number under "other" (The ms tracking number can be found in the submission acknowledgement email, or when you login as author in JMIR. If the paper is already published in JMIR, then the ms tracking number is the four-digit number at the end of the DOI, to be found at the bottom of each published article in JMIR)

no ms number (yet) / not (yet) submitted to / published in JMIR

Other:

**TITLE AND ABSTRACT**

1a) TITLE: Identification as a randomized trial in the title

**1a) Does your paper address CONSORT item 1a? \***

I.e does the title contain the phrase "Randomized Controlled Trial"? (if not, explain the reason under "other")

yes

Other:



### 1a-i) Identify the mode of delivery in the title

Identify the mode of delivery. Preferably use “web-based” and/or “mobile” and/or “electronic game” in the title. Avoid ambiguous terms like “online”, “virtual”, “interactive”. Use “Internet-based” only if Intervention includes non-web-based Internet components (e.g. email), use “computer-based” or “electronic” only if offline products are used. Use “virtual” only in the context of “virtual reality” (3-D worlds). Use “online” only in the context of “online support groups”. Complement or substitute product names with broader terms for the class of products (such as “mobile” or “smart phone” instead of “iphone”), especially if the application runs on different platforms.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential

### Does your paper address subitem 1a-i? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks “like this” to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: Online positive affect journaling

### 1a-ii) Non-web-based components or important co-interventions in title

Mention non-web-based components or important co-interventions in title, if any (e.g., “with telephone support”).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 1a-ii?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: content specificity - positive affect journaling.

### 1a-iii) Primary condition or target group in the title

Mention primary condition or target group in the title, if any (e.g., "for children with Type I Diabetes")  
 Example: A Web-based and Mobile Intervention with Telephone Support for Children with Type I Diabetes: Randomized Controlled Trial

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential

### Does your paper address subitem 1a-iii? \*

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: general medical patients

### 1b) ABSTRACT: Structured summary of trial design, methods, results, and conclusions

NPT extension: Description of experimental treatment, comparator, care providers, centers, and blinding status.



### 1b-i) Key features/functionalities/components of the intervention and comparator in the METHODS section of the ABSTRACT

Mention key features/functionalities/components of the intervention and comparator in the abstract. If possible, also mention theories and principles used for designing the site. Keep in mind the needs of systematic reviewers and indexers by including important synonyms. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential

### Does your paper address subitem 1b-i? \*

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: Seventy adults with various medical conditions were randomly assigned to an online PAJ intervention (n=35) or usual care (n=35). The intervention group completed 15-minute online PAJ sessions on three days each week for 12 weeks. At baseline and the end of months 1 through 3, surveys of psychological, interpersonal, and physical well-being were completed.

### 1b-ii) Level of human involvement in the METHODS section of the ABSTRACT

Clarify the level of human involvement in the abstract, e.g., use phrases like "fully automated" vs. "therapist/nurse/care provider/physician-assisted" (mention number and expertise of providers involved, if any). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 1b-ii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: assigned to an online PAJ intervention

### 1b-iii) Open vs. closed, web-based (self-assessment) vs. face-to-face assessments in the METHODS section of the ABSTRACT

Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic or a closed online user group (closed usergroup trial), and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment). Clearly say if outcomes were self-assessed through questionnaires (as common in web-based trials). Note: In traditional offline trials, an open trial (open-label trial) is a type of clinical trial in which both the researchers and participants know which treatment is being administered. To avoid confusion, use "blinded" or "unblinded" to indicated the level of blinding instead of "open", as "open" in web-based trials usually refers to "open access" (i.e. participants can self-enrol). (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 1b-iii?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: recruited from local clinics



### 1b-iv) RESULTS section in abstract must contain use data

Report number of participants enrolled/assessed in each group, the use/uptake of the intervention (e.g., attrition/adherence metrics, use over time, number of logins etc.), in addition to primary/secondary outcomes. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 1b-iv?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: Patients evidenced moderate sustained adherence to online intervention.

### 1b-v) CONCLUSIONS/DISCUSSION in abstract for negative trials

Conclusions/Discussions in abstract for negative trials: Discuss the primary outcome - if the trial is negative (primary outcome not changed), and the intervention was not used, discuss whether negative results are attributable to lack of uptake and discuss reasons. (Note: Only report in the abstract what the main paper is reporting. If this information is missing from the main body of text, consider adding it)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 1b-v?

Copy and paste relevant sections from the manuscript abstract (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: Not a negative trial.



## INTRODUCTION

## 2a) In INTRODUCTION: Scientific background and explanation of rationale

## 2a-i) Problem and the type of system/solution

Describe the problem and the type of system/solution that is object of the study: intended as stand-alone intervention vs. incorporated in broader health care program? Intended for a particular patient population? Goals of the intervention, e.g., being more cost-effective to other interventions, replace or complement other solutions? (Note: Details about the intervention are provided in "Methods" under 5)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential



### Does your paper address subitem 2a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes (e.g.): To date, however, these evidence-based internet interventions are either not readily accessible or widely disseminated among the general population, and therefore do not address the problem of access to psychological services.

Relative to internet-based therapeutic or counseling interventions, Positive Affect Journaling (PAJ), a simple intervention that is cost-efficient and easily disseminated to patients, is becoming increasingly popular.

The goal of this randomized controlled trial was to examine whether a 12-week internet-based PAJ intervention could reduce mental distress (primary outcome) and positively influence psychological, interpersonal, and physical well-being (secondary outcomes), relative to usual care, in a heterogeneous sample of patients with elevated anxiety symptoms.

### 2a-ii) Scientific background, rationale: What is known about the (type of) system

Scientific background, rationale: What is known about the (type of) system that is the object of the study (be sure to discuss the use of similar systems for other conditions/diagnoses, if appropriate), motivation for the study, i.e. what are the reasons for and what is the context for this specific study, from which stakeholder viewpoint is the study performed, potential impact of findings [2]. Briefly justify the choice of the comparator.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential





## Does your paper address subitem 2a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, extensively.

Relative to internet-based therapeutic or counseling interventions, Positive Affect Journaling (PAJ), a simple intervention that is cost-efficient and easily disseminated to patients, is becoming increasingly popular. PAJ is a modified version of the traditional expressive writing paradigm [22,23] wherein participants write about a traumatic experience for approximately 15 to 20-minute intervals, across a period of 3 to 5 days. Reviews of expressive writing suggested that it was modestly effective in improving a number of physical and mental health outcomes [24,25], although large heterogeneities in efficacy have been documented.

For example, several studies have found clinical benefits tied to expressive writing in patients with autoimmune and inflammatory conditions such as arthritic conditions, lupus, and asthma [25-29], fibromyalgia [30,31], irritable bowel syndrome [32], and HIV/AIDS [33,34]. In addition, expressive writing has been found to have beneficial effects on blood pressure [35] and on several health-relevant outcomes following the experience of a heart attack, such as reduced numbers of medical appointments and prescription medications, increased self-care behaviors, improved cardiac symptoms [36] and improved health-related quality of life [37]. Expressive writing has also been associated with small, but consistent, improvements to well-being among diverse cancer groups—especially breast, renal, and prostate cancer patients [38]. Finally, a relatively small study of 40 people diagnosed with major depressive disorder found that those writing about their deepest thoughts and feelings related to emotional events had significant reductions in depression immediately after writing and over one month thereafter [39].

A number of efforts have been made to modify the original expressive writing approach to be better suited for use across several contexts and populations. One stream of this process is reflected in the integration of positive psychology, a large and growing area of research that has linked positive psychological and emotional dispositions and states of being (e.g., optimism, happiness, subjective



well-being, positive affect) to various beneficial outcomes. Some of the reported benefits of these positive dispositions include: fewer physical symptoms [40], faster wound healing [41], healthier functioning biological processes (e.g., neuroendocrine, inflammatory, and cardiovascular activity) [42], better interpersonal relationships [43], higher quality of life [44], increased longevity [45], and decreased morbidity [46,47]. As such, the expressive writing paradigm has been adapted to have participants write about positive aspects of their lives and themselves (e.g., making meaning out of or finding benefit in past experiences; [48,49]; focusing on positive aspects of one's self [50]) under the notion that this would yield similar benefits to those observed in the positive psychology literature. As a whole, we refer to this array of positive-focused writing approaches as PAJ.

Positive affect interventions among both patients and healthy individuals have led to improvements in a number of health outcomes. In two studies comparing an education control (i.e., educational workbook and behavioral contract) to a positive affect intervention (i.e., self-affirmation inducement over bi-monthly telephone sessions with staff and unexpected gifts prior to calls), positive affect improved medication adherence in hypertensive African American patients [51], and physical activity in patients following a percutaneous coronary procedure [52]. In addition, Stanton and colleagues [53] found that four sessions of written expressive disclosure or benefit finding resulted in lower physical symptom reports and medical appointments among breast cancer patients at 3-month follow-up. In healthy samples, Armitage and colleagues [54] found beneficial effects of completing a self-affirmation questionnaire or self-affirming implementation intention on alcohol intake at one-month follow-up, while Burton and King [55] observed that participants randomized to write only two minutes for two consecutive days in a lab about a recent positive event showed moderate reductions in physical symptoms (Cohen's  $d = .65$ ) at 4 to 6-week follow-up.



## 2b) In INTRODUCTION: Specific objectives or hypotheses

### Does your paper address CONSORT subitem 2b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes:

The goal of this randomized controlled trial was to examine whether a 12-week internet-based PAJ intervention could reduce mental distress (primary outcome) and positively influence psychological, interpersonal, and physical well-being (secondary outcomes), relative to usual care, in a heterogeneous sample of patients with elevated anxiety symptoms. It was hypothesized that participants randomized to the intervention would experience decreases in mental distress (i.e., Hospital Anxiety and Depression Scale score; HADS) and improvements in psychological well-being (e.g., perceived stress, resilience), interpersonal well-being (i.e., social support), and physical well-being (e.g., days during which pain inhibited usual activities) over the 12-week intervention period. It was also hypothesized that participants randomized to receive the intervention would report less mental distress and greater levels of psychological, interpersonal, and physical well-being than those in the control condition at each assessment period.

## METHODS

### 3a) Description of trial design (such as parallel, factorial) including allocation ratio



**Does your paper address CONSORT subitem 3a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study



Yes:

Randomization (1:1) was done via sealed envelopes prepared by someone other than the research staff conducting the study visits and opened by participants during the baseline visit after completing informed consent.

During the baseline visit, all participants completed baseline surveys and were randomized (via sealed envelopes) to one of the two conditions. Participants assigned to the intervention condition received an introduction and training session to orient them to the intervention website where they would complete the writing sessions. All participants completed self-report survey assessments online at the end of months 1, 2, and 3 using a secure data capture system (REDCap). Participants received gift cards following the completion of each survey (i.e., \$40 compensation for completing all three assessments).

Intervention

Participants in the PAJ intervention condition were asked to complete online writing sessions for 15 minutes on three days each week for the duration of the 12-week study. The amount of time spent writing is similar to those used in prior expressive writing studies, although the duration of the intervention in this study was longer than other prior studies [23,25,59]. During each online writing session, participants logged onto the study website and wrote a journal entry on one of seven commonly used positive affect prompts (e.g., What are you thankful for? What did someone else do for you?) [60]; all entries were saved on a secure server. During the study, journal entries of participants in the intervention condition were screened by research staff to monitor content. As there is no clinical standard of care treatment for medical patients with mild to moderate anxiety symptoms, participants randomized to the control group received their usual care for the duration of the study. After they had completed all study procedures, participants in the control condition were given access to the PAJ intervention.



### 3b) Important changes to methods after trial commencement (such as eligibility criteria), with reasons

#### Does your paper address CONSORT subitem 3b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Potential participants were recruited through flyers placed around the PSHMC campus and advertisements placed in PSHMC media and local community newspapers in central Pennsylvania. Additionally, oncology patients at The Pennsylvania State University Hershey Cancer Institute with an Eastern Cooperative Oncology Group (ECOG) Performance Status score of 0-3 (not completely disabled) were identified through registry review and sent a letter describing the study. Participants were provided with a toll-free number to call if they were interested in participating, as well as an opt-out card that could be mailed back by those who were uninterested. Individuals who did not respond were contacted via phone by a research staff member within two weeks to determine their interest in participating.

#### 3b-i) Bug fixes, Downtimes, Content Changes

Bug fixes, Downtimes, Content Changes: ehealth systems are often dynamic systems. A description of changes to methods therefore also includes important changes made on the intervention or comparator during the trial (e.g., major bug fixes or changes in the functionality or content) (5-iii) and other "unexpected events" that may have influenced study design such as staff changes, system failures/downtimes, etc. [2].

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 3b-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No meaningful downtime or bugs; simple web-interface delivery.

### 4a) Eligibility criteria for participants

#### Does your paper address CONSORT subitem 4a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Eligibility for inclusion was based on: (1) English fluency, (2) between 21 and 80 years of age, (3) internet access, (4) self-report of moderate to significant stress during the past month, (5) not currently pregnant and no plans to become pregnant within the next 3 months, (6) no plans to move within the next 6 months, (7) no hospitalization for a psychiatric condition in the past year, (8) not a high risk for suicidality as assessed by selected questions from the Structured Clinical Interview for Diagnostic and Statistical Manual of Mental Disorders [56]. Individuals interested in participation and who met the initial inclusion criteria were invited for a laboratory visit, and further assessed for eligibility. Eligible participants: (1) reported a score of 8 to 15 on the anxiety subscale of the HADS [57]; and (2) had an ECOG Performance Status of 0 (fully active) through 3 (limited self-care) [58]. Participants that met all inclusion criteria were invited to participate.



#### 4a-i) Computer / Internet literacy

Computer / Internet literacy is often an implicit "de facto" eligibility criterion - this should be explicitly clarified.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

#### Does your paper address subitem 4a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Although not an explicit requirement, it was assumed that potential participants be familiar with using a computer and accessing web-sites.

#### 4a-ii) Open vs. closed, web-based vs. face-to-face assessments:

Open vs. closed, web-based vs. face-to-face assessments: Mention how participants were recruited (online vs. offline), e.g., from an open access website or from a clinic, and clarify if this was a purely web-based trial, or there were face-to-face components (as part of the intervention or for assessment), i.e., to what degree got the study team to know the participant. In online-only trials, clarify if participants were quasi-anonymous and whether having multiple identities was possible or whether technical or logistical measures (e.g., cookies, email confirmation, phone calls) were used to detect/prevent these.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential





### Does your paper address subitem 4a-ii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants were provided with a toll-free number to call if they were interested in participating, as well as an opt-out card that could be mailed back by those who were uninterested. Individuals who did not respond were contacted via phone by a research staff member within two weeks to determine their interest in participating.

### 4a-iii) Information giving during recruitment

Information given during recruitment. Specify how participants were briefed for recruitment and in the informed consent procedures (e.g., publish the informed consent documentation as appendix, see also item X26), as this information may have an effect on user self-selection, user expectation and may also bias results.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 4a-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

... sent a letter describing the study.

Eligible participants met with research staff during a scheduled baseline visit to discuss study procedures and provide written informed consent.

### 4b) Settings and locations where the data were collected



**Does your paper address CONSORT subitem 4b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: Online

**4b-i) Report if outcomes were (self-)assessed through online questionnaires**

Clearly report if outcomes were (self-)assessed through online questionnaires (as common in web-based trials) or otherwise.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 4b-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: All participants completed self-report survey assessments online at the end of months 1, 2, and 3 using a secure data capture system (REDCap).

**4b-ii) Report how institutional affiliations are displayed**

Report how institutional affiliations are displayed to potential participants [on ehealth media], as affiliations with prestigious hospitals or universities may affect volunteer rates, use, and reactions with regards to an intervention. (Not a required item – describe only if this may bias results)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 4b-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes; institutional affiliations were apparent.

5) The interventions for each group with sufficient details to allow replication, including how and when they were actually administered

### 5-i) Mention names, credential, affiliations of the developers, sponsors, and owners

Mention names, credential, affiliations of the developers, sponsors, and owners [6] (if authors/evaluators are owners or developer of the software, this needs to be declared in a "Conflict of interest" section or mentioned elsewhere in the manuscript).

1            2            3            4            5

subitem not at                        essential  
all important

### Does your paper address subitem 5-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Developed by authors.



## 5-ii) Describe the history/development process

Describe the history/development process of the application and previous formative evaluations (e.g., focus groups, usability testing), as these will have an impact on adoption/use rates and help with interpreting results.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

## Does your paper address subitem 5-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes; this is first test, so de novo implementation being described.

## 5-iii) Revisions and updating

Revisions and updating. Clearly mention the date and/or version number of the application/intervention (and comparator, if applicable) evaluated, or describe whether the intervention underwent major changes during the evaluation process, or whether the development and/or content was "frozen" during the trial. Describe dynamic components such as news feeds or changing content which may have an impact on the replicability of the intervention (for unexpected events see item 3b).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

## Does your paper address subitem 5-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This was the first version tested of this intervention; the intervention content was 'frozen' during the trial and not adjusted.



### 5-iv) Quality assurance methods

Provide information on quality assurance methods to ensure accuracy and quality of information provided [1], if applicable.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-iv?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

During the study, journal entries of participants in the intervention condition were screened by research staff to monitor content.

### 5-v) Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used

Ensure replicability by publishing the source code, and/or providing screenshots/screen-capture video, and/or providing flowcharts of the algorithms used. Replicability (i.e., other researchers should in principle be able to replicate the study) is a hallmark of scientific reporting.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 5-v?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes (e.g.):

During each online writing session, participants logged onto the study website and wrote a journal entry on one of seven commonly used positive affect prompts (e.g., What are you thankful for? What did someone else do for you?; full details available upon request) [60]; all entries were saved on a secure server.

### 5-vi) Digital preservation

Digital preservation: Provide the URL of the application, but as the intervention is likely to change or disappear over the course of the years; also make sure the intervention is archived (Internet Archive, [webcitation.org](http://webcitation.org), and/or publishing the source code or screenshots/videos alongside the article). As pages behind login screens cannot be archived, consider creating demo pages which are accessible without login.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-vi?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Website is not currently publicly available due to IRB constraints; but we have archived content.



### 5-vii) Access

Access: Describe how participants accessed the application, in what setting/context, if they had to pay (or were paid) or not, whether they had to be a member of specific group. If known, describe how participants obtained "access to the platform and Internet" [1]. To ensure access for editors/reviewers/readers, consider to provide a "backdoor" login account or demo mode for reviewers/readers to explore the application (also important for archiving purposes, see vi).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-vii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Patients were provided secure access at no cost and could enter from any standard web portal or browser.

### 5-viii) Mode of delivery, features/functionality/components of the intervention and comparator, and the theoretical framework

Describe mode of delivery, features/functionality/components of the intervention and comparator, and the theoretical framework [6] used to design them (instructional strategy [1], behaviour change techniques, persuasive features, etc., see e.g., [7, 8] for terminology). This includes an in-depth description of the content (including where it is coming from and who developed it) [1], "whether [and how] it is tailored to individual circumstances and allows users to track their progress and receive feedback" [6]. This also includes a description of communication delivery channels and – if computer-mediated communication is a component – whether communication was synchronous or asynchronous [6]. It also includes information on presentation strategies [1], including page design principles, average amount of text on pages, presence of hyperlinks to other resources, etc. [1].

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 5-viii? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes; extensive theoretical background is provided on how the intervention was developed. Additionally, as noted earlier, the intervention itself (i.e., web portal, prompts, etc.) were fixed (not dynamic) but provided "self-guided" content that would result in ideographic and dynamic engagement by the users.

### 5-ix) Describe use parameters

Describe use parameters (e.g., intended "doses" and optimal timing for use). Clarify what instructions or recommendations were given to the user, e.g., regarding timing, frequency, heaviness of use, if any, or was the intervention used ad libitum.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-ix?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Participants in the PAJ intervention condition were asked to complete online writing sessions for 15 minutes on three days each week for the duration of the 12-week study.





### 5-x) Clarify the level of human involvement

Clarify the level of human involvement (care providers or health professionals, also technical assistance) in the e-intervention or as co-intervention (detail number and expertise of professionals involved, if any, as well as "type of assistance offered, the timing and frequency of the support, how it is initiated, and the medium by which the assistance is delivered". It may be necessary to distinguish between the level of human involvement required for the trial, and the level of human involvement required for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 5-x?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes: indicated that screening, intake, informed consent were in person. All other aspects were conducted online.

### 5-xi) Report any prompts/reminders used

Report any prompts/reminders used: Clarify if there were prompts (letters, emails, phone calls, SMS) to use the application, what triggered them, frequency etc. It may be necessary to distinguish between the level of prompts/reminders required for the trial, and the level of prompts/reminders for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



**Does your paper address subitem 5-xi? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No reminders were utilized.

**5-xii) Describe any co-interventions (incl. training/support)**

Describe any co-interventions (incl. training/support): Clearly state any interventions that are provided in addition to the targeted eHealth intervention, as ehealth intervention may not be designed as stand-alone intervention. This includes training sessions and support [1]. It may be necessary to distinguish between the level of training required for the trial, and the level of training for a routine application outside of a RCT setting (discuss under item 21 – generalizability).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 5-xii? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No co-interventions provided.

6a) Completely defined pre-specified primary and secondary outcome measures, including how and when they were assessed



## Does your paper address CONSORT subitem 6a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes.

The Hospital Anxiety and Depression Scale (HADS) [57] consists of two scales, anxiety and depression, with each consisting of 7 items rated on a scale from 0 through 3. Items are aggregated for each subscale (range = 0-21), with higher scores indicating greater anxiety or depressive symptom severity, and for a total HADS score (range = 0-42), with higher scores indicating greater mental distress. Various cut-off scores are available for the HADS. A score of 8 or greater on the anxiety subscale (HADS-A) has a specificity of 0.78 and sensitivity of 0.9 for clinically significant anxiety, while scores below 8 indicate non-cases [62]; the inclusion criterion of a HADS-A score of 8 to 15 was intended to include participants with mild to moderate symptoms, while excluding those with non-significant or severe symptoms (HADS-A scores of 15 to 21), as the PAJ intervention was expected to have limited benefit for those individuals. In this study, Cronbach's alpha at baseline for anxiety = 0.65, depression = 0.86, and HADS total score = 0.85.

### 6a-i) Online questionnaires: describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed

If outcomes were obtained through online questionnaires, describe if they were validated for online use and apply CHERRIES items to describe how the questionnaires were designed/deployed [9].

	1	2	3	4	5	
subitem not at all important	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



## Does your paper address subitem 6a-i?

Copy and paste relevant sections from manuscript text

Used well-validated scales that have previously be successfully implemented in medical patient samples online.

## 6a-ii) Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored

Describe whether and how “use” (including intensity of use/dosage) was defined/measured/monitored (logins, logfile analysis, etc.). Use/adoption metrics are important process outcomes that should be reported in any ehealth trial.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

## Does your paper address subitem 6a-ii?

Copy and paste relevant sections from manuscript text

Yes:

Adherence generally describes the extent to which individuals are exposed to the content of the intervention. For the current study, participants were asked to complete online PAJ sessions an average of three 15-minute sessions per week, over 12 weeks, for a total of 36 journaling sessions throughout the course of the study. Overall PAJ adherence rate was calculated using two methods: 1) weekly journaling counts for each participant—derived from online user login counts—were recoded into a binary variable (i.e., yes, no) based on journaling > 1 times per week. The journaling counts for all weeks were then summed, divided by 12, and multiplied by 100 to calculate the overall 12-week adherence rate; 2) total journaling counts for all participants were summed for all weeks of the study, divided by 36, and multiplied by 100.



### 6a-iii) Describe whether, how, and when qualitative feedback from participants was obtained

Describe whether, how, and when qualitative feedback from participants was obtained (e.g., through emails, feedback forms, interviews, focus groups).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 6a-iii?

Copy and paste relevant sections from manuscript text

No qualitative data was collected during this stage of work.

### 6b) Any changes to trial outcomes after the trial commenced, with reasons

### Does your paper address CONSORT subitem 6b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No changes to trial outcomes.

### 7a) How sample size was determined

NPT: When applicable, details of whether and how the clustering by care provides or centers was addressed



### 7a-i) Describe whether and how expected attrition was taken into account when calculating the sample size

Describe whether and how expected attrition was taken into account when calculating the sample size.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 7a-i?

Copy and paste relevant sections from manuscript title (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

The sample size was calculated based on an anticipated baseline mean of 11.0 (SD=3) on the HADS-A. This anticipated value was derived from a study of 273 medical patients participating in a web-based education program. Using G\*Power, we assumed treatment condition standard deviations similar to those reported by Yun and colleagues [68] and a 5% type I error rate for a two-sided hypothesis test, concluding that 31 subjects per group would provide 80% power to detect a difference in the HADS-A at 3 months (10.0 v. 8.0). This effect size is based on a clinical trial of CBT for distressed medical patients, wherein the CBT arm decreased their HADS-A score by 3.1 points more than controls (7), and a web-based CBT intervention by Farrer and colleagues [21], that observed a 44% reduction in depression scores over 6 months. The current study estimated a reduction of 2.0 in the HADS-A measure (an 18% reduction). Anticipating a dropout rate of <10%, we planned to recruit 70 subjects at baseline.

### 7b) When applicable, explanation of any interim analyses and stopping guidelines



**Does your paper address CONSORT subitem 7b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No interim analyses conducted; stopping rules were not deemed necessary in this low-risk context.

**8a) Method used to generate the random allocation sequence**

NPT: When applicable, how care providers were allocated to each trial group

**Does your paper address CONSORT subitem 8a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Computer generated random allocation sequence.

**8b) Type of randomisation; details of any restriction (such as blocking and block size)****Does your paper address CONSORT subitem 8b? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

For this stage of work we used simple 1:1 assignment; no blocking or stratification was implemented.



9) Mechanism used to implement the random allocation sequence (such as sequentially numbered containers), describing any steps taken to conceal the sequence until interventions were assigned

**Does your paper address CONSORT subitem 9? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

During the baseline visit, all participants completed baseline surveys and were randomized (via computer generated sequences provided in sealed envelopes) to one of the two conditions.

10) Who generated the random allocation sequence, who enrolled participants, and who assigned participants to interventions

**Does your paper address CONSORT subitem 10? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Computer generated allocation sequence; assignments provided in sealed envelopes.

11a) If done, who was blinded after assignment to interventions (for example, participants, care providers, those assessing outcomes) and how

NPT: Whether or not administering co-interventions were blinded to group assignment





### 11a-i) Specify who was blinded, and who wasn't

Specify who was blinded, and who wasn't. Usually, in web-based trials it is not possible to blind the participants [1, 3] (this should be clearly acknowledged), but it may be possible to blind outcome assessors, those doing data analysis or those administering co-interventions (if any).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 11a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A: no assessments or intervention elements conducted by study staff. All assessment and intervention was online.

### 11a-ii) Discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator"

Informed consent procedures (4a-ii) can create biases and certain expectations - discuss e.g., whether participants knew which intervention was the "intervention of interest" and which one was the "comparator".

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	essential



## Does your paper address subitem 11a-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes:

We implemented a treatment as usual wait-list condition for the comparator; thus, patients would know what assignment they have received. Intervention was provided to control patients at trial conclusion to reduce risk of demoralization.

As there is no clinical standard of care treatment for medical patients with mild to moderate anxiety symptoms, participants randomized to the control group received their usual care for the duration of the study. After they had completed all study procedures, participants in the control condition were given access to the PAJ intervention.

## 11b) If relevant, description of the similarity of interventions

(this item is usually not relevant for ehealth trials as it refers to similarity of a placebo or sham intervention to a active medication/intervention)

## Does your paper address CONSORT subitem 11b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A



## 12a) Statistical methods used to compare groups for primary and secondary outcomes



NPT: When applicable, details of whether and how the clustering by care providers or centers was addressed



**Does your paper address CONSORT subitem 12a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study



All analyses were carried out using SAS Software version 9.4 (SAS Institute, Cary, NC). First, descriptive statistics were calculated for all variables at baseline and each of the three follow-up assessments, and response rates were calculated using the online user login tracking logs. Categorical variables were summarized with frequencies and percentages, and continuous variables were summarized with means, standard deviations, medians, and quartiles. The distribution of continuous variables was checked using box plots, histograms, and normal probability plots. For demographic variables and other characteristics measured at baseline, comparison tests were conducted between the intervention and control groups using a two-sample t-test or Wilcoxon Rank Sum test with means for continuous variables and using a Chi-square test with percentages for categorical variables. A Fisher's Exact test was used as needed when cell counts were too small for the Chi-square test to be valid.

Second, in making comparisons of the differences from baseline to each of the 3 months within and between groups, we used two approaches depending on the type of outcome variable. For continuous outcome variables, we first found the change from baseline at each subsequent month. A linear mixed effects model was then employed that included factors for group (intervention versus control), month, the interaction between the intervention group and month, and the baseline measurement for adjustment, and the differences between groups were quantified with means. For binary outcome variables, a Generalized Estimating Equations model was utilized that included factors for group, month, and the interaction between the group and month, and differences between groups were quantified with percentages and odds ratios. All comparisons were adjusted for age, sex, income, and preexisting journaling—reflecting self-reported frequency (i.e., “Never,” “Less than once per month,” “1-3 times per month,” and “At least once per week”) of writing in a diary or journal in the year leading up to the study—by including these factors as additional covariates in the models.



## 12a-i) Imputation techniques to deal with attrition / missing values

Imputation techniques to deal with attrition / missing values: Not all participants will use the intervention/comparator as intended and attrition is typically high in health trials. Specify how participants who did not use the application or dropped out from the trial were treated in the statistical analysis (a complete case analysis is strongly discouraged, and simple imputation techniques such as LOCF may also be problematic [4]).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 12a-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Missing data was not a significant problem for the primary outcome variable (at less than 5%) or for the secondary outcome variables (at less than 10% at most) and was not an issue for any independent variables.

## 12b) Methods for additional analyses, such as subgroup analyses and adjusted analyses

### Does your paper address CONSORT subitem 12b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A



## X26) REB/IRB Approval and Ethical Considerations [recommended as subheading under "Methods"] (not a CONSORT item)

### X26-i) Comment on ethics committee approval

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem X26-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All study procedures were approved by The Pennsylvania State Hershey Medical Center's (PSHMC) Institutional Review Board and all participants provided written informed consent prior to engaging in any research related activity.

### x26-ii) Outline informed consent procedures

Outline informed consent procedures e.g., if consent was obtained offline or online (how? Checkbox, etc.?), and what information was provided (see 4a-ii). See [6] for some items to be included in informed consent documents.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem X26-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All study procedures were approved by The Pennsylvania State Hershey Medical Center's (PSHMC) Institutional Review Board and all participants provided written informed consent prior to engaging in any research related activity.

Eligible participants met with research staff during a scheduled baseline visit to discuss study procedures and provide written informed consent.

### X26-iii) Safety and security procedures

Safety and security procedures, incl. privacy considerations, and any steps taken to reduce the likelihood or detection of harm (e.g., education and training, availability of a hotline)

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem X26-iii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All investigators have completed extensive research ethics and safety training; several are practicing physicians who also meet all professional requirements.

There were also safety procedures to monitor for signs of risk (e.g., depression/suicidality) and a formalized action plan to respond to such.

RESULTS 





13a) For each group, the numbers of participants who were randomly assigned, received intended treatment, and were analysed for the primary outcome

NPT: The number of care providers or centers performing the intervention in each group and the number of patients treated by each care provider in each center

**Does your paper address CONSORT subitem 13a? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

A total of 99 people were assessed for eligibility of which 88 patients were interested in participating. After further screening, 70 people were eligible, consented, and randomized to the intervention (n=35) or usual care (n=35) condition (Fig 1).

13b) For each group, losses and exclusions after randomisation, together with reasons

**Does your paper address CONSORT subitem 13b? (NOTE: Preferably, this is shown in a CONSORT flow diagram) \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Three participants were lost to follow-up during the 12-week assessment period and all participants were included in analyses.



### 13b-i) Attrition diagram

Strongly recommended: An attrition diagram (e.g., proportion of participants still logging in or using the intervention/comparator in each group plotted over time, similar to a survival curve) or other figures or tables demonstrating usage/dose/engagement.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 13b-i?

Copy and paste relevant sections from the manuscript or cite the figure number if applicable (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Figure 1.

### 14a) Dates defining the periods of recruitment and follow-up

### Does your paper address CONSORT subitem 14a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Time period of study provided.



### 14a-i) Indicate if critical “secular events” fell into the study period

Indicate if critical “secular events” fell into the study period, e.g., significant changes in Internet resources available or “changes in computer hardware or Internet delivery resources”

	1	2	3	4	5	
subitem not at all important	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 14a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

None

### 14b) Why the trial ended or was stopped (early)

### Does your paper address CONSORT subitem 14b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Not stopped early

### 15) A table showing baseline demographic and clinical characteristics for each group

NPT: When applicable, a description of care providers (case volume, qualification, expertise, etc.) and centers (volume) in each group



**Does your paper address CONSORT subitem 15? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Table 1.

**15-i) Report demographics associated with digital divide issues**

In ehealth trials it is particularly important to report demographics associated with digital divide issues, such as age, education, gender, social-economic status, computer/Internet/ehealth literacy of the participants, if known.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

**Does your paper address subitem 15-i? \***

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Age

Female, %

White, %

Hispanic, %

Married, %

Education: College 4+ years, %

Employed for Wages, %

Income: <\$50,000, %



16) For each group, number of participants (denominator) included in each analysis and whether the analysis was by original assigned groups

### 16-i) Report multiple “denominators” and provide definitions

Report multiple “denominators” and provide definitions: Report N’s (and effect sizes) “across a range of study participation [and use] thresholds” [1], e.g., N exposed, N consented, N used more than x times, N used more than y weeks, N participants “used” the intervention/comparator at specific pre-defined time points of interest (in absolute and relative numbers per group). Always clearly define “use” of the intervention.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 16-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

All participants used; any missing data is described and explained.

### 16-ii) Primary analysis should be intent-to-treat

Primary analysis should be intent-to-treat, secondary analyses could include comparing only “users”, with the appropriate caveats that this is no longer a randomized sample (see 18-i).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



## Does your paper address subitem 16-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

ITT analysis provided.

17a) For each primary and secondary outcome, results for each group, and the estimated effect size and its precision (such as 95% confidence interval)

## Does your paper address CONSORT subitem 17a? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Table 2 provides both significance values as well as standardized effect sizes (d or h) for each outcome.

## 17a-i) Presentation of process outcomes such as metrics of use and intensity of use

In addition to primary/secondary (clinical) outcomes, the presentation of process outcomes such as metrics of use and intensity of use (dose, exposure) and their operational definitions is critical. This does not only refer to metrics of attrition (13-b) (often a binary variable), but also to more continuous exposure metrics such as "average session length". These must be accompanied by a technical description how a metric like a "session" is defined (e.g., timeout after idle time) [1] (report under item 6a).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 17a-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, adherence data is carefully described. See also Fig 2.

17b) For binary outcomes, presentation of both absolute and relative effect sizes is recommended

### Does your paper address CONSORT subitem 17b? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

18) Results of any other analyses performed, including subgroup analyses and adjusted analyses, distinguishing pre-specified from exploratory

### Does your paper address CONSORT subitem 18? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes.

Primary and secondary analyses are clearly delineated.



## 18-i) Subgroup analysis of comparing only users

A subgroup analysis of comparing only users is not uncommon in ehealth trials, but if done, it must be stressed that this is a self-selected sample and no longer an unbiased sample from a randomized trial (see 16-iii).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

## Does your paper address subitem 18-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A

## 19) All important harms or unintended effects in each group

(for specific guidance see CONSORT for harms)

## Does your paper address CONSORT subitem 19? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No harms to report.





### 19-i) Include privacy breaches, technical problems

Include privacy breaches, technical problems. This does not only include physical "harm" to participants, but also incidents such as perceived or real privacy breaches [1], technical problems, and other unexpected/unintended incidents. "Unintended effects" also includes unintended positive effects [2].

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 19-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

No breach, confidentiality, or similar problems.

### 19-ii) Include qualitative feedback from participants or observations from staff/researchers

Include qualitative feedback from participants or observations from staff/researchers, if available, on strengths and shortcomings of the application, especially if they point to unintended/unexpected effects or uses. This includes (if available) reasons for why people did or did not use the application as intended by the developers.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



## Does your paper address subitem 19-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Patient-user feedback was collected and reported.

e.g.:

...participants generally enjoyed the intervention (i.e., 39.4% reported that the journaling activity made them feel "somewhat better" and 18.2% reported that it made them feel "much better"). A total of 67 out of 70 consented and randomized participants completed the study for an overall excellent completion rate of 95%; ...

## DISCUSSION

### 22) Interpretation consistent with results, balancing benefits and harms, and considering other relevant evidence

NPT: In addition, take into account the choice of the comparator, lack of or partial blinding, and unequal expertise of care providers or centers in each group

### 22-i) Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use)

Restate study questions and summarize the answers suggested by the data, starting with primary outcomes and process outcomes (use).

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 22-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes (e.g.):

The primary aim of the current study was to examine whether a 12-week online PAJ intervention could reduce mental distress, and improve psychological, interpersonal, and physical well-being in a heterogeneous sample of medical patients with significant anxiety symptoms. Compared to patients receiving standard care, patients randomized to the PAJ intervention exhibited reduced mental distress, anxiety, and perceived stress, greater perceived personal resilience and social integration, and fewer days on which pain inhibited usual activities. The PAJ intervention was not associated with improvements in depressive symptoms, satisfaction with life, other indices of social support (i.e., attachment, reassurance of worth, reliable alliance, guidance, opportunity for nurturance, and overall perceived support), or positive and negative affect. Overall, the current findings suggest that PAJ has potential utility as an intervention for managing mental distress, particularly elevated anxiety symptoms, and other aspects of well-being among general medical patients. This is consistent with, and extends, prior research on positive writing interventions as a way to improve aspects of health and well-being [55,69,70,71].

### 22-ii) Highlight unanswered new questions, suggest future research

Highlight unanswered new questions, suggest future research.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	essential



## Does your paper address subitem 22-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We note directions for future research, including optimizations for this intervention as well as how this and related approaches can be used for research. Additionally, we highlight challenges and new questions, such as those related to engagement and integration into standard of medical care.

## 20) Trial limitations, addressing sources of potential bias, imprecision, and, if relevant, multiplicity of analyses

### 20-i) Typical limitations in ehealth trials

Typical limitations in ehealth trials: Participants in ehealth trials are rarely blinded. Ehealth trials often look at a multiplicity of outcomes, increasing risk for a Type I error. Discuss biases due to non-use of the intervention/usability issues, biases through informed consent procedures, unexpected events.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 20-i? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, we discuss the many limitations of this early trial. Most notably, our use of a wait-list control does not fully control for non-specific factors.



## 21) Generalisability (external validity, applicability) of the trial findings

NPT: External validity of the trial findings according to the intervention, comparators, patients, and care providers or centers involved in the trial

### 21-i) Generalizability to other populations

Generalizability to other populations: In particular, discuss generalizability to a general Internet population, outside of a RCT setting, and general patient population, including applicability of the study results for other organizations

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem 21-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Yes, we discuss these issues and note that we recruited a diverse sample of general medical patients with varied demographic and clinical characteristics - thus likely enhancing generalizability.

### 21-ii) Discuss if there were elements in the RCT that would be different in a routine application setting

Discuss if there were elements in the RCT that would be different in a routine application setting (e.g., prompts/reminders, more human involvement, training sessions or other co-interventions) and what impact the omission of these elements could have on use, adoption, or outcomes if the intervention is applied outside of a RCT setting.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential



### Does your paper address subitem 21-ii?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

We approached this trial with an 'effectiveness' perspective; thus it was prepared to be easily implemented in routine clinical/medical setting.

## OTHER INFORMATION

### 23) Registration number and name of trial registry

#### Does your paper address CONSORT subitem 23? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

This study was registered on ClinicalTrials.gov (reference number NCT01873599).

### 24) Where the full trial protocol can be accessed, if available

#### Does your paper address CONSORT subitem 24? \*

Cite a Multimedia Appendix, other reference, or copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

N/A



## 25) Sources of funding and other support (such as supply of drugs), role of funders

### Does your paper address CONSORT subitem 25? \*

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Funding for this work was provided by the Penn State Social Science Research Institute (SSRI). The funders have no role in the study design, data collection and analysis, decision to publish, or manuscript preparation.

## X27) Conflicts of Interest (not a CONSORT item)

### X27-i) State the relation of the study team towards the system being evaluated

In addition to the usual declaration of interests (financial or otherwise), also state the relation of the study team towards the system being evaluated, i.e., state if the authors/evaluators are distinct from or identical with the developers/sponsors of the intervention.

	1	2	3	4	5	
subitem not at all important	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	essential

### Does your paper address subitem X27-i?

Copy and paste relevant sections from the manuscript (include quotes in quotation marks "like this" to indicate direct quotes from your manuscript), or elaborate on this item by providing additional information not in the ms, or briefly explain why the item is not applicable/relevant for your study

Authors developed the intervention for research/clinical use.



About the CONSORT EHEALTH checklist 

As a result of using this checklist, did you make changes in your manuscript? \*

- yes, major changes
- yes, minor changes
- no

What were the most important changes you made as a result of using this checklist?

Your answer

How much time did you spend on going through the checklist INCLUDING making changes in your manuscript \*

1 hour

As a result of using this checklist, do you think your manuscript has improved? \*

- yes
- no
- Other:





## Would you like to become involved in the CONSORT EHEALTH group?

This would involve for example becoming involved in participating in a workshop and writing an "Explanation and Elaboration" document

- yes
- no
- Other:

## Any other comments or questions on CONSORT EHEALTH

Useful checklist; some redundancies between sections that could be cleaned up.

STOP - Save this form as PDF before you click submit 

To generate a record that you filled in this form, we recommend to generate a PDF of this page (on a Mac, simply select "print" and then select "print as PDF") before you submit it.

When you submit your (revised) paper to JMIR, please upload the PDF as supplementary file.

Don't worry if some text in the textboxes is cut off, as we still have the complete information in our database. Thank you!

Final step: Click submit ! 

Click submit so we have your answers in our database!

SUBMIT

Never submit passwords through Google Forms.



This content is neither created nor endorsed by Google. Report Abuse - Terms of Service - Additional Terms

Google Forms

