

Supplemental Information

Reconstructing the Deep Population History of Central and South America

Cosimo Posth, Nathan Nakatsuka, Iosif Lazaridis, Pontus Skoglund, Swapna Mallick, Thiseas C. Lamnidis, Nadin Rohland, Kathrin Nägele, Nicole Adamski, Emilie Bertolini, Nasreen Broomandkhoshbacht, Alan Cooper, Brendan J. Culleton, Tiago Ferraz, Matthew Ferry, Anja Furtwängler, Wolfgang Haak, Kelly Harkins, Thomas K. Harper, Tábita Hünenmeier, Ann Marie Lawson, Bastien Llamas, Megan Michel, Elizabeth Nelson, Jonas Oppenheimer, Nick Patterson, Stephan Schiffels, Jakob Sedig, Kristin Stewardson, Sahra Talamo, Chuan-Chao Wang, Jean-Jacques Hublin, Mark Hubbe, Katerina Harvati, Amalia Nuevo Delaunay, Judith Beier, Michael Francken, Peter Kaulicke, Hugo Reyes-Centeno, Kurt Rademaker, Willa R. Trask, Mark Robinson, Said M. Gutierrez, Keith M. Prufer, Domingo C. Salazar-García, Eliane N. Chim, Lisiane Müller Plumm Gomes, Marcony L. Alves, Andersen Liryo, Mariana Inglez, Rodrigo E. Oliveira, Danilo V. Bernardo, Alberto Barioni, Veronica Wesolowski, Nahuel A. Scheifler, Mario A. Rivera, Claudia R. Plens, Pablo G. Messineo, Levy Figuti, Daniel Corach, Clara Scabuzzo, Sabine Eggers, Paulo DeBlasis, Markus Reindel, César Méndez, Gustavo Politis, Elsa Tomasto-Cagigao, Douglas J. Kennett, André Strauss, Lars Fehren-Schmitz, Johannes Krause, and David Reich

Table S1. Relatedness of ancient to present-day people. f_4 -statistics on the Illumina dataset of the form $f_4(Mbuti, Test; South American 1, South American 2)$ where “Test” is a newly reported ancient group, “South American 1” is the population with highest affinity to *Test* in outgroup f_3 -statistics (excluding *Chorotega* due to limited data), and “South American 2” is the population from the Central Andes (*Quechua*), Southern Cone (*Chilote/Huillliche*) or Amazonia (*Karitiana*) that produces the most negative Z score. Because both “Highest outgroup f_3 ” and “South America” are selected to maximize Z-scores, there is a multiple hypothesis issue that we do not account for here, and the true significance is less than would be expected from the absolute Z-score. Specifically, we are examining 50 comparison populations for each *Test* population to identify the one that maximizes the outgroup- f_3 statistic, and 3 representative South American populations, for a total of 150 tests (Related to Figure S1). We also report f_4 -statistics on the Illumina dataset of the form $f_4(Mbuti, Brazil_Jabuticabeira2_2000BP; Modern Brazil 1, Modern Brazil 2)$, and on the *Brazil_Jabuticabeira2_subset* data, which are the same as *Brazil_Jabuticabeira2_2000BP* data except with the 1200BP individual removed (I9056_d) (Related to Figure 2 and Figures S1 and S2).

Outgroup	Test	South American 1 (Region or Language Family)	South American 2 (Region or Language Family)	f_4 -statistic	Z-score	Number of SNPs
Mbuti	Chile_Conchali_700BP	Huillliche (Southern Cone)	Quechua (Central Andes)	-0.005311	-15.441	280709
Mbuti	Peru_Laramate_900BP	Quechua (Central Andes)	Karitiana (Amazonia)	-0.004056	-14.577	307061
Mbuti	Chile_PicaOcho_700BP	Aymara (Central Andes)	Karitiana (Amazonia)	-0.003705	-9.321	157160
Mbuti	Peru_Cuncaicha_4200BP	Aymara (Central Andes)	Karitiana (Amazonia)	-0.003619	-9.128	272057
Mbuti	Chile_LosRieles_5100BP	Huillliche (Southern Cone)	Quechua (Central Andes)	-0.00364	-8.672	241676
Mbuti	Peru_Lauricocha_8600BP	Quechua (Central Andes)	Karitiana (Amazonia)	-0.002728	-8.24	305918
Mbuti	Peru_Cuncaicha_3300BP	Aymara (Central Andes)	Karitiana (Amazonia)	-0.003143	-7.907	236585
Mbuti	Peru_LaGalgada_4100BP	Quechua (Central Andes)	Karitiana (Amazonia)	-0.002808	-7.651	285857
Mbuti	Peru_Lauricocha_3500BP	Quechua (Central Andes)	Karitiana (Amazonia)	-0.002953	-7.471	189510
Mbuti	Argentina_ArroyoSeco2_7700BP	Chono (Southern Cone)	Quechua (Central Andes)	-0.002334	-5.767	278258
Mbuti	Peru_Cuncaicha_9000BP	Aymara (Central Andes)	Karitiana (Amazonia)	-0.002357	-5.575	276660
Mbuti	Peru_Lauricocha_5800BP	Quechua (Central Andes)	Chilote (Southern Cone)	-0.00254	-5.5	192658
Mbuti	Argentina_LagunaChica_6800BP	Chono (Southern Cone)	Quechua (Central Andes)	-0.001851	-3.663	130251
Mbuti	Chile_LosRieles_10900BP	Chono (Southern Cone)	Huillliche (Southern Cone)	-0.001817	-3.128	228506
Mbuti	Brazil_Moraes_5800BP	Arara (Amazonia)	Huillliche (Southern Cone)	-0.002545	-2.977	82759
Mbuti	Brazil_Laranjal_6700BP	Arara (Amazonia)	Chilote (Southern Cone)	-0.001435	-2.171	159697
Mbuti	Belize_MayahakCabPek_9300BP	Jamamadi (Amazonia)	Karitiana (Amazonia)	-0.001341	-1.787	137431
Mbuti	Brazil_LapaDoSanto_9600BP	Arara (Amazonia)	Karitiana (Amazonia)	-0.00086	-1.919	298748
Mbuti	Belize_SakiTzul_7400BP	Arara (Amazonia)	Huillliche (Southern Cone)	-0.001036	-1.543	164954

<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_2000BP</i>	<i>Guarani (Tupi-Guarani)</i>	<i>Kaingang (Ge)</i>	0.002102	2.687	45181
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_2000BP</i>	<i>Parakana (Tupi-Guarani)</i>	<i>Kaingang (Ge)</i>	0.003853	3.842	44322
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_2000BP</i>	<i>Arara (Carib)</i>	<i>Kaingang (Ge)</i>	0.000202	0.185	42046
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_2000BP</i>	<i>Guarani (Tupi-Guarani)</i>	<i>Arara (Carib)</i>	0.001536	1.815	49171
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_2000BP</i>	<i>Parakana (Tupi-Guarani)</i>	<i>Arara (Carib)</i>	0.00342	3.155	48341
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_subset</i>	<i>Guarani (Tupi-Guarani)</i>	<i>Kaingang (Ge)</i>	0.001771	2.155	40713
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_subset</i>	<i>Parakana (Tupi-Guarani)</i>	<i>Kaingang (Ge)</i>	0.003323	3.124	39931
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_subset</i>	<i>Arara (Carib)</i>	<i>Kaingang (Ge)</i>	-0.000132	-0.114	37881
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_subset</i>	<i>Guarani (Tupi-Guarani)</i>	<i>Arara (Carib)</i>	0.001523	1.718	44249
<i>Mbuti</i>	<i>Brazil_Jabuticabeira2_subset</i>	<i>Parakana (Tupi-Guarani)</i>	<i>Arara (Carib)</i>	0.003194	2.759	43489