





RR
($n_i=25, \pi_0=0.1$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=25, \pi_0=0.3$)





— NN - DL — PN - PL — normal quantiles
— NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
— NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=25, \pi_0=0.5$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=25, \pi_0=0.7$)





- NN - DL
- PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- NN - EB
- NN - Bayes HN(1)
- - mHKSJ

RR
($n_i=25, \pi_0=0.9$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=50, \pi_0=0.1$)





— NN – DL — PN – PL — normal quantiles
 — NN – REML — NN – Bayes HN(0.5) - - HKSJ or Student's t
 — NN – EB — NN – Bayes HN(1) - - mHKSJ

RR
($n_i=50, \pi_0=0.3$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=50, \pi_0=0.5$)





— NN - DL — PN - PL — normal quantiles
 - - NN - REML - - NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=50, \pi_0=0.7$)





— NN - DL — PN - PL — normal quantiles
— NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
— NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=50, \pi_0=0.9$)





- NN - DL
- PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- NN - EB
- NN - Bayes HN(1)
- - mHKSJ

RR
($n_i=100, \pi_0=0.1$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=100, \pi_0=0.3$)





— NN - DL — PN - PL — normal quantiles
 - - NN - REML - - NN - Bayes HN(0.5) - - HKSJ or Student's t
 . . NN - EB . . NN - Bayes HN(1) . . mHKSJ

RR
($n_i=100, \pi_0=0.5$)





- NN - DL
- PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- NN - EB
- NN - Bayes HN(1)
- - mHKSJ

RR
($n_i=100, \pi_0=0.7$)





— NN - DL — PN - PL — normal quantiles
— NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
— NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=100, \pi_0=0.9$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=250, \pi_0=0.1$)





—●— NN - DL —●— PN - PL — normal quantiles
—●— NN - REML —●— NN - Bayes HN(0.5) - - HKSJ or Student's t
—●— NN - EB —●— NN - Bayes HN(1) - - mHKSJ

RR
($n_i=250, \pi_0=0.3$)





- NN - DL
- PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- NN - EB
- NN - Bayes HN(1)
- . mHKSJ

RR
($n_i=250, \pi_0=0.5$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=250, \pi_0=0.7$)





— NN - DL — PN - PL — normal quantiles
— NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
— NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=250, \pi_0=0.9$)





- NN - DL - PN - PL - normal quantiles
 - NN - REML - NN - Bayes HN(0.5) - HKSJ or Student's t
 - NN - EB - NN - Bayes HN(1) - mHKSJ

RR
($n_i=500, \pi_0=0.1$)





- NN - DL - PN - PL - normal quantiles
 - NN - REML - NN - Bayes HN(0.5) - HKSJ or Student's t
 - NN - EB - NN - Bayes HN(1) - mHKSJ

RR
($n_i=500, \pi_0=0.3$)





- NN - DL
- PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- NN - EB
- NN - Bayes HN(1)
- - mHKSJ

RR
($n_i=500, \pi_0=0.5$)





— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=500, \pi_0=0.7$)





- NN - DL
- - PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- - NN - EB
- NN - Bayes HN(1)
- - mHKSJ

RR
($n_i=500, \pi_0=0.9$)





— NN – DL — PN – PL — normal quantiles
 - - NN – REML - - NN – Bayes HN(0.5) - - HKSJ or Student's t
 . . NN – EB . . NN – Bayes HN(1) . . mHKSJ

RR
($n_i=1000, \pi_0=0.1$)





- NN - DL - PN - PL - normal quantiles
 - NN - REML - NN - Bayes HN(0.5) - HKSJ or Student's t
 - NN - EB - NN - Bayes HN(1) - mHKSJ

RR
($n_i=1000, \pi_0=0.3$)





— NN - DL — PN - PL — normal quantiles
— NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
— NN - EB — NN - Bayes HN(1) - - mHKSJ

RR
($n_i=1000, \pi_0=0.5$)





- NN - DL
- PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- NN - EB
- NN - Bayes HN(1)
- - mHKSJ

RR
($n_i=1000, \pi_0=0.7$)



- NN - DL
- PN - PL
- normal quantiles
- NN - REML
- NN - Bayes HN(0.5)
- - HKSJ or Student's t
- NN - EB
- NN - Bayes HN(1)
- - mHKSJ

RR
($n_i=1000, \pi_0=0.9$)



— NN - DL — PN - PL — normal quantiles
 — NN - REML — NN - Bayes HN(0.5) - - HKSJ or Student's t
 — NN - EB — NN - Bayes HN(1) - - mHKSJ