

Table S1: TFC major and minor criteria in AC women grouped by number of pregnancies

	0 pregnancies (n=19)	1 pregnancy (n=16)	2 pregnancies (n=30)	≥3 pregnancies (n=12)	<i>p-value</i> <i>from</i> <i>F test</i>	>0 pregnancies (n=58)	<i>p-value</i> <i>0 pregnancies vs</i> <i>>0 pregnancies</i>
AC severity score	4.3±2.8	3.4±1.6	4.7±2.8	4.3±2.3	0.53	2.1±2.2	0.47
Global or regional dysfunction							
Major TFC criteria (n, (%))	5 (26)	2 (13)	16 (53)	4 (33)	0.38	22 (38)	0.41
Minor TFC criteria (n, (%))	1 (5)	1 (6)	0 (0)	0 (0)	0.37	1 (2)	0.44
Tissue characterization							
Major TFC criteria (n, (%))	1 (5)	0 (0)	0 (0)	0 (0)	0.61	0 (0)	0.25
Minor TFC criteria (n, (%))	1 (5)	0 (0)	0 (0)	0 (0)	0.61	0 (0)	0.25
Repolarization abnormalities							
Major TFC criteria (n, (%))	8 (42)	5 (31)	12 (40)	3 (25)	0.79	20 (35)	0.59
Minor TFC criteria (n, (%))	0 (0)	1 (6)	1 (3)	2 (17)	0.21	4 (7)	0.57
Depolarization abnormalities							
Major TFC criteria (n, (%))	4 (21)	1 (6)	4 (13)	2 (17)	0.71	7 (12)	0.50
Minor TFC criteria (n, (%))	2 (11)	6 (38)	7 (23)	1 (8)	0.19	14 (24)	0.33

Arrhythmias							
Major TFC criteria (n, (%))	3 (16)	0 (0)	3 (10)	3 (25)	0.18	6 (10)	0.68
Minor TFC criteria (n, (%))	7 (37)	7 (44)	14 (47)	3 (25)	0.64	24 (41)	0.79
Family history							
Major TFC criteria (n, (%))	15 (79)	13 (81)	25 (83)	10 (83)	0.98	48 (83)	0.74
Minor TFC criteria (n, (%))	0 (0)	0 (0)	0 (0)	1 (8)	0.16	1 (2)	1.0

P from chi-square or Fisher exact test as appropriate. AC = Arrhythmogenic cardiomyopathy; TFC = Task Force Criteria.