

Supplement 1

Supplemental Table 1. List of ICD 10-GM Codes Used to Identify Hospitalizations for Ambulatory Care–Sensitive Conditions

| Ambulatory Care Sensitive Condition | ICD10-GM Code |
|--|---|
| Angina | I20, I24.0, I24.8, I24.9 |
| Asthma | J45, J46 |
| Cellulitis | L03, L04, L08.0, L08.8, L08.9, L88, L98.0 |
| Congestive heart failure | I11.0, I50, J81 |
| Convulsion and epilepsy | G40, G41, R56, O15 |
| Chronic obstructive pulmonary disease | J20, J41, J42, J43, J47 |
| Dehydration and gastroenteritis | E86, K52.2, K52.8, K52.9 |
| Dental conditions | A69.0, K02, K03, K04, K05, K06, K08, K09.8, K09.9, K12, K13 |
| Diabetes complications | E10.0–E10.8, E11.0–E11.8, E12.0–E12.8, E13.0–E13.8, E14.0–E14.8 |
| Ear, nose and throat infections | H66, H67, J02, J03, J06, J31.2 |
| Gangrene | R02 |
| Hypertension | I10, I11.9 |
| Influenza and pneumonia | J10, J11, J13, J14, J15.3, J15.4, J15.7, J15.9, J16.8, J18.1, J18 |
| Iron-deficiency anemia | D50.1, D50.8, D50.9 |
| Nutritional deficiency | E40, E41, E42, E43, E55.0, E64.3 |
| Other vaccine preventable diseases | A35, A36, A37, A80, B05, B06, B16.1, B16.9, B18.0, B18.1, B26, G00.0, M01.4 |
| Pelvic inflammatory disease | N70, N73, N74 |
| Perforated/bleeding ulcer | K25.0–K25.2, K25.4–K25.6, K26.0–K26.2, K26.4–K26.6, K27.0–K27.2, K27.4–K27.6, K280–282, K284–K286 |
| Pyelonephritis | N10, N11, N12, N13.6 |
| Alcohol-related diseases | F10 |
| Atrial fibrillation and flutter | I47.1, I47.9, I49.5, I49.8, I49.9, R00.0, R002, R00.8 |
| Constipation | K59.0 |
| Fractured proximal femur | S72.0, S72.1, S72.2 |
| Dyspepsia and other stomach function disorders | K30, K21 |
| Hypokalemia | E87.6 |
| Migraine/acute headache | G43, G44.0, G44.1, G44.3, G44.4, G44.8, R51x |

ICD-10-GM = International Classification of Diseases-, 10th Revision – German Modification.