

English Version Questionnaires

| S.No | Question | Option | Remark |
|------|-------------------------------------|---|--------|
| 101 | Age of caregiver (in years) | ----- | |
| 102 | Sex of caregivers | 1. Male 2. Female | |
| 103 | Religion | 1.Orthodox 2. Muslim 3. Catholic 4. Protestant 5. Other (specify-----) | |
| 104 | Ethnicity | 1.Gumuze 2.Shinasha 3.Amhara 4.Oromo 5. Others..... | |
| 105 | Female caregivers educational level | 1.No formal education 2.Primary school 3.Secondary school 4. College and above | |
| 106 | Male caregivers educational level | 1.No formal education 2.Primary school 3.Secondary school 4. College and above | |
| 107 | Occupation of female caregivers | 1. House wife 2. farmer 3. Governmental employee 4. Merchant 5. Other specify..... | |
| 108 | Relation of caregiver to client | 1. Mother 2. Father 3. Sibling 4. Grand mother 5. Grand father 6. Other, specify | |
| 109 | Family size | ----- | |
| 110 | Monthly income | ----- | |
| 111 | Residence | 1. Rural 2. Urban | |

| | | | |
|-----|--|--|--|
| 112 | Marital status | 1a. Single 2. Married 3. Divorced 4. Widowed | |
| 113 | If married, what does your Husband/ wife do? | 1. Governmental employee 2. farmer 3. Merchant, 4. Others | |
| 114 | How old is your child (in months)? | ----- | |
| 115 | How many children under five do you have in this house hold? | ----- | |
| 116 | Distance of home from health facility in hour? | 1. Less than 1 hour 2. 1 hour and above | |
| 117 | From where do you heard about ORT? | 1. Health Extension Worker 2. Health center 3. Radio 4. Friends / relatives 5. Other specify | |
| 118 | Do you know the importance of giving ORT to your child? | 1. To increase the diarrhea 2. To decrease the diarrhea 3. To prevent dehydration 4. No idea | |
| 119 | Do you know when to start ORT? | 1. Yes 2. No | |
| 120 | How do you prepare ORS at home? | 1. 1 sachet of ORS -300 mls (1 coke bottle) of water 2. 1 sachet of ORS -500 mls (1 small size of mineral bottle) of water 3. 1 sachet of ORS -600 | |

| | | | |
|-----|--|--|--|
| | | mls (2 coke bottle) of water 4. 1 sachet of ORS - 1000mls (1 liter) of water 5.1 sachet of ORS - 1500mls (1.5 liter) of water 6. 1 sachet of ORS - 2000mls (2 liters or large size of mineral bottle) of water | |
| 121 | When do you use the prepared ORS? | 1. within 24 hrs. (1 day) 2. within 48 hrs. (2 days) 3. within 72 hrs. (3 days) 4. within 96 hrs. (4 days) 5. Other, specify | |
| 122 | Do you have access to ORS? | 1. Yes 2. No | |
| 123 | Did you give recommended Home-made fluid to a child with diarrhea? | 1. Yes 2. No | |
| 124 | If yes, what available recommended Home-made fluid / home base Oral Rehydration fluid can be given to a child with diarrhea? (Tick as many as possible) | 1. Sugar with water 2. Salt with water 3. Rice water 4. Soup 5. not used 6. Other, specify..... | |
| 125 | Do you have previous experience in using ORT | 1. Yes 2. No | |
| 126 | Do you have behavior of seeking treatment from health facilities | 1. Yes 2. No | |
| 127 | Do you have ORS sachet at home? | 1. Yes 2. No | |

| | | | |
|-----|---|---|--|
| 128 | What do you think are the cause of Diarrhea? (Tick as many as possible) | <ol style="list-style-type: none"> 1.Tooth eruption 2.Evil Eye 3.Weaning 4.contaminated food/water 5.No idea about the cause | |
| 129 | What are the numbers of signs identified to recognize the severity of diarrhea? | <ol style="list-style-type: none"> 1. fever, 2 .repeated vomiting 3. many watery stools 4. not able to eat or take fluid, 5. blood in the stool 6 non | |
| 130 | What are the numbers of signs identified to recognize dehydration | <ol style="list-style-type: none"> 1. excessive thirst, 2. sunken eye 3. reduced urine output 4. poor skin turgor 5. restlessness 6. Other specify..... | |