

**Dataset S1.** Database of archaeological finds of *Phoenix* in African and Asia.

Site	Country	Latitude	Longitude	GeoRef Quality	Sample Quality	Dating Quality	Broad Cultural Period	Start Date BC/AD	Finish Date BC/AD	Est. Date Median BC/AD	P. dactylifera	Phoenix spp. (wild)	Notes	References
Ġgġiliz	Morocco	30.326369	-7.956938	1	2	AMS	Medieval	900	1175	1037.5	Phd			Ruas et al 2011
Volubilis	Morocco	34.070929	-5.555345	3	3	AMS	Medieval	780	950	865	Phd			Fuller and Pelling 2018
Volubilis	Morocco	34.070929	-5.555345	3	3	AMS	Classical	-100	400	150	Phd			Fuller and Pelling 2018
Sijilmasa	Morocco	31.283807	-4.276764	3	1	ass	Medieval	757	1393	1075	Phd			Fuller and Pelling 2018
Gao Gadei	Mali	16.292563	-0.036542	2	1	C14	Medieval	1000	1600	1300	Phd			Fuller 2000
Gao Saney	Mali	16.29262	0.016605	3	2	C14	Iron Age	700	1000	850	Phd			Gallagher 2011
Essouk	Mali	18.77103	1.186364	3	3	ass	Medieval	950	1400	1175	Phd			Nixon et al. 2011
Takarkori	Libya	24.538839	10.522417	2	2	ass	Neolithic	-7000	-6200	-6600		(?)	Intrusive(?); uncharred P. dactylifera stones	Riviera et al 2014
Zinchechra	Libya	26.518281	13.033621	1	2	C14	900-400 BC	-900	-400	-650	Phd			Van der Veen 1992
Jarma	Libya	26.544246	13.062486	3	3	AMS	AD 100-500	100	500	300	Phd			Pelling 2005; 2007; 2008
Jarma	Libya	26.544246	13.062486	3	3	AMS	AD 500-750	500	750	625	Phd			Pelling 2005; 2007; 2008
Jarma	Libya	26.558567	13.114783	3	3	AMS	400BC-AD 100	-400	100	-150	Phd			Pelling 2005; 2007
Kellis	Egypt	25.491486	28.978718	1	2	ass	Roman	50	350	200	Phd			Thanheiser 2002
Douch	Egypt	25.38624	30.588632	1	1	ass	Classical	200	600	400	Phd			Barakat and Baum, 1992
Arsinoe	Egypt	29.308374	30.844105	2	1	ass	Classical	-30	300	135	Phd			De Vartavan and Asensi Amoros 1997
Sheikh Abada (Antinopolis)	Egypt	27.8166667	30.8833333	2	1	ass	Late Antique	300	700	500	Phd			De Vartavan and Asensi Amoros 1997

Kom el-Nana	Egypt	27.619404	30.88904	2	3	ass	Late Antique	500	650	575	Phd			Smith, 2003
Antinopolis	Egypt	27.79639	30.894728	2	1	ass	Classical	-330	300	-15	Phd			after Smith 2003 Table 3.5
Hawara	Egypt	29.258026	30.896375	2	1	ass	Ptolemic/Roman	-330	350	10	Phd			Newberry 1889; De Vartavan and Asensi Amoros 1997
Kom Aushim	Egypt	29.5177778	30.9033333	2	1	ass	Classical	-330	300	-15	Phd			De Vartavan and Asensi Amoros 1997
Amarna	Egypt	27.661667	30.905556	2	2	ass	Bronze Age	-1365	-1345	-1355	Phd			Clapham and Stevens 2009; Stevens and Clapham 2014
Amarna	Egypt	27.661667	30.905556	3	3	ass	Bronze Age	-1345	-1320	-1332.5	Phd			Clapham and Stevens 2009; Stevens and Clapham 2014
Dayr al-Barsha	Egypt	27.75156	30.91901	3	2	ass	Late Antique	400	800	600	Phd			Marinova et al 2011
el-Hibeh	Egypt	28.787423	30.921076	2	3	ass	Late Dynastic/Pto lemaic	-1000	-100	-550	Phd			Wetterstrom 1984
Sedment (Mayana)	Egypt	29.0856	30.9344	2	2	ass	Bronze Age	-1675	-1550	-1612.5	Phd			Brown, in De Vartavan
Sedment (Mayana)	Egypt	29.0856	30.9344	2	1	ass	Bronze Age	-1675	-1550	-1612.5	Phd			Brown, in De Vartavan
Karanis	Egypt	30.118921	31.134292	2	1	ass	Roman	250	450	350	Phd			Bartlett, 1933; Smith, 2003: Table 3.5
Saqqara	Egypt	29.87431	31.223255	2	1	ass	Ptolemaic/Roman	-330	350	10	Phd			De Vartavan and Asensi Amoros 1997
Saqqara AKT02	Egypt	29.87431	31.223255	2	3	ass	Middle Kingdom	-1900	-1785	-1842.5	Phd			Fahmy et al 2014
Kom Ran'ia [Memphis]	Egypt	29.8447222	31.2508333	2	3	ass	Bronze Age	-2060	-1690	-1875	Phd			Murray 1990
Kom Ran'ia [Memphis]	Egypt	29.8447222	31.2508333	2	3	ass	Bronze Age	-1550	-1080	-1315	Phd			Murray 1990
El Omari	Egypt	29.880018	31.312967	2	3	ass	Neolithic	-4600	-4400	-4500	Phd		date could be	Tackholm 1990; De

													intrusive	Vartavan and Asensi Amoros 1997
Tell el Dab'a	Egypt	30.783	31.833	2	3	AMS	Bronze Age	-1880	-1630	-1755	Phd			De Vartavan and Asensi Amoros 1997
Qasr Ibrim	Egypt	22.649434	31.993007	3	2	AMS	Classical	-100	300	150	Phd			Clapham and Rowley-Conwy 2007
Qasr Ibrim	Egypt	22.649434	31.993007	3	2	AMS	Iron Age	-1000	-300	-650	Phd			Clapham and Rowley-Conwy 2007
Qasr Ibrim	Egypt	22.649434	31.993007	3	2	AMS	Late Antique	300	550	425	Phd			Clapham and Rowley-Conwy 2007; Steele and Bunting 1982
Minshat Abu Omar	Egypt	30.896839	32.04459	2	3	ass	Predynastic	-4000	-2500	-3250	Phd			Thanheiser 1992
Gebel Roma/ Wadi el-Hol A	Egypt	25.869902	32.145222	2	2	ass	New Kingdom	-1600	-800	-1200	Phd			Cappers et al 2007
Gebelein (Tomb of Ani)	Egypt	25.4833333	32.4833333	1	1	ass	Bronze Age	-2100	-1990	-2045	Phd			Schweinfurth 1886: 260; De Vartavan and Asensi Amoros 1997
Tutankhamun's tomb	Egypt	25.740436	32.601367	2	2	ass	Bronze Age	-1329	-1327	-1328	Phd			De Vartavan 1990
Deir el Medinah	Egypt	25.728406	32.60145	3	1	ass	Bronze Age	-1290	-1080	-1185	Phd			Keimer 1947; De Vartavan and Asensi Amoros 1997
Deir el Medineh (Kha's tomb)	Egypt	25.728406	32.60145	3	1	ass	Bronze Age	-1550	-1290	-1420	Phd			Breccia 1927; De Vartavan and Asensi Amoros 1997
Deir el Bahari	Egypt	25.7383333	32.6077778	3	1	ass	Bronze Age	-1070	-945	-1007.5	Phd			Scheinfurth 1884; De Vartavan and Asensi Amoros 1997
Dier el Bahari	Egypt	25.7383333	32.6077778	3	1	ass	Bronze Age	-1524	-1503	-1513.5	Phd			De Vartavan and Asensi Amoros 1997

Dra Abu el Naga	Egypt	25.7352778	32.6205556	2	1	ass	Bronze Age	-1990	-1800	-1895	Phd			Schweinfurth 1885: 260; De Vartavan and Asensi Amoros 1997
Phoebammon	Egypt	25.737902	32.621978	1	1	ass	Late Antuque	400	700	550	Phd			Smith 2003: Table 3.5; De Vartavan and Asensi Amoros 1997
Thebes	Egypt	25.713593	32.657302	2	1	ass	Bronze Age	-1290	-1190	-1240	Phd			Costantini 1985
Hierakonpolis	Egypt	25.091377	32.774584	2	2	C14	Bronze Age	-3000	-2250	-2625	Phd			De Vartavan and Asensi Amoros 1997
Wadi Qitna	Egypt	23.532492	32.862896	1	1	ass	Late Antuque	300	400	350	Phd			Strouhal 1984: 262-263; Fuller 2015
Elephantine	Egypt	24.084982	32.885768	3	2	ass	Bronze Age	-1070	-650	-860	Phd			Willdering and Wolf, 1991; Smith, 2003: Table 3.5
Elephantine	Egypt	24.084982	32.885768	3	2	ass	Ptolamic/Roman	-330	350	10	Phd			Willdering and Wolf, 1991; Smith, 2003: Table 3.5
Mons Claudianus	Egypt	26.8091667	33.4869444	2	3	ass	Roman	150	300	225	Phd			van der Veen 2001
Bir Umm Fawakhir	Egypt	26.0013889	33.6083333	3	3	ass	Late Antique	400	600	500	Phd			Smith 2014
Abu Sha'ar	Egypt	27.438595	33.649209	2	1	ass	Late Antique	300	700	500	Phd			Sidebotham et al. 1989
Quseir al-Qadim	Egypt	26.156149	34.242563	3	3	AMS	Medieval	1000	1300	1150	Phd			Van der Veen 2011
Quseir al-Qadim	Egypt	26.156149	34.242563	3	3	AMS	Roman, 1-250 AD	1	250	125	Phd			Van der Veen 2011
Berenike	Egypt	23.910194	35.476079	3	3	ass	Classical	1	200	100.5	Phd			Cappers, 2006
Berenike	Egypt	23.910194	35.476079	3	3	ass	Late Antique	300	500	400	Phd			Cappers, 2006
EL Hamra (EH-4-008)	Sudan	19.298664	30.177232	2	2	ass	Medieval	700	1300	1000	Phd			Madani et al. 2015
Nauri	Sudan	19.76	30.37	3	2	ass	Late Christian (Nubia)	800	1200	1000	Phd			Fuller and Edwards 2001
Kawa	Sudan	19.126537	30.496467	3	3	AMS	Iron Age	-800	-400	-600	Phd			Fuller 2004

NDRS: P1	Sudan	19.048623	30.600042	2	1	ass	Bronze Age	-2050	-1500	-1775	Phd		Cartwright 2001
NDRS: P37	Sudan	19.048623	30.600042	2	1	ass	Bronze Age	-2050	-1500	-1775	Phd		Cartwright 2001
Semna temples	Sudan	21.482115	30.96398	2	1	ass	Middle Kingdom	-1500	-1480	-1490	Phd		Van Zeist 1983
Debeira West	Sudan	22.152614	31.36637	2	1	ass	Medieval	600	900	750	Phd		Shinnie and Shinnie 1978; Fuller 2015
Abdallah Nirqi	Sudan	22.400373	31.675738	2	1	ass	Medieval	600	900	750	Phd		Skoflek and Arendas 1981; Fuller 2015
Meroe	Sudan	16.93658	33.71106	3	1	ass	Classical	100	350	225	Phd		Shinnie and Anderson 2004: 366; Fuller 2015
Madā' in Sâlih	Saudi Arabia	26.791290	37.955561	2	3	ass	Classical	1	100	50.5	Phd		Bouchaud 2013
Madā' in Sâlih	Saudi Arabia	26.791290	37.955561	2	3	ass	Classical	-200	0	-100	Phd		Bouchaud 2013
Madā' in Sâlih	Saudi Arabia	26.791290	37.955561	2	3	ass	Classical	100	300	200	Phd		Bouchaud 2013
Madā' in Sâlih	Saudi Arabia	26.791290	37.955561	2	3	ass	Late Antique	300	600	450	Phd		Bouchaud et al 2011; Bouchaud 2013
al-Raqlah	Yemen	15.299621	44.662617	2	2?	ass	Bronze Age	-3000	-2500	-2750	Phd		Costantini, 1990; Bovin and Fuller, 2009
Baraqish	Yemen	15.992910	44.800678	1	1i	C14	Iron Age	-700	-100	-400	Phd		Constantini 1986; Boivin and Fuller 2009
Hajar al-Rayhani	Yemen	15.073073	45.297248	3	2?	ass	Iron Age	-500	-200	-350	Phd		Stewart 1996; Bovin and Fuller 2009
Hajar al-Tamrah	Yemen	15.024531	45.304357	2	2?	ass	Iron Age	-1100	-400	-750	Phd		Stewart 1988; Bovin and Fuller 2009
H3, Sabiyah	Kuwait	29.581504	48.106195	1	1	C14	Neolithic	-5530	-5320	-5425	Phd		Beech 2003; Parker 2010
Failaka	Kuwait	29.465586	48.291191	2	3	ass	Bronze Age	-2050	-1800	-1925	Phd		Rowley-Conwy 1987; Willcox 1990; Bovin and Fuller 2009

Failaka	Kuwait	29.465586	48.291191	2	3	ass	Hellenistic	-300	400	50	Phd			Rowley-Conwy 1987; Willcox 1990; Boivin and Fuller 2009
Raybun (Hadhramaut)	Yemen	15.265911	48.335342	2	2?	C14	Iron Age	-900	0	-450	Phd			LevKovskaya and Filatenko 1992; Boivin and Fuller 2009
Saar	Bahrain	26.181871	50.486619	3	3	ass	Bronze Age	-2500	-1800	-2150	Phd			Nesbitt 1993; Boivin and Fuller 2009
Qal'at al Bahrein	Bahrain	26.233820	50.520923	3	3	ass	Bronze Age	-2200	-1750	-1975	Phd			Tenberg and Lombard 2001
Qal'at al Bahrein	Bahrain	26.233820	50.520923	3	3	ass	Bronze Age	-1450	-1350	-1400	Phd			Tenberg and Lombard 2001
Qal'at al Bahrein	Bahrain	26.233820	50.520923	3	3	ass	Bronze Age	-1000	-500	-750	Phd			Tenberg and Lombard 2001
Qal'at al Bahrein	Bahrain	26.233820	50.520923	3	3	ass	Iron Age	-300	300	0	Phd			Tenberg and Lombard 2001
Dalma	United Arab Emirates	24.469316	52.312011	2	1	AMS PhD	Chalcolithic	-5300	-4960	-5130	Phd			Beech and Shepherd 2001; Boivin and Fuller 2009
Umm An-Nar	United Arab Emirates	24.438873	54.512479	2	3	ass	Bronze Age	-2500	-2000	-2250	Phd			Willcox 1995; Boivin and Fuller 2009
Muweilah	United Arab Emirates	25.273885	55.487594	1	3	C14	Iron Age	-800	-600	-700	Phd			Tenberg 1998; Boivin and Fuller 2009
Rumeilah	United Arab Emirates	25.273885	55.487594	1	2?	C14	Iron Age	-1150	-350	-750	Phd			Constantini and Constantini-Biasini 1986; Boivin and Fuller 2009
Tell Abraq	United Arab Emirates	25.487467	55.551999	2	3	C14	Bronze Age	-2500	-2000	-2250	Phd			Willcox and Tenberg 1995; Tenberg 1998; Boivin and Fuller 2009
Tell Abraq	United Arab Emirates	25.487467	55.551999	2	3	C14	Bronze Age	-2000	-1650	-1825	Phd			Willcox and Tenberg 1995; Tenberg 1998; Boivin and Fuller

														2009
Tell Abraç	United Arab Emirates	25.487467	55.551999	2	3	C14	Bronze Age	-1650	-1300	-1475	Phd			Willcox and Tenberg 1995; Tenberg 1998; Bovin and Fuller 2009
Tell Abraç	United Arab Emirates	25.487467	55.551999	2	3	C14	Iron Age	-1300	-400	-850	Phd			Willcox and Tenberg 1995; Tenberg 1998; Bovin and Fuller 2009
Ed Dur	United Arab Emirates	25.521603	55.626569	3	1 ph	ass	Classical	-50	250	100	Phd		Phytoliths	Vrydaghs et al 2001; De Paepe et al 2003
Hili 8	United Arab Emirates	24.292728	55.794150	1	1i	C14	Bronze Age	-3000	-2000	-2500	Phd			Cleuziou and Constantini 1982; Bovin and Fuller 2009
Mleiha	United Arab Emirates	25.126370	55.856616	1	3	C14	Iron Age	1	200	100.5	Phd			Peña-Chocarro & Barron Lopez 1999; Bovin and Fuller 2009
Nud Zida	United Arab Emirates	25.615228	55.992321	2	1	C14	Bronze Age	-2130	-1885	-2007.5	Phd			Kennet and Velde, 1995
Kush	United Arab Emirates	25.822778	56.007139	3	2	ass	12-13th Century	1100	1400	1250	Phd			Ishida et al. 2003; Tengberg 2012
Kush	United Arab Emirates	25.822778	56.007139	3	2	ass	17th Century	1600	1700	1650	Phd			Ishida et al. 2003; Tengberg 2012
Bat	Oman	23.272630	56.742536	1	3	C14	Bronze Age	-2500	-2000	-2250	Phd			Tenberg, 1998; Bovin and Fuller, 2009
Ras al-Jinz 2	Oman	22.363123	59.822813	1	2?	C14	Bronze Age	-2500	-2100	-2300	Phd			Constantini and Audisio 2001; Bovin and Fuller 2009
Tell Gerisa	Israel	32.0999985	34.7799988	2	2	ass	Bronze Age	-2100	-1550	-1825	Phd			Lipshitz, 1989
Atlit-Yam	Israel	32.7108278	34.93515	3	2/3	ams	Pre-Pottery	-7250	-6550	-6900		P.theop		Kislev et al 2004

							Neolithic					hrasti		
Timna temples	Israel	29.7877778	34.9888889	2	3	ass./hist	Bronze Age	-1550	-1080	-1315	Phd			Kislev 1988; De Vartavan and Asensi Amoros 1997
Masada	Israel	31.315556	35.353889	3	3	ass	Iron Age	-1000	-300	-650	Phd			Lipshitz and Lev-Yadun 1989
Masada	Israel	31.315556	35.353889	3	3	ass	Iron Age	1	100	50.5	Phd			Sallon et al 2008
Nahal Mishmar	Israel	31.4200001	35.3800011	2	1	ass	Chalcolithic	-4500	-3200	-3850	Phd			Zaitschek 1980
Jericho (EBA)	Palestinian Territories	31.85	35.45	2	2	ass	Bronze Age	-3200	-2000	-2600	Phd			Hopf 1983
Khirbet Qumran cave	Israel	31.7408333	35.4586111	2	1	ass	Classical	-100	200	50	Phd			Lipshitz and Bonani 2001
Wadi Fidan	Jordan	30.8299999	35.5	1	3	ass	Chalcolithic	-4500	-3200	-3850	Phd			Colledge, 2001; Meadows 1996
Ras an-Numayra	Jordan	31.5	35.57	2	2	C14	Bronze Age	-3350	-2190	-2770	Phd			White et al. 2014
Pella	Jordan	32.45	35.616667	2	2	ass	Iron Age	-1200	-900	-1050	Phd			Dighton et al. 2017
Tuleilat Ghassul	Jordan	31.75	35.6199989	1	1	C14	Chalcolithic	-4800	-4250	-4525	Phd			Zohary and Spiegel-Roy 1975
Khirbat al-Mudaybi	Jordan	31.028759	35.77903	1	2	ass	Medieval	1000	1600	1300	Phd			Bogaard and Charles 1999
el-Lejjun	Jordan	31.241427	35.890415	2	3	C14	Classical	280	370	325	Phd			Crawford 1987
Ain Ghazal	Jordan	31.98	35.97	2	3	C14	Pre-Pottery Neolithic	-8300	-6600	-7450		cf. P. theophrasti		Rollefson et al., 1985
Bosra	Syria	32.516564	36.480327	2	2	ass	Classical	-100	300	100	Phd			Willcox, 2003
Qaryat Medad	Syria	35.166658	40.343635	2	3	ass	Islamic	750	1400	1075	Phd			Samuel 2001
Shheil	Syria	35.070622	40.502971	2	3	ass	Islamic	650	900	775	Phd			Samuel 2001
Tell Karrana	Iraq	36.7200012	42.9199982	1	2	C14	Chalcolithic	-3100	-2940	-3020	Phd			Costantini and Costantini Biasini 1993
Tell ed-Der	Iraq	33.0999985	44.2999992	2	2	ass	Bronze Age	-1900	-1700	-1800	Phd			Van Zeist & Vynckier 1984
Eridu	Iraq	30.7800007	45.0200005	2	1	ass	Chalcolithic	-5300	-3800	-4550	Phd			Gillet, 1976
Nippur	Iraq	32.126444	45.233381	3	1	ass	Bronze Age	-2200	-2000	-2100	Phd			Ellison 1978;



														Langlois 2011
Larsa	Iraq	31.285833	45.853611	2	2	ass	Iron Age	-650	50	-300	Phd			Neef 1989
Tell el'Oueili	Iraq	31.2199993	45.8699989	1	2	C14	Neolithic	-6400	-6100	-6250	Phd			Neef, 1991
Tell el'Oueili	Iraq	31.2199993	45.8699989	1	2	C14	Chalcolithic	-5800	-4400	-5100	Phd			Neef 1991
Ur	Iraq	30.9699993	46.1500015	3	1	ass	Bronze Age	-3200	-2100	-2650	Phd			Ellison et al. 1978; Miller 1991
Susa, Ville Royale	Iran	32.189760	48.259487	2	3	ass	Iron Age	-750	-600	-675	Phd			Miller 1981
Susa, Ville Royale	Iran	32.189760	48.259487	2	3	ass	Early Historic	-5	100	47.5	Phd			Miller 1981
Tepe Gaz Tavila	Iran	28.308600	56.631860	1	1	ass	Neolithic	-5400	-4800	-5100	Phd			Costantini 1985
Tepe Yahya	Iran	28.330833	56.8675	3	1	ass	Neolithic	-5500	-5000	-5250	Phd			Costantini and Costantini Biasini 1995
Tepe Yahya	Iran	28.330833	56.8675	3	1	ass	Bronze Age	-3400	-2200	-2800	Phd			Costantini and Costantini Biasini 1995
Konur (Konar) Sandal North	Iran	28.463247	57.778756	1	3	C14	Iron Age	-1000	-500	-750	Phd			Mashkour et al. 2013
Konur (Konar) Sandal South	Iran	28.449575	57.778849	1	3	C14	Bronze Age	-2800	-2200	-2500	Phd			Mashkour et al. 2013
Shahr-i-Sokhta	Iran	30.647614	61.424412	2	2	ass	Bronze Age	-3000	-2000	-2500	Phd			Costantini and Biasini 1985; Costantini 1985; Miller 1991
Sarazm	Tajikistan	39.512499	67.443373	2	3	ass	Bronze Age	-2600	-2000	-2300	Phd			Spengler and Willcox 2013
Miri Qalat	Pakistan	26.033722	63.012738	2	3	C14	Chalcolithic	-4000	-3500	-3750	Phd			Tengberg 1999
Miri Qalat	Pakistan	26.033722	63.012738	2	3	C14	Chalcolithic	-3500	-3000	-3250	Phd			Tengberg 1999
Miri Qalat	Pakistan	26.033722	63.012738	2	3	C14	Bronze Age	-3000	-2500	-2750	Phd			Tengberg 1999
Miri Qalat	Pakistan	26.033722	63.012738	2	3	C14	Bronze Age	-2500	-2000	-2250	Phd			Tengberg 1999
Mehrgarh	Pakistan	29.416667	67.583333	2	1	C14	Neolithic	-7000	-4500	-5750	Phd			Costantini 1983; Costantini & Costantini Biasini 1985
Nausharo	Pakistan	29.366667	67.583333	2	3	C14	Bronze Age	-2500	-2000	-2250	Phd			Costantini 1990a

Harappa	Pakistan	30.627756	72.866816	3	2	C14	Bronze Age	-2600	-2200	-2400	Phd			Miller & Reddy 1990; Weber 1997; 2003; Pennington and Weber 2004; Weber et al 2010
Harappa	Pakistan	30.627756	72.866816	3	2	C14	Bronze Age	-2200	-1900	-2050	Phd			Miller & Reddy 1990; Weber 1997; 2003; Pennington and Weber 2004; Weber et al 2010
Harappa	Pakistan	30.627756	72.866816	3	2	C14	Bronze Age	-1900	-1700	-1800	Phd			Miller & Reddy 1990; Weber 2003; Pennington and Weber 2004; Weber et al 2010
Inamgaon	India	18.608060	74.549440	3	3	C14	Chalcolithic	-1200	-900	-1050		P. sylvestris		Kajale 1988; Vishnu-Mittre 1977
Inamgaon	India	18.608060	74.549440	3	3	C14	Chalcolithic	-1500	-1200	-1350		P. sylvestris		Kajale 1988
Banawali	India	29.598309	75.392369	2	2	ass	Harappan	-2500	-1500	-2000		P. sylvestris		Saraswat, 2002b
Balu	India	29.670830	76.387780	2	2	ass	Harappan	-2500	-1900	-2200		P. cf. sylvestris	fragment only	Saraswat, 2002a
Sanghol	India	30.786510	76.390180	3	2	ass	Early Historic	100	300	200	Phd			Pokharia and Saraswat 1999; Saraswat 1997
Narhan	India	26.357500	83.534170	2	2	C14	Chalcolithic	-1300	-800	-1050		P. sylvestris		Saraswat et al. 1994
Raja-Nal-ka-Tila	India	24 41.55	83 19.26	2	2	ass	Iron Age	-1300	-700	-1000		P. sylvestris		Pokharia et al 2016
Rohira	India	30.633333	75.833333	2	2	ass	Pre-Harappan	-2900	-2500	-2700	Phd	P. cf. sylvestris	uncharred	Saraswat 1986

## Dataset S1 References

- Beech, M. (2003). Archaeobotanical Evidence for Early Date Consumption in the Arabian Gulf. In: The Emirates Center for Strategic Studies and Research (ed.) *The date Palm – from Traditional Resource to Green Wealth*. The Emirates Center for Strategic Studies and Research, Abu Dhabi (2003), pp. 11–31
- Beech M. & Shepherd, E. (2001). Archaeobotanical evidence for early date consumption on Dalma Island, United Arab Emirates. *Antiquity* 75: 83–89.
- Bogaard, A. and Charles, M. (1999). Addendum: Summary of Archaeobotanical Work at al-Mudaybi'. *Annual of the Department of Antiquities of Jordan* 43: 140-143
- Boivin, N., & Fuller, D. Q. (2009). Shell middens, ships and seeds: Exploring coastal subsistence, maritime trade and the dispersal of domesticates in and around the ancient Arabian Peninsula. *Journal of World Prehistory* 22(2): 113-180.
- Bouchaud, C., Tengberg, M., & Dal Prà, P. (2011). Cotton cultivation and textile production in the Arabian Peninsula during antiquity; the evidence from Madâ'in Sâlih (Saudi Arabia) and Qal'at al-Bahrain (Bahrain). *Vegetation history and archaeobotany*, 20(5), 405-417.
- Bouchaud, C. (2013). Exploitation végétale des oasis d'Arabie. Production, commerce et utilisation des plantes. L'exemple de Madâ'in Sâlih (Arabie Saoudite) entre le ive siècle av. J.-C. et le viie siècle apr. J.-C. *Revue d'Ethnoécologie* 4 : DOI : 10.4000/ethnoecologie.1217
- Breccia, E. (1927) La Missione Archeologica Italiana in Egitto e la tomba intatta dell'Architetto Cha. *Emporium* 66 (393): 1-18
- Brewer, D. J., D. B. Redford, S. Redford (1994) Domestic plants and animals. The Egyptian Origins. Warminster: Aris and Phillips
- Cappers, R. (2006). *Roman foodprints at Berenike: Archaeobotanical evidence of subsistence and trade in the Eastern Desert of Egypt*. L.A.. California: Costen Institute of Archaeology, UCLA Los Angeles.
- Cappers, R. J. T., Sikking, L., Darnell, J. C. and Darnell, D. (2007) Food supply along the Theban Desert roads (Egypt): the Gebel Roma', Wadi el-Hôl and Gebel Qarn el-Gir caravansary deposits. In: Cappers, R. J. T. (ed.) *Fields of Change: Progress in African Archaeobotany*. Pp. 127-138
- Cartwright, C. (1998). The plant remains, in: D. Welsby (ed.), *Life on the Desert Edge. Seven thousand years of settlement in the Northern Dongola Reach, Sudan II*, Oxford, 556-567
- Cartwright, C. (2001). The plant remains. In: D. Welsby (ed.), *Life on the Desert Edge. Seven thousand years of settlement in the Northern Dongola Reach, Sudan II*, British Archaeological Reports, Oxford, pp. 556-567.

- Clapham AJ, Stevens CJ (2009) Dates and confused: does measuring date stones make any sense? In: Ikram S, Dodson A (eds) *Beyond the Horizon: Studies in Egyptian Art, Archaeology and History in Honour of Barry J. Kemp*. Supreme Council of Antiquities, Cairo, pp 9-27
- Cleuziou, S. and L. Constantini (1982) À l'origine des oasis. *La Recherche* 13/137: 1179-1182
- Colledge S (2001) Plant Exploitation on Epipalaeolithic and Early Neolithic Sites in the Levant (British Archaeological Report, Oxford).
- Costantini, L. (1983). The beginning of agriculture in the Kachi Plain: The evidence from Mehrgarh. In B. Allchin (Ed.), *South Asian archaeology 1981*. Cambridge: Cambridge University Press
- Costantini, L. (1985) Considerazioni su alcuni reperti di palma da dattero e sul centro di origine e l'area di coltivazione della *Phoenix dactylifera* L. In : G. Gnoli, S. Lanciotti (Eds.), *Orientalia Josephi Tucci Memoriae Dicata*, Rome, pp. 209-218
- Costantini, L. (1990). Harrapan agriculture in Pakistan: The evidence of Nausharo. In M. Taddei (Ed.), *South Asian archaeology 1987* (pp. 321–332). Rome: Istituto Italiano per il Medio ed Estremo Oriente.
- Costantini L, Audisio P (2000) Plant and insect remains from the Bronze Age site of Ra's al-Jinz (RJ-2), Sultanate of Oman. *Paleorient* 26(1): 143-156
- Costantini, L. and Costantini Biasini, L. (1983). The Plant Remains. In G. Wilhelm and C. Zaccagnini (eds.) *Tell Karrana 3, Tell Jikan, Tell Khirbet Salih*. Forschungen 15, Philipp von Zabern, Mainz am Rhein, pp. 237-250
- Costantini, L. and Costantini Biasini, L. (1985). Palaeoethnobotanical Studies of Prehistoric Settlements in Soughun and Dowlatabad Valleys, Iran. *Newsletter of Baluchistan Studies* (Istituto Universitario Orientale, Naples) 2: 16-23
- Costantini, L and Costantini-Biasini, L. (1986). Palaeobotanical investigations in the Middle East and the Arabian Peninsula. *East and West* 36/4: 354-365
- Crawford, P. (1987). Food for a Roman Legion: The Plant Remains from el-Lejjun. In: Parker, S. T. (ed.) *The Roman Frontier in Central Jordan, Interim Report on the Limes Arabicus Project, 1980-1985*, British Archaeological Reports (International Series 340), Oxford, pp. 691-704.
- De Vartavan, C. (1990). Contaminated plant-foods from the tomb of Tutankhamun: A new interpretive system. *Journal of Archaeological Science*, 17(5), 473-494.
- De Vartavan, C. and Asensi Amoros, V. (1997). *Codex of Ancient Egyptian Plant Remains*. Triade exploration, London
- Ellison, R., Renfrew, J., Brothwell, D., & Seeley, N. (1978). Some food offerings from Ur, excavated by Sir Leonard Woolley, and previously unpublished. *Journal of Archaeological Science* 5(2): 167-177.

- Fahmy, A. G., Kawai, N., and Yoshimura, S. (2014). Archaeobotany of two Middle Kingdom cult chambers at Northwest Saqqara, Egypt. In: Stevens, C., Nixon, S., Murray, M., & Fuller, D. Q. (eds.) *Archaeology of African Plant Use*. Left Coast Press, Walnut Creek, pp. 141-150
- Fernández, V.M. (1983) La cultura alto-meroítica del norte de Nubia. La necrópolis de Amir-Abdallah, 2 vols., PhD Dissertation, Universidad de Madrid, Madrid
- Firth, C.M. (1927) *The Archaeological Survey of Nubia. Report for 1910-1911*, Cairo
- Fuller, D. (2000). The Botanical Remains, in T Insoll (ed). *Urbanism, Archaeology and Trade. Further Observations on the Gao Region (Mali). The 1996 Fieldseason Results*. British Archaeological Reports (International Series 829), Oxford, pp. 28-35.
- Fuller, D. (2004) Early Kushite Agriculture: Archaeobotanical Evidence from Kawa. *Sudan & Nubia* 8: 70-74.
- Fuller DQ (2015) The economic basis of the Qustul splinter state: cash crops, subsistence shifts and labour demands in the Post-Meroitic transition. In: Zach MH (ed) *The Kushite World. Proceedings of the 11th International Conference for Meroitic Studies*, Vienna, 1–4 September 2008. Beiträge zur Sudanforschung Beiheft 9. Verein der Förderer der Sudanforschung, Vienna, pp 33–60
- Fuller, D. and D. N. Edwards (2001). Medieval Plant Economy in Middle Nubia: Preliminary Archaeobotanical Evidence from Nauri, *Sudan and Nubia* 5: 97-103
- Fuller, DQ and Pelling, R. (2018). Plant Economy: Archaeobotanical Studies. In: Fentress, E. and Limane, H. (eds.) *Volubilis après Rome. Les fouilles UCL/INSAP, 2000-2005*. Koninklijke Brill, Leiden, pp. 329-348 [ISBN 978-90-04-37149-1, in press]
- Fuller, Dorian Q and Weber, Steven A. (2005). Formation Processes and Paleoethnobotanical Interpretation in South Asia. *Journal of Interdisciplinary Studies in History and Archaeology* 2(1): 91-114
- Gallagher D (2011) Palaeobotanical remains. In: Cissé M, *Archaeological Investigations of Early Trade and Urbanism at Gao Saney (Mali)*. Ph.D. dissertation, Rice University, Houston, p. 350–354
- Gillet J. B. (1976) Botanical Samples. In : F. Safar et al (ed) *Eridu*. Baghdad : Ministry of Culture and Information, pp. 317-318.
- Ishida, S., Parker, A. G., Kennet, D., & Hodson, M. J. (2003). Phytolith analysis from the archaeological site of Kush, Ras al-Khaimah, United Arab Emirates. *Quaternary Research* 59(3) : 310-321.
- Kajale, M. D. (1988). Plant economy. In M. K. Dhavalikar, H.D. Sankalia, & Z.D. Ansari (Eds.), *Excavations at Inamgaon*. Deccan College Postgraduate and Research Institute, Pune, pp. 727–821.
- Keimer, L. (1947) Plusiers antiquites recemment trouvees. *Bulletin de L'Institute d'Egypte* 28: 117-137

Kennet, D and Velde, C. (1995). Third and early second-millennium occupation at Nud Ziba, Khatt (UAE). *Arabian Archaeology and Epigraphy* 6(2): 81-89.

Kislev, M. E. (1988) Fruit remains. In: Rothenberg, B. (ed.) *The Egyptian Mining Temple at Timna*. Institute for Archaeo-metallurgical studies, Institute of Archaeology, London, pp. 236-241

Kislev, M. E., Hartmann, A., & Galili, E. (2004). Archaeobotanical and archaeoentomological evidence from a well at Atlit-Yam indicates colder, more humid climate on the Israeli coast during the PPNC period. *Journal of Archaeological Science* 31: 1301–1310.

Kunth, C. (1826) Recherche sur les plantes trouvees dan les tombeaux egyptiens par M. Passalacqua. *Annales des Sciences Naturelles* 8: 418-423

Levkovskaya, G. M., & Filatenko, A. A. (1992). Palaeobotanical and palynological studies in South Arabia. *Review of palaeobotany and palynology*, 73(1-4), 241-257.

Liphschitz, N. (1989). Plant economy and diet in the Early Bronze Age in Israel: A summary of present research. In: Miroshedji, P. d. (ed.) *L'urbanisation de la Palestine a l'age du Bronze ancien. Bilan et perspectives des recherches actuelles*. British Archaeological Reports International Series, Oxford, pp. 269 - 277

Liphschitz, N. and Lev-Yadun, S. (1989). The Botanical Remains from Masada: Identification of the Plant Species and the Possible Origin of the Remnants. *Bulletin of the American School of Oriental Research* 274: 27-32.

Liphschitz N, Bonani G (2001) Wild and Cultivated Date Palm (*Phoenix dactylifera*) from Qumran Cave 24. *Tel Aviv* 28:305–309

Madani, I., Tahir, Y. F., Hamdeen, H. M. (2015) Plant Macro-remains Recovered from El-Hamra Christian Complex Excavation in El-Ga'ab Depression, Sudan. *Sudan and Nubia* 19 : 143-148

Mashkour, M., Tengberg, M., Shirazi, Z., & Madjidzadeh, Y. (2013). Bio-archaeological studies at Konar Sandal, Halil Rud basin, southeastern Iran. *Environmental Archaeology* 18(3) : 222-246.

Meadows, J. (1996). The final straw: an archaeobotanical investigation of the economy of a fourth millennium BC site in the Wadi Fidan, southern Jordan. M. Sc. Thesis. University of Sheffield, Sheffield.

Miller, N. F. (1981). Plant Remains from Ville Royale II, Susa. *Cahiers de la Délégation Archéologique Française en Iran* 12: 137-142.

Miller, Naomi F., Philip Jones, and Holly Pittman (2016). Sign and image: Representations of plants on the Warka Vase of early Mesopotamia. *Origini* 39: 53-73

- Murray, M. A. (1990) Archaeobotany [in Memphis 1989]. *Journal of Egyptian Archaeology* 76: 14
- M.A. Murray, M. A. (2000) Fruits, vegetables, pulses and condiments. In: P.T. Nicholson, I. Shaw (Eds.), *Ancient Egyptian Materials and Technology*, Cambridge University Press, Cambridge, pp. 609-655
- Neef, R (1991) Plant remains from archaeological sites in lowland Iraq: Tell el'Oueili. In: J.-L. Huot (Ed.), *Oueili. Travaux de 1985*, Éditions Recherche sur les Civilisations, Paris, pp. 322-329
- Nesbitt, M. (1993). Archaeobotanical evidence for early Dilmun diet at Saar, Bahrain. *Arabian Archaeology and Epigraphy* 4(1), 20-47.
- Newberry, P. E. (1889) On the vegetable remains discovered in the cemetery of Hawara. In: Petrie, W. M. F. (ed.) *Hawara, Bahnu and Arsinoe*. The Leadenhall Press, London, pp. 46-53
- Nixon, S., Murray, M. A., & Fuller, D. Q. (2011). Plant use at an early Islamic merchant town in the West African Sahel: the archaeobotany of Essouk-Tadmakka (Mali). *Vegetation History and Archaeobotany* 20(3), 223-239.
- Parker, A.G. (2010) Paleoenvironmental evidence from H3, Kuwait. In: R. Carter, H. Crawford (Eds.), *Maritime Interactions in the Arabian Neolithic. Evidence from H3, As-Sabiyah, an Ubaid-related Site in Kuwait*. Brill, Harvard, pp. 187-199
- Pelling, R. (2005). Garamantian agriculture and its significance in a wider North African context: The evidence of the plant remains from the Fazzan project. *The Journal of North African Studies* 10(3-4): 397-412.
- Pelling, R. (2007) Agriculture and trade amongst the Garamantes: 3000 years of archaeobotanical data from the Sahara and its margins, PhD Dissertation, Institute of Archaeology, University College, London.
- Pelling, R. (2008). Garamantian agriculture: the plant remains from Jarma, Fazzan. *Libyan Studies* 39: 41-71.
- Peña-Chocarro, L. & E. Barron Lopez (1999). Plant remains from the site of Mleiha U.A.E. In : M. Mouton (Ed.), *Mleiha I - Environnements, Stratégies de Subsistance et Artisanats*. Travaux de la Maison de l'Orient Méditerranéen 29, Maison de l'Orient Méditerranéen, Lyon, pp. 63-69
- Petrie, F. and Brunton, G. (1924) *Sedment*. British School of Archaeology, Egyptian Research Account, London.
- Pokharia, A. and Saraswat, K. (1999). Plant economy during KUshana period (100-300 AD) at Sanghol, Punjab. *Pragdhara* 9: 75-121
- Rivera D, Obon C, García-Arteaga J et al (2014) Carpological analysis of Phoenix (Arecaceae): contributions to the taxonomy and evolutionary history of the genus. *Bot J Linn Soc* 175:74–122

- Rollefson, G. O., A. H. Simmons, M. L. Donaldson, W. Gillepsie, Z. Kafafi, I. Kohler-Rollefson, E. McAdam, S. L. Rolston and M. K. Tubb (1985). Excavation at the Pre-Pottery Neolithic B Village of 'Ain Ghazal (Jordan), 1983. *Mitteilungen der Deutschen Orientgesellschaft zu Berlin* 117: 69-116
- Ruas, M. P., Tengberg, M., Ettahiri, A. S., Fili, A., & Van Staëvel, J. P. (2011). Archaeobotanical research at the medieval fortified site of Îgîlîz (Anti-Atlas, Morocco) with particular reference to the exploitation of the argan tree. *Vegetation history and archaeobotany* 20(5) : 419-433.
- Rowley-Conwy, P. (1987). Remains of date (*Phoenix dactylifera*) from Failaka, Kuwait. In: F. Højlund (Ed.) *Danish archaeological investigations on Failaka, Kuwait. The second millenium settlements*, 2, Jutland Archaeological Society Publications XVII (2), Aarhus, pp. 181-183.
- Sallon, S., Solowey, E., Cohen, Y., Korchinsky, R., Egli, M., Woodhatch, I., ... & Kislev, M. (2008). Germination, genetics, and growth of an ancient date seed. *Science* 320(5882) : 1464-1464.
- Samuel D (2001) Archaeobotanical evidence and analysis. In: Berthier S (ed) *Peuplement rural et aménagements hydroagricoles dans la moyenne vallée de l'Euphrate fin VIIe-XIXe siècle*. Institut Français d'Etudes Arabes de Damas, Damascus, pp.343-481
- Sajjadi, S. M. S., Casanova, M., Costantini, L., & Lorentz, K. O. (2008). Sistan and Baluchistan Project: Short reports on the tenth campaign of excavations at Shahr-i Sokhta. *Iran* 46(1) : 307-334.
- Saraswat, K. S. (1997). Plant Economy of Barans at Ancient Sanghol (Ca. 1900–1400 B.C.), Punjab. *Pragdhara (Journal of the U. P. State Archaeology Department)* 7: 97–114.
- Saraswat, K. S. (2002a). Balu (29°40'N; 76°22'E), District Kaithal. *Indian Archaeology 1996–1997–A Review*: 198–203
- Saraswat, K. S. (2002b). Banawali (29°37'5"N; 75°23'6"E), District Hissar. *Indian Archaeology 1996–1997–A Review*: 203.
- Saraswat, K. S., Sharma, N. K., & Saini, D. C. (1994). Plant Economy ay Ancient Narhan (Ca. 1,300 B.C.–300/400 A.D.). In P. Singh (Ed.), *Excavations at Narhan (1984–1989)* (pp. 255–346). Varanasi: Banaras Hindu University.
- Säve-Söderbergh, T., G. Englund and H.-A. Nordström (1981) *Late Nubian Cemeteries*, The Scandinavian Joint Expedition vol. 6, Copenhagen-Oslo-Stockholm
- Schweinfurth, G. (1884) Further discoveries in the Flora of Ancient Egypt. *Nature* 29 : 312-315
- Schweinfurth, G. (1885). Notice sur les restes vegetaux de l'ancienne Egypte. Contenus dans une armoire du Musee de Boulaq. *Bulletin de l'Institut Egyptien* (2<sup>nd</sup> ser.) 5 : 3-10



- Schweinfurth, G. (1886). Les dernières découvertes botaniques dans les anciens tombeaux de l'Égypte. *Bulletin de l'Institut Égyptien* (2<sup>nd</sup> ser.) 6 : 256-283
- Shinnie, P.L. and J. Anderson (2004) *The capital of Kush 2: Meroe excavations, 1973-1984*, Meroitica 20, Wiesbaden
- Shinnie, P.L. and M. Shinnie (1978) *Debeira West. A Mediaeval Nubian Town*, University of Ghana Expedition to Nubia, Warminster
- Sidebotham, S. E., Riley, J. A., Hamroush, H. A., & Barakat, H. (1989). Fieldwork on the Red Sea coast: the 1987 season. *Journal of the American Research Center in Egypt*, 26, 127-166.
- Skoflek, I. and V. Arendas (1981) Abdallah Nirqi 1964. Plant remains from the Nubian excavation, *Mitteilungen des Archäologischen Instituts der Ungarischen Akademie der Wissenschaften* 10/11: 215-219
- Smith, W. (2003). *Archaeobotanical investigations of agriculture at Late Antique Kom el-Nana (Tell el-Amarna)*. Egyptian Exploration Society, London
- Smith, W. (2014) Floral remains. In: Bir Um Fawakir 3. Excavations 1999-2001 [OIP 141]. University of Chicago, Oriental Institute, Chicago, pp. 97-110
- Spengler, R. N., & Willcox, G. (2013). Archaeobotanical results from Sarazm, Tajikistan, an Early Bronze Age Settlement on the edge: Agriculture and exchange. *Environmental Archaeology*, 18(3), 211-221.
- Stevens, C. J. and Clapham, A. J. (2014). Botanical insights into the life of an ancient Egyptian village: excavation results from Amarna. In: Stevens, C., Nixon, S., Murray, M., & Fuller, D. Q. (eds.) *Archaeology of African Plant Use*. Left Coast Press, Walnut Creek, pp. 151-164
- Stevens, C. J., Murphy, C., Roberts, R., Lucas, L., Silva, F., & Fuller, D. Q. (2016). Between China and South Asia: A Middle Asian corridor of crop dispersal and agricultural innovation in the Bronze Age. *The Holocene*, 26(10), 1541-1555.
- Stewart, R. (1987). Appendix 4. Botanical remains. In Glanzman, W., and Ghaleb, A. O. (eds.), *The Wadi al-Jubah Archaeological Project, Vol. 3. Site Reconnaissance in the Yemen Arab Republic, 1984: Stratigraphic Probe at Hajar ar-Rayhani*, The American Foundation for the Study of Man, Washington, DC, pp. 162–163
- Stewart, R. B. (1988) Plant resources of the Wadi al-Jubah. In: Overstreet, W. C., Grolier, M. J. and Toplyn, M. R. (eds) *The Wadi Al-Jubah Archaeological Project, Volume 4.* American Foundation for the Study of Man, Washington, D.C., pp. 105-110
- Stewart, R. (1996). Summarized species list for the botanical remains excavated in 1987 at Hajar ar-Rayhani, Yemen Arab Republic. In: Overstreet, W., and Blakely, J. (eds.), *Environmental Research in Support of Archaeological Investigations in the Yemen Arab Republic, 1982–1987*, American Foundation for the Study of Man, Washington, DC, p. 299

- Strouhal, E. (1984) *Wadi Qitna and Kalabsha-South. Late Roman – Early Byzantine Tumuli Cemeteries in Egyptian Nubia I: Archaeology*, Prague
- Tackholm, V. (1990) Botanical examination. In: Debono, F and Mortensen, B. (eds.) *El Omari. A Neolithic settlement and other sites in the vicinity of Wadi Hof, Helwan*. Verlag Philipvan Zabern, Mainz Am Rhein, pp. 115-116
- Tengberg, M. (1998). Paléoenvironnements et économie végétale en milieu aride – recherches archéobotaniques dans la région du Golfe arabo-persique et dans le Makran pakistanais (4<sup>ème</sup> millénaire av. notre ère – 1<sup>er</sup> millénaire de notre ère). PhD thesis, University of Montpellier 2
- Tengberg, M. (1999). Crop husbandry at Miri Qalat Makran, SW Pakistan (4000–2000 BC). *Vegetation History and Archaeobotany* 8(1-2): 3-12.
- Tengberg, M. (2012). Beginnings and early history of date palm garden cultivation in the Middle East. *Journal of Arid Environments*, 86, 139-147.
- Tengberg, M., & Lombard, P. (2001). Environnement et économie végétale à Qal'at al-Bahreïn aux périodes Dilmoun et Tylos. Premiers éléments d'archéobotanique. *Paléorient* 27(1): 167-181.
- Thanheiser, U. (2002). Plant Remains from Kellis: First Results, in: C.A. Hope and A.J. Mills (eds.), *Dakhleh Oasis Project: Preliminary Reports on the 1992-1993 and 1993-1994 Field Seasons*, Oxford, 89-103
- Thanheiser, U. (1992) Plant remains from Minshat Abu Omar: First impressions. In: van den Brink, E. C. M. (ed.) *The Nile Delta in transition: 4<sup>th</sup>-3<sup>rd</sup> Millennium B.C.* The Israel Exploration Society, Jerusalem, pp. 167-170
- Van der Veen, M. (1992). Garamantian agriculture: the plant remains from Zinhecra, Fezzan. *Libyan Studies* 23 : 7-39.
- Van der Veen 2001 (2001) The botanical evidence. In V. A. Maxfield and D. P. S. Peacock (Eds.), *Survey and Excavation at Mons Claudianus, 1987–1993*, Vol. 2. Institut Français d'Archéologie Orientale, Cairo, pp. 175–247.
- Van der Veen, M. (2011). *Consumption, trade and innovation: Exploring the botanical remains from the Roman and Islamic ports at Quseir al-Qadim, Egypt*. Frankfurt: Africa Magna.
- Van Ziest, W. A. (1983) 1983 Fruits in Foundation Deposits of Two Temples, *Journal of Archaeological Science* 10: 351-354
- Van Zeist, W., & Vynckier, J. (1984). Palaeobotanical investigations of Tell ed-Der. In: De Meyer, L. (ed.) *Telle ed-Der IV*. Uitgeverij Peeters, Leuven, pp. 119-43.
- Vishnu-Mittre (1977). Changing economy in ancient India. In C. A. Reed (Ed.), *Origins of agriculture* (pp. 569–588). Paris: Mouton.

- Vrydaghs, L., Doutrelpont, H., Beeckman, H., Haerinck, E., Meunier, J. D., & Colin, F. (2001). Identifications of a morphotype association of *Phoenix dactylifera* L. lignified tissues origin at ed-Dur (1st AD), Umm al-Qaiwain (UAE). In: Meunier JD, Colin F (eds). *Phytoliths in Earth Sciences and Human History*, AA Balkema: Rotterdam, 239-250.
- Wetterstrom, W. (1984) The plant remains. In: Wenke, R.J. (ed.) *Archaeological Investigations at El-Hibeh 1980: Preliminary Report*. American Research Center in Egypt Reports Volume 9, Undena Publications, Malibu, pp. 50-75
- White, C. E., Chesson, M. S. and Schaub, T. (2014). A Recipe for Disaster: Emerging Urbanism and Unsustainable Plant Economies at Early Bronze Age Ras an-Numayra, Jordan. *Antiquity* 88 (340): 363-377
- Willcox, G. (1990). The plant remains from Hellenistic and Bronze Age levels at Failaka, Kuwait. A preliminary report. *Travaux de la Maison de l'Orient*, 18(1), 43-50.
- Willcox, G. (1995). Some plant impressions from Umm an-Nar island. In: K. Frifelt (ed) *The Island of Umm an-Nar*, Jutland Archaeological Society Publications, Aarhus University Press, Aarhus, pp. 257-259.
- Willcox, G. (2003) L'Économie végétale a Bosra et Si: resultats d'analyse de restes vegetaux carbonises des periodes romaine, byzantine et islamique. In: J. Dentzer-Feydy, J-M Dentzer, P-M Blanc (eds.) *Hauran II*, Vol. I Beyrouth, pp. 177-195
- Willcox, G., & Tengberg, M. (1995). Preliminary report on the archaeobotanical investigations at Tell Abraq with special attention to chaff impressions in mud brick. *Arabian archaeology and epigraphy*, 6(2), 129-138.
- Willerding, U. and Wolf, G. (1990) Paläo-ethnobotanische Untersuchungen von Pflanzenresten aus dem 1. Jahrtausend v.Chr. von Elephantine. *Mitteilungen des Deutschen Archäologischen Instituts, Abteilung Kairo* 46: 263-267
- Williams, B. B. (1991). *Noubadian X-Group Remains from Royal Complexes in Cemeteries Q and 219 and from private cemeteries Q, R, V, W, B, J, and M at Qustul and Ballana*, University of Chicago Oriental Institute Nubian Expedition vol. IX, Chicago
- Zaitschek DV (1980). Plant remains from the cave of the treasure. In: Bar-Adon P (ed) *The cave of the treasure*. Jerusalem, pp 223-227
- Zohary, D., & Spiegel-Roy, P. (1975). Beginnings of fruit growing in the Old World. *Science* 187: 319–327.