

Abbreviations

BMI: body mass index

BUN: blood urea nitrogen

CPRA: calculated panel reactive antibodies

eGFR: estimated glomerular filtration rate

ESRD: end-stage renal disease

HLA: human leukocyte antigens

HBV: hepatitis B virus

HCV: hepatitis C virus

HIV: human immunodeficiency virus

INR: international normalized ratio

Table S1: Pooled coefficients of multivariate Cox proportional hazard model of 1-year posttransplant patient survival using SRTR variables

	Covariates	Coefficients	95% Confidence Interval	P Value
Donor	Donor Age	1.53E-03	(-2.47E-03, 5.54E-03)	0.45
	Donor Blood Type	Reference		
	O	7.23E-02	(-1.06E-02, 0.16)	0.09
	A	0.21	(9.71E-04, 0.41)	0.05
	AB	-4.23E-02	(-0.17, 8.12E-02)	0.50
	B			
	Donor Arginine Vasopressin			
	Positive	-6.57E-02	(-1.42E-01, 1.03E-02)	0.09
	Negative	Reference		
	Donor BUN in mg/dL	2.79E-03	(-0.14, 6.29E-03)	0.12
	Donor Cigarette Use (> 20 pack years) Ever			
	Positive	-0.12	(-0.41, 0.17)	0.49
	Unknown	Reference		
	Negative	-0.10	(-0.38, 0.18)	0.42
	Donor Creatinine	-2.65E-03	(-2.06E-02, 1.53E-02)	0.77
Donor eGFR	4.43E-04	(-7.84E-04, 1.67E-03)	0.48	
Donor Gender				
Male	1.33E-02	(1.67E-03, 9.22E-02)	0.74	
Female	Reference			
Donor Hematocrit	2.94E-03	(-3.48E-03, 9.36E-03)	0.37	
Donor Hepatitis C Virus Result				
Positive	1.17E-01	(-1.46E-01, 3.81E-01)	0.38	
Negative	Reference			
Donor KDRI	4.08E-01	(2.70E-01, 5.46E-01)	<0.001	
Kidney Transplanted Locally	-5.79E-02	(-1.61E-01, 4.48E-02)	0.27	
Kidney Pumped	2.09E-02	(-6.67E-02, 1.08E-01)	0.64	
Donor-Recipient	HLA A Mismatches	-1.69E-02	(-7.19E-02, 3.81E-02)	0.55
Recipient	Age at Transplant	3.85E-02	(3.46E-02, 4.23E-02)	<0.001
	Latino	-2.43E-01	(-3.73E-01, -1.13E-01)	<0.001
	Race	Reference		
	Caucasian	-2.68E-01	(-4.46E-01, -8.90E-02)	0.003
	Asian	-1.42E-01	(-2.39E-01, -4.53E-02)	0.004
	Black	-2.06E-01	(-4.94E-01, 8.17E-02)	0.16
	Other			
	Diabetes			
	None	Reference		
	Type 1	3.23E-01	(1.24E-01, 5.22E-01)	0.001
	Type 2	2.53E-01	(1.23E-01, 3.83E-01)	<0.001
	Other	2.32E-01	(5.05E-02, 4.14E-01)	0.01
Education				
Grade School/None	-1.45E-01	(-3.42E-01, 5.18E-02)	0.15	
High School	-5.43E-04	(-1.38E-01, 1.37E-01)	0.99	
Technical/Some College	3.24E-02	(-1.15E-01, 1.80E-01)	0.67	
College	-1.99E-02	(-1.71E-01, 1.31E-01)	0.80	
Unknown/Missing	Reference			
HBV Core Antibody				
Positive	4.67E-02	(-1.20E-01, 2.13E-01)	0.58	
Unknown/Missing	Reference			
Negative	8.04E-03	(-1.08E-01, 1.24E-01)	0.89	

HCV Serostatus			
Positive	-6.94E-03	(-2.82E-01, 2.69E-01)	0.96
Unknown/Missing	Reference		
Negative	-1.36E-01	(-3.54E-01, 8.28E-02)	0.22
HIV Serostatus			
Positive	5.27E-01	(8.12E-02, 9.72E-01)	0.02
Unknown/Missing	Reference		
Negative	2.53E-01	(1.11E-01, 3.95E-01)	<0.001
Had Previous Transplant	2.54E-01	(1.30E-01, 3.78E-01)	<0.001
Kidney Cold Ischemia Time in Hours	8.85E-03	(4.47E-03, 1.32E-02)	<0.001
Kidney Primary Diagnosis at Transplant			
Congenital, Rare Familial, & Metabolic Disorders	1.76E-01	(-1.85E-01, 5.37E-01)	0.34
Diabetes	2.72E-01	(1.16E-01, 4.27E-01)	<0.001
Glomerular Diseases	-1.02E-01	(-2.42E-01, 3.79E-02)	0.15
Hypertensive Nephrosclerosis	1.19E-01	(-4.55E-03, 2.42E-01)	0.06
Unknown/Other	Reference		
Most Recent CPRA	8.43E-04	(-7.21E-04, 2.41E-03)	0.29
Peripheral Vascular Disease			
Positive	3.67E-01	(1.16E-01, 6.19E-01)	0.004
Unknown	Reference		
Negative	-2.17E-02	(-2.41E-01, 1.97E-01)	0.85
Primary Payment			
Public	Reference		
Private/Other/Unknown	-2.97E-01	(-3.99E-01, -1.95E-01)	<0.001
Total ESRD Time at Transplant in Days	2.11E-04	(1.81E-04, 2.41E-04)	<0.001
Total Serum Albumin at Listing	-2.03E-01	(-2.78E-01, -1.28E-01)	<0.001

Table S2: Pooled coefficients of multivariate Cox proportional hazard model of 1-year posttransplant patient survival using SRTR variables and KPS

	Covariates	Coefficients	95% Confidence Interval	P Value
Donor	Donor Age	1.30E-03	(-2.72E-03, 5.31E-03)	0.53
	Donor Blood Type	Reference		
	O	7.11E-02	(-1.18E-02, 0.15)	0.09
	A	0.18	(-2.69E-02, 0.38)	0.09
	AB	-5.52E-02	(-0.18, 6.85E-02)	0.38
	B			
	Donor Arginine Vasopressin			
	Positive	-5.59E-02	(-1.32E-01, 2.02E-02)	0.15
	Negative	Reference		
	Donor BUN in mg/dL	3.33E-03	(-1.57E-04, 6.82E-03)	0.06
	Donor Cigarette Use (> 20 pack years) Ever			
	Positive	-1.12E-01	(-3.99E-01, 1.75E-01)	0.44
	Unknown	Reference		
	Negative	-9.08E-02	(-3.73E-01, 1.91E-01)	0.53
	Donor Creatinine	-2.37E-03	(-2.03E-02, 1.56E-02)	0.80
Donor eGFR	4.53E-04	(-7.73E-04, 1.68E-03)	0.47	
Donor Gender				
Male	1.11E-02	(-6.78E-02, 9.01E-02)	0.78	
Female	Reference			
Donor Hematocrit	3.43E-03	(-2.97E-03, 9.83E-03)	0.29	
Donor Hepatitis C Virus Result				
Positive	1.20E-01	(-1.43E-01, 3.83E-01)	0.37	
Negative	Reference			
Donor KDRI	4.13E-01	(2.74E-01, 5.51E-01)	<0.001	
Kidney Transplanted Locally	-6.68E-02	(-1.70E-01, 3.60E-02)	0.20	
Kidney Pumped	-7.20E-03	(-9.51E-02, 8.07E-02)	0.87	
Donor-Recipient	HLA A Mismatches	-2.24E-02	(-7.75E-02, 3.26E-02)	0.42
Recipient	Age at Transplant	3.83E-02	(3.45E-02, 4.22E-02)	<0.001
	Latino	-2.32E-01	(-3.62E-01, -1.02E-01)	<0.001
	Race			
	Caucasian	Reference		
	Asian	-2.70E-01	(-4.49E-01, -9.14E-02)	0.003
	Black	-1.36E-01	(-2.32E-01, -3.95E-02)	0.006
	Other	-1.95E-01	(-4.83E-01, 9.24E-02)	0.18
	Diabetes			
	None	Reference		
	Type 1	3.14E-01	(1.15E-01, 5.14E-01)	0.002
	Type 2	2.50E-01	(1.20E-01, 3.79E-01)	<0.001
	Other	2.23E-01	(4.13E-02, 4.05E-01)	0.04
	Education			
	Grade School/None	-1.56E-01	(-3.54E-01, 4.13E-02)	0.12
	High School	-1.13E-02	(-1.49E-01, 1.27E-01)	0.87
Technical/Some College	3.55E-02	(-1.12E-01, 1.83E-01)	0.64	
College	-8.44E-03	(-1.60E-01, 1.43E-01)	0.91	
Unknown/Missing	Reference			
HBV Core Antibody				
Positive	7.41E-02	(-9.26E-02, 2.41E-01)	0.38	
Unknown/Missing	Reference			
Negative	3.96E-02	(-7.72E-02, 1.57E-01)	0.51	

HCV Serostatus			
Positive	3.19E-02	(-2.43E-01, 3.07E-01)	0.82
Unknown/Missing	Reference		
Negative	-9.90E-02	(-3.18E-01, 1.20E-01)	0.37
HIV Serostatus			
Positive	5.63E-01	(1.17E-01, 1.01)	0.01
Unknown/Missing	Reference		
Negative	2.60E-01	(1.17E-01, 4.03E-01)	<0.001
Had Previous Transplant	2.34E-01	(1.10E-01, 3.57E-01)	<0.001
Kidney Cold Ischemia Time in Hours	1.03E-02	(5.80E-03, 1.47E-02)	<0.001
Kidney Primary Diagnosis at Transplant			
Congenital, Rare Familial, & Metabolic Disorders	1.48E-01	(-2.13E-01, 5.09E-01)	0.42
Diabetes	2.40E-01	(8.41E-02, 3.95E-01)	0.003
Glomerular Diseases	-1.08E-01	(-2.48E-01, 3.23E-02)	0.13
Hypertensive Nephrosclerosis	1.17E-01	(-6.32E-03, 2.40E-01)	0.06
Unknown/Other	Reference		
Most Recent CPRA	7.46E-04	(-8.13E-04, 2.30E-03)	0.35
Peripheral Vascular Disease			
Positive	3.53E-01	(1.02E-01, 6.05E-01)	0.006
Unknown	Reference		
Negative	6.16E-03	(-2.13E-01, 2.26E-01)	0.96
Primary Payment			
Public	Reference		
Private/Other/Unknown	-2.65E-01	(-3.68E-01, -1.63E-01)	<0.001
Total ESRD Time at Transplant in Days	2.01E-04	(1.71E-04, 2.31E-04)	<0.001
Total Serum Albumin at Listing	-2.00E-01	(-2.75E-01, -1.24E-01)	<0.001
Karnofsky Performance Score at Transplant			
10-30	2.42	(2.09, 2.76)	<0.001
40-50	2.44E-01	(-3.60E-03, 4.91E-01)	0.05
60-70	-2.06E-01	(-4.12E-01, -1.02E-03)	0.05
80-90	-3.64E-01	(-5.64E-01, -1.63E-01)	<0.001
100	-4.99E-01	(-7.24E-01, -2.73E-01)	<0.001
Unknown	Reference		

Table S3: Pooled coefficients of multivariate Cox proportional hazard model of 3-year posttransplant patient survival using SRTR variables

	Covariates	Coefficients	95% Confidence Interval	P Value
Donor	Donor Age	3.22E-03	(-6.50E-05, 6.51E-03)	0.05
	Donor Race			
	Caucasian	Reference		
	Asian	-7.59E-04	(-1.91E-01, 1.90E-01)	0.99
	Black	5.72E-02	(-3.36E-02, 1.48E-01)	0.21
	Other	-1.71E-01	(-5.26E-01, 1.84E-01)	0.34
	Donor Blood Type			
	O	Reference		
	A	6.32E-02	(-4.85E-04, 1.25E-01)	0.05
	AB	7.67E-02	(-8.28E-02, 2.36E-01)	0.35
	B	3.80E-03	(-8.79E-02, 9.55E-02)	0.94
	Donor BMI	3.37E-05	(-4.48E-03, 4.54E-03)	0.99
	Donor BUN in mg/dL	3.00E-03	(1.17E-04, 5.88E-03)	0.04
	Donor Cause of Death			
	Anoxia	9.41E-02	(-1.01E-01, 2.89E-01)	0.34
	Cerebrovascular/Stroke	9.28E-02	(-1.01E-01, 2.87E-01)	0.35
	Head Trauma	6.01E-02	(-1.33E-01, 2.54E-01)	0.54
	Central Nervous System Tumor	-1.32E-01	(-6.00E-01, 3.35E-01)	0.58
	Other	Reference		
	Donor Clinical Infection of the Lung			
	Positive	-1.23E-01	(-1.82E-01, -6.35E-02)	<0.001
	Negative	Reference		
	Donor Creatinine	-4.29E-04	(-2.04E-02, 1.95E-02)	0.97
	Donor Diuretics			
	Positive	-4.04E-02	(-9.88E-02, 1.79E-02)	0.18
	Negative	Reference		
Donor Drug-Treated Systematic Hypertension				
Positive	3.49E-02	(-3.46E-02, 1.05E-01)	0.33	
Negative	Reference			
Donor eGFR	1.17E-03	(1.83E-04, 2.17E-03)	0.02	
Donor Hematocrit	1.79E-03	(-3.18E-03, 6.76E-03)	0.48	
Donor Hepatitis C Virus Result				
Positive	2.00E-01	(1.21E-02, 3.88E-01)	0.04	
Negative	Reference			
Donor History of Diabetes				
Positive	7.74E-02	(-2.56E-02, 1.80E-01)	0.14	
Negative	Reference			
Donor INR	3.68E-03	(-1.49E-02, 2.22E-02)	0.70	
Donor KDRI	3.33E-01	(2.04E-01, 4.62E-01)	<0.001	
Kidney Transplanted Locally	2.07E-02	(-5.64E-02, 9.78E-02)	0.60	
Kidney Pumped	9.60E-03	(-5.84E-02, 7.76E-02)	0.78	
Donor Tattoos				
Yes	-5.66E-03	(-7.35E-02, 6.22E-02)	0.87	
No	Reference			
Donor-Recipient	HLA B Mismatches	2.43E-02	(-2.34E-02, 7.19E-02)	0.32
	HLA DR Mismatches	7.69E-03	(-3.60E-02, 5.14E-02)	0.73
Recipient	Age at Transplant	3.91E-02	(3.63E-02, 4.20E-02)	<0.001
	Latino	-3.40E-01	(-4.41E-01, -2.39E-01)	<0.001

Race				
	Caucasian	Reference		
	Asian	-4.04E-01	(-5.47E-01, -2.61E-01)	<0.001
	Black	-1.84E-01	(-2.58E-01, -1.11E-01)	<0.001
	Other	-2.62E-01	(-4.89E-01, -3.56E-02)	0.02
BMI		-6.54E-03	(-1.23E-02, -8.09E-04)	0.03
Diabetes				
	None	Reference		
	Type 1	3.32E-01	(1.85E-01, 4.79E-01)	<0.001
	Type 2	2.75E-01	(1.77E-01, 3.73E-01)	<0.001
	Other	2.88E-01	(1.58E-01, 4.19E-01)	<0.001
Education				
	Grade School/None	-3.97E-02	(-1.86E-01, 1.06E-01)	0.59
	High School	6.47E-02	(-3.45E-02, 1.64E-01)	0.20
	Technical/Some College	6.15E-02	(-4.66E-02, 1.70E-01)	0.27
	College	4.96E-03	(-1.05E-01, 1.15E-01)	0.93
	Unknown/Missing	Reference		
Gender		1.05E-01	(4.22E-02, 1.67E-01)	0.001
HBV Core Antibody				
	Positive	-3.47E-02	(-1.58E-01, 8.81E-02)	0.58
	Unknown/Missing	Reference		
	Negative	-2.80E-02	(-1.11E-01, 5.50E-02)	0.51
HCV Serostatus				
	Positive	2.46E-01	(5.15E-02, 4.40E-01)	0.01
	Unknown/Missing	Reference		
	Negative	5.97E-02	(-9.24E-02, 2.12E-01)	0.44
Had Previous Malignancy				
	Positive	1.36E-01	(-1.07E-01, 3.79E-01)	0.27
	Unknown/Missing	Reference		
	Negative	6.39E-02	(-1.57E-01, 2.85E-01)	0.57
Had Previous Transplant		2.07E-01	(1.12E-01, 3.02E-01)	<0.001
Kidney Cold Ischemia Time in Hours		5.65E-03	(2.35E-03, 8.96E-03)	<0.001
Kidney Primary Diagnosis at Transplant				
	Congenital, Rare Familial, & Metabolic Disorders	1.33E-01	(-1.47E-01, 4.14E-01)	0.35
	Diabetes	2.47E-01	(1.30E-01, 3.64E-01)	<0.001
	Glomerular Diseases	-4.91E-02	(-1.53E-01, 5.50E-02)	0.36
	Hypertensive Nephrosclerosis	1.54E-01	(6.16E-02, 2.47E-01)	0.001
	Unknown/Other	Reference		
Most Recent CPRA		1.22E-03	(8.11E-06, 2.42E-03)	0.05
Peripheral Vascular Disease				
	Positive	2.68E-01	(6.49E-02, 4.71E-01)	0.01
	Unknown	Reference		
	Negative	-1.48E-01	(-3.29E-01, 3.30E-02)	0.11
Primary Payment				
	Public	Reference		
	Private/Other/Unknown	-2.17E-01	(-2.90E-01, -1.44E-01)	<0.001
Procedure Type				
	Left Kidney	Reference		
	Right Kidney	3.48E-03	(-5.29E-02, 5.99E-02)	0.90
Total ESRD Time at Transplant in Days		1.87E-04	(1.64E-04, 2.10E-04)	<0.001
Total Serum Albumin at Listing		-1.80E-01	(-2.33E-01, -1.26E-01)	<0.001

Table S4: Pooled coefficients of multivariate Cox proportional hazard model of 3-year posttransplant patient survival using SRTR variables and KPS

	Covariates	Coefficients	95% Confidence Interval	P Value
Donor	Donor Age	3.32E-03	(3.14E-05, 6.60E-03)	0.05
	Donor Race			
	Caucasian	Reference		
	Asian	1.71E-02	(-1.73E-01, 2.08E-01)	0.86
	Black	5.71E-02	(-3.36E-02, 1.48E-01)	0.22
	Other	-1.53E-01	(-5.08E-01, 2.02E-01)	0.40
	Donor Blood Type			
	O	Reference		
	A	6.59E-02	(3.19E-03, 1.29E-01)	0.04
	AB	6.22E-02	(-9.74E-02, 2.22E-01)	0.45
	B	7.21E-04	(-9.11E-02, 9.25E-02)	0.99
	Donor BMI	-3.47E-04	(-4.86E-03, 4.16E-03)	0.88
	Donor BUN in mg/dL	3.33E-03	(4.55E-04, 6.20E-03)	0.02
	Donor Cause of Death			
	Anoxia	8.26E-02	(-1.12E-01, 2.78E-01)	0.41
	Cerebrovascular/Stroke	8.26E-02	(-1.12E-01, 2.77E-01)	0.40
	Head Trauma	5.13E-02	(-1.42E-01, 2.45E-01)	0.60
	Central Nervous System Tumor	-1.38E-01	(-6.06E-01, 3.29E-01)	0.56
	Other	Reference		
	Donor Clinical Infection of the Lung			
	Positive	-1.33E-01	(-1.92E-01, -7.37E-02)	<0.001
	Negative	Reference		
	Donor Creatinine	-4.03E-04	(-2.04E-02, 1.96E-02)	0.97
	Donor Diuretics			
	Positive	-4.89E-02	(-1.07E-01, 9.53E-03)	0.10
	Negative	Reference		
	Donor Drug-Treated Systematic Hypertension			
Positive	3.90E-02	(-3.06E-02, 1.09E-01)	0.27	
Negative	Reference			
Donor eGFR	1.18E-03	(1.92E-04, 2.17E-03)	0.02	
Donor Hematocrit	1.72E-03	(-3.25E-03, 6.69E-03)	0.50	
Donor Hepatitis C Virus Result				
Positive	2.11E-01	(2.28E-02, 3.99E-01)	0.03	
Negative	Reference			
Donor History of Diabetes				
Positive	7.83E-02	(-2.47E-02, 1.81E-01)	0.14	
Negative	Reference			
Donor INR	3.84E-03	(-1.49E-02, 2.26E-02)	0.69	
Donor KDRI	3.34E-01	(2.05E-01, 4.63E-01)	<0.001	
Kidney Transplanted Locally	1.65E-02	(-6.08E-02, 9.38E-02)	0.68	
Kidney Pumped	-1.28E-02	(-8.09E-02, 5.53E-02)	0.71	
Donor Tattoos				
Yes	-4.16E-03	(-7.20E-02, 6.37E-02)	0.90	
No	Reference			
Donor-Recipient	HLA B Mismatches	2.52E-02	(-2.25E-02, 7.28E-02)	0.32
	HLA DR Mismatches	3.32E-03	(-4.04E-02, 4.70E-02)	0.88
Recipient	Age at Transplant	3.92E-02	(3.63E-02, 4.21E-02)	<0.001
	Latino	-3.38E-01	(-4.39E-01, -2.37E-01)	<0.001

Race				
	Caucasian	Reference		
	Asian	-4.07E-01	(-5.50E-01, -2.63E-01)	<0.001
	Black	-1.81E-01	(-2.54E-01, -1.08E-01)	<0.001
	Other	-2.61E-01	(-4.88E-01, -3.47E-02)	0.02
BMI		-6.53E-03	(-1.23E-02, -8.01E-04)	0.03
Diabetes				
	None	Reference		
	Type 1	3.23E-01	(1.75E-01, 4.70E-01)	<0.001
	Type 2	2.70E-01	(1.71E-01, 3.68E-01)	<0.001
	Other	2.77E-01	(1.47E-01, 4.08E-01)	<0.001
Education				
	Grade School/None	-5.43E-02	(-2.01E-01, 9.23E-02)	0.47
	High School	5.18E-02	(-4.79E-02, 1.52E-01)	0.31
	Technical/Some College	6.13E-02	(-4.72E-02, 1.70E-01)	0.27
	College	4.58E-03	(-1.06E-01, 1.15E-01)	0.94
	Unknown/Missing	Reference		
Gender		1.07E-01	(4.41E-02, 1.69E-01)	<0.001
HBV Core Antibody				
	Positive	-1.49E-03	(-1.25E-01, 1.22E-01)	0.98
	Unknown/Missing	Reference		
	Negative	-5.53E-04	(-8.40E-02, 8.29E-02)	0.99
HCV Serostatus				
	Positive	2.42E-01	(4.78E-02, 4.36E-01)	0.01
	Unknown/Missing	Reference		
	Negative	6.06E-02	(-9.13E-02, 2.13E-01)	0.43
Had Previous Malignancy				
	Positive	1.42E-01	(-1.00E-01, 3.85E-01)	0.25
	Unknown/Missing	Reference		
	Negative	6.54E-02	(-1.55E-01, 2.86E-01)	0.56
Had Previous Transplant		1.96E-01	(1.01E-01, 2.91E-01)	<0.001
Kidney Cold Ischemia Time in Hours		6.78E-03	(3.42E-03, 1.01E-02)	<0.001
Kidney Primary Diagnosis at Transplant				
	Congenital, Rare Familial, & Metabolic Disorders	1.07E-01	(-1.74E-01, 3.88E-01)	0.45
	Diabetes	2.27E-01	(1.10E-01, 3.44E-01)	<0.001
	Glomerular Diseases	-4.95E-02	(-1.54E-01, 5.48E-02)	0.35
	Hypertensive Nephrosclerosis	1.52E-01	(5.88E-02, 2.44E-01)	0.001
	Unknown/Other	Reference		
Most Recent CPRA		1.14E-03	(-6.92E-05, 2.35E-03)	0.06
Peripheral Vascular Disease				
	Positive	2.62E-01	(5.83E-02, 4.65E-01)	0.01
	Unknown	Reference		
	Negative	-1.32E-01	(-3.13E-01, 4.89E-02)	0.15
Primary Payment				
	Public	Reference		
	Private/Other/Unknown	-1.90E-01	(-2.64E-01, -1.17E-01)	<0.001
Procedure Type				
	Left Kidney	Reference		
	Right Kidney	5.44E-03	(-5.10E-02, 6.18E-02)	0.85
Total ESRD Time at Transplant in Days		1.84E-04	(1.61E-04, 2.07E-04)	<0.001
Total Serum Albumin at Listing		-1.71E-01	(-2.24E-01, -1.17E-01)	<0.001
Karnofsky Performance Score at Transplant				
	10-30	2.34	(2.01, 2.66)	<0.001
	40-50	3.95E-01	(1.98E-01, 5.93E-01)	<0.001
	60-70	1.38E-01	(-2.58E-02, 3.01E-01)	0.10
	80-90	-3.08E-02	(-1.90E-01, 1.28E-01)	0.70
	100	-1.84E-01	(-3.60E-01, -8.79E-03)	0.04
	Unknown	Reference		