S2 Table. RMSE of the *LSTM* setup per PFT and climate region from the ensemble mean mean ±sd estimate of the 50 runs. Statistics for the anomalies were not calculated in the arid and tropical climate (i.e. NA) because there was no site with at least 2 years of complete data after data quality control.

	Seasonal cycle	Seasonal anomaly	Across-site	Interannual anomaly
Deciduous forest	1.18 ± 0.03	0.61 ± 0.01	0.51 ± 0.02	0.27 ± 0.007
Evergreen forest	1.15 ± 0.02	0.58 ± 0.006	0.72 ± 0.03	0.31 ± 0.006
Mixed forest	1.10 ± 0.05	0.68 ± 0.007	0.50 ± 0.08	0.37 ± 0.008
Savanna	0.75 ± 0.02	0.58 ± 0.007	0.34 ±0.09	0.19 ± 0.01
Arid	0.71 ± 0.03	NA	0.20 ± 0.07	NA
Boreal	1.02 ± 0.02	0.45 ± 0.006	0.52 ± 0.03	0.18 ± 0.004
Temperate	1.18 ± 0.02	0.71 ± 0.006	0.65 ± 0.03	0.38 ± 0.006
Tropical	1.40 ± 0.08	NA	1.03 ± 0.12	NA