

Corresponding author(s): NCOMMS-18-32671A

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see <u>Authors & Referees</u> and the <u>Editorial Policy Checklist</u>.

				the state of the s	
C+	1	icti	\sim	l parameters	-
.) เ	au	เวเเ	C.a	i Dalailieteis	١.

	atistical analyses are reported, confirm that the following items are present in the relevant location (e.g. figure legend, table legend, main Methods section).		
n/a Cor	nfirmed		
	The $\underline{\text{exact sample size}}$ (n) for each experimental group/condition, given as a discrete number and unit of measurement		
	An indication of whether measurements were taken from distinct samples or whether the same sample was measured repeatedly		
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.		
	A description of all covariates tested		
	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons		
	A full description of the statistics including <u>central tendency</u> (e.g. means) or other basic estimates (e.g. regression coefficient) AND <u>variation</u> (e.g. standard deviation) or associated <u>estimates of uncertainty</u> (e.g. confidence intervals)		
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted Give <i>P</i> values as exact values whenever suitable.		
	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings		
	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes		
	Estimates of effect sizes (e.g. Cohen's d, Pearson's r), indicating how they were calculated		
Clearly defined error bars State explicitly what error bars represent (e.g. SD, SE, CI)			
	Our web collection on <u>statistics for biologists</u> may be useful.		
Softw	are and code		
Policy inf	formation about <u>availability of computer code</u>		
Data co	ollection No data collection		
Data aı	nalysis CLC genomic workbench, own R and python code used to analyse the data		
For manuso	cripts utilizing custom algorithms or software that are central to the research but not vet described in published literature, software must be made available to editors/reviewers		

Data

Policy information about <u>availability of data</u>

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

upon request. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

All data is available from the authors upon request

Field spe	ocific reporting		
rieiu-spe	ecific reporting		
Please select the be	est fit for your research. If you are not sure, read the appropriate sections before making your selection.		
Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences		
For a reference copy of t	he document with all sections, see <u>nature.com/authors/policies/ReportingSummary-flat.pdf</u>		
Life scier	nces study design		
All studies must dis	close on these points even when the disclosure is negative.		
Sample size	There are two aspects to consider: Reduce number of animals used but still allow generation of statistically significant results. From previous experiments we have seen that 4 mice fulfills both needs		
Data exclusions	In the in vivo study one mouse was excluded due to clearance of infection. Data points for this mouse are not shown.		
Replication	Repeated only once		
Randomization	Randomization was performed by forming treatment groups of 4 amimals picked by chance.		
Blinding	Blinding was not possible because there was only one investigator who performed the animal experiments.		
Billidilig	billiding was not possible because there was only one investigator who performed the animal experiments.		
Materials & experimental systems Methods Methods			
	about <u>availability of materials</u>		
Obtaining unique			
Antibodies			
Antibodies used	Describe all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.		
Validation	Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.		
Eukaryotic c	ell lines		
Policy information	about <u>cell lines</u>		
Cell line source(s	State the source of each cell line used.		
Authentication	Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated.		

Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination.

Mycoplasma contamination

Commonly misidentified	line
(See ICLAC register)	

Name any commonly misidentified cell lines used in the study and provide a rationale for their use.

Palaeontology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals 6 weeks old female Mus musculus BALB/c mice.

Wild animals The study did not involve wild animals.

Field-collected samples The study did not involve the samples collected from the field.

Human research participants

Policy information about <u>studies involving human research participants</u>

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. UCSC)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

	1			100
H	$ \cap \backslash \backslash \backslash$	(\	/TAM	ρtrv
		\sim y	/tom	CLIY

Plots			
Confirm that:			
The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).			
The axis scales are clearly	visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).		
All plots are contour plots	s with outliers or pseudocolor plots.		
A numerical value for nur	nber of cells or percentage (with statistics) is provided.		
Methodology			
Sample preparation	Not relevant		
Instrument	BD LSRFortessa™ cell analyzer		
Software	o, LCC		
Cell population abundance	Not relevant		
Gating strategy	Not relevant		
Tick this box to confirm th	nat a figure exemplifying the gating strategy is provided in the Supplementary Information.		
_			
Magnetic resonance	e imaging		
Experimental design			
Design type	Indicate task or resting state; event-related or block design.		
Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.		
Behavioral performance mea	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).		
Acquisition			
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.		
Field strength	Specify in Tesla		
Sequence & imaging parame	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.		
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.		
Diffusion MRI Use	d Not used		
Preprocessing			
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).		
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.		
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.		
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).		
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.		
Statistical modeling & infere	ence		
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first		

Model type and settings	(and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).		
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.		
Specify type of analysis:	brain ROI-based Both		
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.		
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).		
Models & analysis			
n/a Involved in the study			
Functional and/or effective connectivity			
Graph analysis			
Multivariate modeling or predictive analysis			
Functional and/or effective connective	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).		
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).		
Multivariate modeling and predictive	analysis Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.		