

Strain	Common name	Stock #	
C57BL/6J	C57BL/6	000664	Express the AhR ^b allele and are sensitive to TCDD-induced toxicity at 10 µg/kg
B6.D2N-Ahrd/J	AhR ^d	002921	Express the AhR ^d allele and are sensitive to TCDD-induced toxicity at 100 µg/kg
B6Smn.C3-Faslgld/J	Gld	0010210	Unable to express functional Fas Ligand
B6.129P2-Lyz2tm1(cre)lfo/J	LyzM ^{Cre}	004781	Allow for targeted deletion of the AhR in cells of the myeloid lineage: monocytes, mature macrophages, and granulocytes
B6.Cg-Tg(Itgax-cre)1-1Reiz/J	CD11c ^{Cre}	008068	Allow for targeted deletion of the AhR in cells of the dendritic lineage: conventional and plasmacytoid dendritic cells
B6(Cg)-Foxn1tm3(cre)Nrm/J	Foxn1 ^{Cre}	018448	Allow for targeted deletion of the AhR in thymic epithelial cells and keratinocytes.
B6.FVB-Tg(Rorc-cre)1Litt/J	ROR ^{yt} Cre	022791	Allow for targeted deletion of the AhR in DP thymocytes and their SP progeny.
Ahrtm3.1Bra/J	AhR ^{flox}	006203	Use to generate cell/tissue-specific mutants of the aryl-hydrocarbon receptor (AhR)