

CLINICAL AND EXPERIMENTAL VACCINE RESEARCH

Masoud Foroutan et al • ROP-based vaccines development for *Toxoplasma gondii*

References

1. Chen G, Guo H, Lu F, Zheng H. Construction of a recombinant plasmid harbouring the rhoptry protein 1 gene of *Toxoplasma gondii* and preliminary observations on DNA immunity. Chin Med J (Engl) 2001;114:837-40.
2. Guo H, Chen G, Lu F, Chen H, Zheng H. Immunity induced by DNA vaccine of plasmid encoding the rhoptry protein 1 gene combined with the genetic adjuvant of pcIFN-gamma against *Toxoplasma gondii* in mice. Chin Med J (Engl) 2001;114:317-20.
3. Quan JH, Chu JQ, Ismail HA, et al. Induction of protective immune responses by a multiantigenic DNA vaccine encoding GRA7 and ROP1 of *Toxoplasma gondii*. Clin Vaccine Immunol 2012;19:666-74.
4. Eslamirad Z, Dalimi A, Ghaffarifar F, Sharifi Z, Hosseini AZ. Induction of protective immunity against toxoplasmosis in mice by immunization with a plasmid encoding *Toxoplasma gondii* ROP1 gene. Afr J Biotechnol 2012;11:8735-41.
5. Sonaimuthu P, Ching XT, Fong MY, Kalyanasundaram R, Lau YL. Induction of protective Immunity against toxoplasmosis in BALB/c mice vccinated with *Toxoplasma gondii* ropty-1. Front Microbiol 2016;7:808.
6. Leyva R, Herion P, Saavedra R. Genetic immunization with plasmid DNA coding for the ROP2 protein of *Toxoplasma gondii*. Parasitol Res 2001;87:70-9.
7. Hoseinian Khosroshahi K, Ghaffarifar F, D'Souza S, Sharifi Z, Dalimi A. Evaluation of the immune response induced by DNA vaccine cocktail expressing complete SAG1 and ROP2 genes against toxoplasmosis. Vaccine 2011;29:778-83.
8. Zhang J, He S, Jiang H, et al. Evaluation of the immune response induced by multiantigenic DNA vaccine encoding SAG1 and ROP2 of *Toxoplasma gondii* and the adjuvant properties of murine interleukin-12 plasmid in BALB/c mice. Parasitol Res 2007;101:331-8.
9. Vercammen M, Scorza T, Huygen K, et al. DNA vaccination with genes encoding *Toxoplasma gondii* antigens GRA1, GRA7, and ROP2 induces partially protective immunity against lethal challenge in mice. Infect Immun 2000;68:38-45.
10. Chen J, Li ZY, Petersen E, Huang SY, Zhou DH, Zhu XQ. DNA vaccination with genes encoding *Toxoplasma gondii* antigens ROP5 and GRA15 induces protective immunity against toxoplasmosis in Kunming mice. Expert Rev Vaccines 2015;14:617-24.
11. Wang L, Lu G, Zhou A, et al. Evaluation of immune responses induced by rhoptry protein 5 and rhoptry protein 7 DNA vaccines against *Toxoplasma gondii*. Parasite Immunol 2016;38:209-17.
12. Parthasarathy S, Fong MY, Ramaswamy K, Lau YL. Protective immune response in BALB/c mice induced by DNA vaccine of the ROP8 gene of *Toxoplasma gondii*. Am J Trop Med Hyg 2013;88:883-7.
13. Chen J, Zhou DH, Li ZY, et al. *Toxoplasma gondii*: protective immunity induced by rhoptry protein 9 (TgROP9) against acute toxoplasmosis. Exp Parasitol 2014;139:42-8.
14. Wang PY, Yuan ZG, Petersen E, et al. Protective efficacy of a *Toxoplasma gondii* rhoptry protein 13 plasmid DNA vaccine in mice. Clin Vaccine Immunol 2012;19:1916-20.
15. Yuan ZG, Zhang XX, He XH, et al. Protective immunity induced by *Toxoplasma gondii* rhoptry protein 16 against toxoplasmosis in mice. Clin Vaccine Immunol 2011;18:119-24.
16. Liu Q, Wang F, Wang G, et al. *Toxoplasma gondii*: immune response and protective efficacy induced by ROP16/GRA7 multicomponent DNA vaccine with a genetic adjuvant B7-2. Hum Vaccin Immunother 2014;10:184-91.
17. Wang HL, Wang YJ, Pei YJ, et al. DNA vaccination with a gene encoding *Toxoplasma gondii* Rhoptry Protein 17 induces partial protective immunity against lethal challenge in mice. Parasite 2016;23:4.
18. Rashid I, Moire N, Heraut B, Dimier-Poisson I, Mevelec MN. Enhancement of the protective efficacy of a ROP18 vaccine against chronic toxoplasmosis by nasal route. Med Microbiol Immunol 2017;206:53-62.
19. Yuan ZG, Zhang XX, Lin RQ, et al. Protective effect against toxoplasmosis in mice induced by DNA immunization with gene encoding *Toxoplasma gondii* ROP18. Vaccine 2011;29:6614-9.
20. Qu D, Han J, Du A. Evaluation of protective effect of multiantigenic DNA vaccine encoding MIC3 and ROP18 antigen segments of *Toxoplasma gondii* in mice. Parasitol Res 2013;112:2593-9.
21. Zhou J, Wang L, Lu G, et al. Epitope analysis and protection by a ROP19 DNA vaccine against *Toxoplasma gondii*. Parasite

2016;23:17.

22. Xu Y, Zhang NZ, Tan QD, et al. Evaluation of immuno-efficacy of a novel DNA vaccine encoding *Toxoplasma gondii* rhoptry protein 38 (TgROP38) against chronic toxoplasmosis in a murine model. *BMC Infect Dis* 2014;14:525.
23. Yang WB, Zhou DH, Zou Y, et al. Vaccination with a DNA vaccine encoding *Toxoplasma gondii* ROP54 induces protective immunity against toxoplasmosis in mice. *Acta Trop* 2017;176:427-32.
24. Chen H, Chen G, Zheng H, Guo H. Induction of immune responses in mice by vaccination with Liposome-entrapped DNA complexes encoding *Toxoplasma gondii* SAG1 and ROP1 genes. *Chin Med J (Engl)* 2003;116:1561-6.
25. Fachado A, Rodriguez A, Angel SO, et al. Protective effect of a naked DNA vaccine cocktail against lethal toxoplasmosis in mice. *Vaccine* 2003;21:1327-35.
26. Xue M, He S, Cui Y, Yao Y, Wang H. Evaluation of the immune response elicited by multi-antigenic DNA vaccine expressing SAG1, ROP2 and GRA2 against *Toxoplasma gondii*. *Parasitol Int* 2008;57:424-9.
27. Khosroshahi KH, Ghaffarifar F, Sharifi Z, et al. Comparing the effect of IL-12 genetic adjuvant and alum non-genetic adjuvant on the efficiency of the cocktail DNA vaccine containing plasmids encoding SAG-1 and ROP-2 of *Toxoplasma gondii*. *Parasitol Res* 2012;111:403-11.
28. Naserifar R, Ghaffarifar F, Dalimi A, Sharifi Z, Solhjoo K, Hosseinian Khosroshahi K. Evaluation of immunogenicity of cocktail DNA vaccine containing plasmids encoding complete GRA5, SAG1, and ROP2 antigens of *Toxoplasma gondii* in BALB/C mice. *Iran J Parasitol* 2015;10:590-8.
29. Xue M, He S, Zhang J, Cui Y, Yao Y, Wang H. Comparison of cholera toxin A2/B and murine interleukin-12 as adjuvants of *Toxoplasma* multi-antigenic SAG1-ROP2 DNA vaccine. *Exp Parasitol* 2008;119:352-7.
30. Cui YL, He SY, Xue MF, Zhang J, Wang HX, Yao Y. Protective effect of a multiantigenic DNA vaccine against *Toxoplasma gondii* with co-delivery of IL-12 in mice. *Parasite Immunol* 2008;30:309-13.
31. Jongert E, de Craeye S, Dewit J, Huygen K. GRA7 provides protective immunity in cocktail DNA vaccines against *Toxoplasma gondii*. *Parasite Immunol* 2007;29:445-53.
32. Martin V, Supanitsky A, Echeverria PC, et al. Recombinant GRA4 or ROP2 protein combined with alum or the gra4 gene provides partial protection in chronic murine models of toxoplasmosis. *Clin Diagn Lab Immunol* 2004;11:704-10.
33. Sanchez VR, Pitkowski MN, Fernandez Cuppari AV, et al. Combination of CpG-oligodeoxynucleotides with recombinant ROP2 or GRA4 proteins induces protective immunity against *Toxoplasma gondii* infection. *Exp Parasitol* 2011;128:448-53.
34. Igarashi M, Zulpo DL, Cunha IA, et al. *Toxoplasma gondii*: humoral and cellular immune response of BALB/c mice immunized via intranasal route with rTgROP2. *Rev Bras Parasitol Vet* 2010;19:210-6.
35. Zheng B, Lu S, Tong Q, Kong Q, Lou D. The virulence-related rhoptry protein 5 (ROP5) of *Toxoplasma Gondii* is a novel vaccine candidate against toxoplasmosis in mice. *Vaccine* 2013;31:4578-84.
36. Wang HL, Zhang TE, Yin LT, et al. Partial protective effect of intranasal immunization with recombinant *Toxoplasma gondii* rhoptry protein 17 against toxoplasmosis in mice. *PLoS One* 2014;9:e108377.
37. Qu D, Han J, Du A. Enhancement of protective immune response to recombinant *Toxoplasma gondii* ROP18 antigen by ginsenoside Re. *Exp Parasitol* 2013;135:234-9.
38. Nabi H, Rashid I, Ahmad N, et al. Induction of specific humoral immune response in mice immunized with ROP18 nanospheres from *Toxoplasma gondii*. *Parasitol Res* 2017;116:359-70.
39. Echeverria PC, de Miguel N, Costas M, Angel SO. Potent antigen-specific immunity to *Toxoplasma gondii* in adjuvant-free vaccination system using Rop2-Leishmania infantum Hsp83 fusion protein. *Vaccine* 2006;24:4102-10.
40. Dziadek B, Gatkowska J, Brzostek A, et al. Evaluation of three recombinant multi-antigenic vaccines composed of surface and secretory antigens of *Toxoplasma gondii* in murine models of experimental toxoplasmosis. *Vaccine* 2011;29:821-30.
41. Dziadek B, Gatkowska J, Grzybowski M, Dziadek J, Dzitko K, Dlugonska H. *Toxoplasma gondii*: the vaccine potential of three trivalent antigen-cocktails composed of recombinant ROP2, ROP4, GRA4 and SAG1 proteins against chronic toxoplasmosis in BALB/c mice. *Exp Parasitol* 2012;131:133-8.
42. Dziadek B, Gatkowska J, Brzostek A, Dziadek J, Dzitko K, Dlugonska H. *Toxoplasma gondii*: the immunogenic and protective efficacy of recombinant ROP2 and ROP4 rhopty proteins in murine experimental toxoplasmosis. *Exp Parasitol* 2009;

CLINICAL AND EXPERIMENTAL VACCINE RESEARCH

Masoud Foroutan et al • ROP-based vaccines development for *Toxoplasma gondii*

- 123:81-9.
43. Igarashi M, Kano F, Tamekuni K, et al. *Toxoplasma gondii*: evaluation of an intranasal vaccine using recombinant proteins against brain cyst formation in BALB/c mice. *Exp Parasitol* 2008;118:386-92.
 44. Grzybowski MM, Dziadek B, Gatkowska JM, Dzitko K, Dlugonska H. Towards vaccine against toxoplasmosis: evaluation of the immunogenic and protective activity of recombinant ROP5 and ROP18 *Toxoplasma gondii* proteins. *Parasitol Res* 2015; 114:4553-63.
 45. Xu Y, Zhang NZ, Wang M, et al. A long-lasting protective immunity against chronic toxoplasmosis in mice induced by recombinant rhoptry proteins encapsulated in poly (lactide-co-glycolide) microparticles. *Parasitol Res* 2015;114:4195-203.
 46. Zhang NZ, Xu Y, Wang M, et al. Vaccination with *Toxoplasma gondii* calcium-dependent protein kinase 6 and rhoptry protein 18 encapsulated in poly(lactide-co-glycolide) microspheres induces long-term protective immunity in mice. *BMC Infect Dis* 2016;16:168.
 47. Cong H, Gu QM, Yin HE, et al. Multi-epitope DNA vaccine linked to the A2/B subunit of cholera toxin protect mice against *Toxoplasma gondii*. *Vaccine* 2008;26:3913-21.
 48. Cao A, Liu Y, Wang J, et al. *Toxoplasma gondii*: Vaccination with a DNA vaccine encoding T- and B-cell epitopes of SAG1, GRA2, GRA7 and ROP16 elicits protection against acute toxoplasmosis in mice. *Vaccine* 2015;33:6757-62.
 49. Roque-Resendiz JL, Rosales R, Herion P. MVA ROP2 vaccinia virus recombinant as a vaccine candidate for toxoplasmosis. *Parasitology* 2004;128:397-405.
 50. Wang H, Liu Q, Liu K, et al. Immune response induced by recombinant *Mycobacterium bovis* BCG expressing ROP2 gene of *Toxoplasma gondii*. *Parasitol Int* 2007;56:263-8.
 51. Cong H, Yuan Q, Zhao Q, et al. Comparative efficacy of a multi-epitope DNA vaccine via intranasal, peroral, and intramuscular delivery against lethal *Toxoplasma gondii* infection in mice. *Parasit Vectors* 2014;7:145.
 52. Li XZ, Lv L, Zhang X, et al. Recombinant canine adenovirus type-2 expressing TgROP16 provides partial protection against acute *Toxoplasma gondii* infection in mice. *Infect Genet Evol* 2016;45:447-53.
 53. Li XZ, Wang XH, Xia LJ, et al. Protective efficacy of recombinant canine adenovirus type-2 expressing TgROP18 (CAV-2-ROP18) against acute and chronic *Toxoplasma gondii* infection in mice. *BMC Infect Dis* 2015;15:114.
 54. Yin H, Zhao L, Wang T, Zhou H, He S, Cong H. A *Toxoplasma gondii* vaccine encoding multistage antigens in conjunction with ubiquitin confers protective immunity to BALB/c mice against parasite infection. *Parasit Vectors* 2015;8:498.
 55. Wang T, Yin H, Li Y, Zhao L, Sun X, Cong H. Vaccination with recombinant adenovirus expressing multi-stage antigens of *Toxoplasma gondii* by the mucosal route induces higher systemic cellular and local mucosal immune responses than with other vaccination routes. *Parasite* 2017;24:12.
 56. Li WS, Chen QX, Ye JX, Xie ZX, Chen J, Zhang LF. Comparative evaluation of immunization with recombinant protein and plasmid DNA vaccines of fusion antigen ROP2 and SAG1 from *Toxoplasma gondii* in mice: cellular and humoral immune responses. *Parasitol Res* 2011;109:637-44.