

Table 1: Baseline characteristics of people with heart failure and matched comparators and, in the heart failure group, by hospitalisation and socioeconomic status

Characteristic	Cohort				Heart Failure				Heart Failure			
	Heart Failure		No Heart Failure		Hospitalisation around time of diagnosis				Index of Multiple Deprivation quintile			
	n	%	n	%	n	%	n	%	n	%	n	%
Overall, n (%)	55,959	(100)	278,679	(100)	24,125	(43.1)	31,834	(56.9)	10,854	(19.4)	8,447	(15.1)
Sex, n (%)												
<i>Male</i>	29,234	(52.2)	145,552	(52.2)	12,438	(42.5)	16,796	(57.5)	5,885	(20.1)	4,282	(14.6)
<i>Female</i>	26,725	(47.8)	133,127	(47.8)	11,687	(43.7)	15,038	(56.3)	4,969	(18.6)	4,165	(15.6)
Age, mean (SD)	77.08	(10.6)	76.08	(10.4)	77.62	(10.7)	76.67	(10.4)	78.24	(10.2)	74.86	(11)
Age category, n (%)												
<i>45-54</i>	1,938	(3.5)	11,056	(4.0)	855	(44.1)	1,083	(55.9)	268	(13.8)	444	(22.9)
<i>55-64</i>	5,426	(9.7)	29,124	(10.5)	2,231	(41.1)	3,195	(58.9)	895	(16.5)	1,121	(20.7)
<i>65-74</i>	12,485	(22.3)	67,851	(24.3)	5,018	(40.2)	7,467	(59.8)	2,182	(17.5)	2,141	(17.1)
<i>75-84</i>	21,534	(38.5)	110,015	(39.5)	9,057	(42.1)	12,477	(57.9)	4,317	(20.0)	3,082	(14.3)
<i>85-94</i>	13,453	(24.0)	57,065	(20.5)	6,405	(47.6)	7,048	(52.4)	2,931	(21.8)	1,549	(11.5)
<i>95+</i>	1,123	(2.0)	3,568	(1.3)	559	(49.8)	564	(50.2)	261	(23.2)	110	(9.8)
Ethnic group, n (%)												
<i>White</i>	44,143	(78.9)	204,936	(73.5)	19,547	(44.3)	24,596	(55.7)	8,643	(19.6)	6,574	(14.9)
<i>Non-white</i>	1,497	(2.7)	6,516	(2.3)	694	(46.4)	803	(53.6)	194	(13.0)	359	(24.0)
<i>Mixed</i>	6,585	(11.8)	38,114	(13.7)	2,970	(45.1)	3,615	(54.9)	1,194	(18.1)	1,026	(15.6)
<i>Missing</i>	3,734	(6.7)	29,113	(10.4)	914	(24.5)	2,820	(75.5)	823	(22.0)	488	(13.1)
Index of multiple deprivation (quintile)												
<i>1 (least deprived)</i>	10,854	(19.4)	60,020	(21.5)	4,360	(40.2)	6,494	(59.8)	10,854	(100)		
<i>2</i>	12,954	(23.1)	68,200	(24.5)	5,526	(42.7)	7,428	(57.3)				
<i>3</i>	11,947	(21.3)	58,956	(21.2)	5,099	(42.7)	6,848	(57.3)				
<i>4</i>	11,707	(20.9)	53,778	(19.3)	5,250	(44.8)	6,457	(55.2)				
<i>5 (most deprived)</i>	8,447	(15.1)	37,450	(13.4)	3,866	(45.8)	4,581	(54.2)			8,447	(100)
<i>Missing</i>	50	(0.1)	75	(0.1)	24	(0.1)	52	(0.1)				
Smoking status, n (%)												
<i>Never</i>	21,252	(38.0)	123,460	(44.3)	8,879	(41.8)	12,373	(58.2)	4,711	(22.2)	2,589	(12.2)
<i>Former</i>	7,094	(12.7)	31,494	(11.3)	3,255	(45.9)	3,839	(54.1)	930	(13.1)	1,756	(24.8)
<i>Current</i>	24,507	(43.8)	100,719	(36.1)	10,917	(44.5)	13,590	(55.5)	4,661	(19.0)	3,639	(14.8)

<i>Missing</i>	3,106	(5.6)	23,006	(8.3)	1,074	(34.6)	2,032	(65.4)	552	(17.8)	463	(14.9)
SBP, n (%)												
<i>Mean (SD) (mmHg)</i>	137.54	(21)	139.59	(18.0)	136.18	(21.2)	138.58	(20.7)	137.2	(20.7)	137.92	(21.1)
<i>Missing</i>	1,272	(2.3)	14,367	(5.2)	426	(33.5)	846	(66.5)	287	(22.6)	201	(15.8)
DBP, n (%)												
<i>Mean(SD) (mmHg)</i>	76.89	(11.6)	77.64	(10.0)	76.24	(11.9)	77.39	(11.3)	76.96	(11.5)	77.23	(11.8)
<i>Missing</i>	1,272	(2.3)	14,367	(5.2)	426	(33.5)	846	(66.5)	287	(22.6)	201	(15.8)
Total cholesterol, n (%)												
<i>Mean(SD)(mmol/L)</i>	4.69	(3.6)	5.03	(2.5)	4.66	(5.2)	4.72	(1.2)	4.66	(1.2)	4.64	(1.2)
<i>Missing</i>	15,478	(27.7)	104,041	(37.3)	5,801	(37.5)	9,677	(62.5)	2,939	(19.0)	2,320	(15.0)
BMI, n (%)												
<i>Mean(SD)(kg/m2)</i>	27.93	(6.1)	26.53	(4.8)	27.98	(6.3)	27.88	(5.9)	27.31	(5.4)	28.6	(6.6)
<i>Missing</i>	8,428	(15.1)	50,110	(18)	3,356	(39.8)	5,072	(60.2)	1,610	(19.1)	1,272	(15.1)
Medical History												
AF, n (%)	14,629	(26.1)	20,910	(7.5)	6,554	(44.8)	8,075	(55.2)	3,094	(21.1)	1,930	(13.2)
Angina, n (%)	11,965	(21.4)	29,508	(10.6)	5,116	(42.8)	6,849	(57.2)	2,091	(17.5)	1,993	(16.7)
Diabetes, n (%)	13,104	(23.4)	38,824	(13.9)	6,589	(50.3)	6,515	(49.7)	2,198	(16.8)	2,315	(17.7)
Hypertension n (%)	32,316	(57.7)	130,669	(46.9)	14,623	(45.3)	17,693	(54.7)	6,260	(19.4)	4,873	(15.1)
IHD, n (%)	14,606	(26.1)	31,517	(11.3)	6,280	(43.0)	8,326	(57.0)	2,614	(17.9)	2,500	(17.1)
MI, n (%)	11,296	(20.2)	17,537	(6.3)	5,223	(46.2)	6,073	(53.8)	2,111	(18.7)	1,825	(16.2)
Stroke, n (%)	6,271	(11.2)	19,409	(7.0)	2,964	(47.3)	3,307	(52.7)	1,175	(18.7)	990	(15.8)
VHD, n (%)	4,154	(7.4)	6,165	(2.2)	2,097	(50.5)	2,057	(49.5)	937	(22.6)	466	(11.2)
Other CVD, n (%)	13,757	(24.6)	34,578	(12.4)	6,051	(44.0)	7,706	(56.0)	2,750	(20.0)	2,008	(14.6)
Year, n (%)												
2000	3,698	(6.6)	18,437	(6.6)	1,070	(28.9)	2,628	(71.1)	660	(17.8)	665	(18.0)
2001	4,368	(7.8)	21,771	(7.8)	1,257	(28.8)	3,111	(71.2)	783	(17.9)	741	(17.0)
2002	4,312	(7.7)	21,465	(7.7)	1,324	(30.7)	2,988	(69.3)	836	(19.4)	631	(14.6)
2003	4,337	(7.8)	21,599	(7.8)	1,478	(34.1)	2,859	(65.9)	857	(19.8)	628	(14.5)
2004	3,830	(6.8)	19,061	(6.8)	1,474	(38.5)	2,356	(61.5)	730	(19.1)	608	(15.9)
2005	3,550	(6.3)	17,675	(6.3)	1,502	(42.3)	2,048	(57.7)	683	(19.2)	528	(14.9)
2006	3,128	(5.6)	15,583	(5.6)	1358	(43.4)	1,770	(56.6)	579	(18.5)	503	(16.1)
2007	3,090	(5.5)	15,365	(5.5)	1,418	(45.9)	1,672	(54.1)	558	(18.1)	483	(15.6)
2008	3,121	(5.6)	15,516	(5.6)	1,451	(46.5)	1,670	(53.5)	564	(18.1)	514	(16.5)
2009	3,265	(5.8)	16,261	(5.8)	1,621	(49.6)	1,644	(50.4)	633	(19.4)	468	(14.3)
2010	3,114	(5.6)	15,510	(5.6)	1,613	(51.8)	1,501	(48.2)	574	(18.4)	428	(13.7)
2011	2994	(5.4)	14,933	(5.4)	1,576	(52.6)	1,418	(47.4)	562	(18.8)	440	(14.7)

2012	3,189	(5.7)	15,867	(5.7)	1,730	(54.2)	1,459	(45.8)	638	(20.0)	492	(15.4)
2013	2,963	(5.3)	14,753	(5.3)	1,557	(52.5)	1,406	(47.5)	586	(19.8)	420	(14.2)
2014	2,648	(4.7)	13,191	(4.7)	1,371	(51.8)	1,277	(48.2)	565	(21.3)	323	(12.2)
2015	2,164	(3.9)	10,781	(3.9)	1,147	(53.0)	1,017	(47.0)	476	(22.0)	287	(13.3)
2016	1,503	(2.7)	7,493	(2.7)	815	(54.2)	688	(45.8)	363	(24.2)	190	(12.6)
2017	685	(1.2)	3,418	(1.2)	363	(53.0)	322	(47.0)	207	(30.2)	98	(14.3)

Abbreviations: AF: Atrial Fibrillation; BMI: Body Mass Index; CVD: Cardiovascular disease; DBP: Diastolic Blood Pressure; IHD: Ischaemic Heart Disease; MI: Myocardial Infarction; SBP: Systolic Blood Pressure; VHD: Valvular Heart Disease.