Appendix 1 (as supplied by the authors)

Table 3 supplemental: Mean matched-pair differences in healthcare costs by team and overall, between exposed and unexposed patients in the last 30 days of life (n = 3,109)

Team	N of pairs (each arm)	Median Cost Unexposed	Median Cost Exposed	Mean paired difference	Lower 95CL	Upper 95CL	Pr > t *
Overall	3,109	\$9,383	\$8,299	-\$512	-\$641	-\$383	<0.0001
1	828	\$9,553	\$9,503	-\$307	-\$556	-\$57	0.016
2	197	\$6,314	\$7,905	\$396	\$14	\$778	0.042
3	124	\$9,216	\$6,738	-\$957	-\$1,545	-\$369	0.001
4	117	\$7,469	\$5,126	-\$736	-\$1,224	-\$249	0.003
5	99	\$7,067	\$6,965	\$170	-\$354	\$694	0.52
6	76	\$9,238	\$8,940	\$135	-\$584	\$854	0.71
7	663	\$10,698	\$8,524	-\$657	-\$897	-\$418	<0.0001
8	448	\$9,856	\$6,498	-\$905	-\$1,256	-\$554	<0.0001
9	275	\$8,308	\$7,300	-\$884	-\$1,519	-\$249	0.006
10	167	\$8,399	\$10,103	-\$31	-\$642	\$580	0.92
11	115	\$12,928	\$10,782	-\$1,285	-\$2,016	-\$555	<0.0001

*Bold indicates significant cost savings of exposed arm, p<0.05

Appendix to: Seow H, Salam-White L, Bainbridge D. Community-based specialist palliative care teams and health system costs at end of life: a retrospective matched cohort study. CMAJ Open 2019. doi: 10.9778/cmajo.20180113. Copyright © 2019 Joule Inc. or its licensors