

| Corresponding author(s): | Nicolas Tapon, Stephane Mouilleron |
|--------------------------|------------------------------------|
|--------------------------|------------------------------------|

Last updated by author(s): Jan 23, 2019

# **Reporting Summary**

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see Authors & Referees and the Editorial Policy Checklist.

| 51 | ta | ŤΙ | st | ICS |
|----|----|----|----|-----|

| For         | all statistical analyses, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.  |
|-------------|--|
| n/a         | Confirmed  |
|             | The exact sample size (n) for each experimental group/condition, given as a discrete number and unit of measurement  |
|             | A statement on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly  |
|             | The statistical test(s) used AND whether they are one- or two-sided  Only common tests should be described solely by name; describe more complex techniques in the Methods section.  |
| $\boxtimes$ | A description of all covariates tested   |
|             | A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons  |
|             | A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals) |
|             | For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i> ) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>                        |
| $\boxtimes$ | For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings   |
| $\boxtimes$ | For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes   |
| $\boxtimes$ | Estimates of effect sizes (e.g. Cohen's d, Pearson's r), indicating how they were calculated   |
|             | Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.  |

#### Software and code

Policy information about availability of computer code

Data collection

N/A

Data analysis

The crystallographic data sets were indexed, scaled and merged with xia2. Molecular replacement was achieved by using the atomic coordinates of human PP1 and human ASPP2 structures in PHASER. Refinement was carried out using PHENIX. Model building was carried out in Coot, model validation used PROCHECK and figures were prepared using the PyMOL Molecular Graphics System, Version 2.0 (Schrödinger, LLC). See the Methods section for further details and references.

NMR spectra were processed with NMRPipe or Topspin 4.0.1 (Bruker) and analyzed using either CARA (http://www.cara.nmr.ch) or Sparky (http://www.cgl.ucsf.edu/home/sparky). Chemical shift referencing, CSI/SSP analysis and secondary structure propensity calculations were performed as described previously. See the Methods section for further details and references.

Image analysis was performed using ImageJ Statistical analysis was performed with Prism7 Graphpad.

Mass Spectrometry: Acquired spectra were searched using the MaxQuant software package version 1.5.2.8 embedded with the Andromeda search engine 69against human proteome reference dataset (http://www.uniprot.org/) extended with reverse decoy

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

| ٦ | -           |   | ٠, |   |
|---|-------------|---|----|---|
| , | $^{\prime}$ | ш |    | _ |

Policy information about availability of data

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

The NMR chemical shifts have been deposited in the BioMagResBank, www.bmrb.wisc.edu (accession no. 27464). The atomic coordinates and structure factors have been deposited in the Protein Data Bank, www.pdb.org (PDB ID codes 6GHM). The mass spectrometry proteomics data have been deposited to the ProteomeXchange Consortium via the PRIDE partner repository with the dataset identifier PXD012378.

|                         | onsortium via the PRIDE partner repository with the dataset identifier PXD012378.   |  |  |  |
|-------------------------|---|--|--|--|
|                         |   |  |  |  |
| Field-spe               | ecific reporting  |  |  |  |
| Please select the o     | ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.   |  |  |  |
| Life sciences           | Life sciences Behavioural & social sciences Ecological, evolutionary & environmental sciences   |  |  |  |
| For a reference copy of | the document with all sections, see <a href="mailto:nature.com/documents/nr-reporting-summary-flat.pdf">nature.com/documents/nr-reporting-summary-flat.pdf</a>  |  |  |  |
|                         |   |  |  |  |
| Life scier              | nces study design   |  |  |  |
| All studies must dis    | close on these points even when the disclosure is negative.   |  |  |  |
| Sample size             | Quantitatve biochemical and biophysical measurements were performed in three independent repeats.   |  |  |  |
| Data exclusions         | No data were excluded.  |  |  |  |
| Replication             | Semi-quantitative biochemical experiments, i.e. coimmunoprecipitation experiments, were similarly repeated to ensure reproducibility. A representative example is shown.  |  |  |  |
| Randomization           | Randomization was not used.   |  |  |  |
| Blinding                | Blinding was not used.  |  |  |  |
|                         |   |  |  |  |
| Reportin                | g for specific materials, systems and methods   |  |  |  |
| We require informati    | on from authors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, ted is relevant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response. |  |  |  |
| Materials & ex          | perimental systems Methods  |  |  |  |
| n/a Involved in th      | · · · · · · · · · · · · · · · · · · ·   |  |  |  |
| Antibodies              |   |  |  |  |
| Eukaryotic              |   |  |  |  |
| Palaeontol              |   |  |  |  |
|                         | d other organisms<br>earch participants   |  |  |  |
| Clinical dat            |   |  |  |  |
|                         |   |  |  |  |
| A 121 12                |   |  |  |  |

#### **Antibodies**

Antibodies used

Primary antibodies used for WB: Mouse anti-FLAG (M2), 1/5000 (Sigma Aldrich); Mouse anti-GFP (3E1), 1/1000 (Cancer Research UK); Rat anti-HA (3F10), 1/2000 (Roche); Mouse anti-Myc (sc-40), 1/5000 (Santa Cruz); Mouse anti-Tubulin (E7), 1/5000 (Developmental Studies Hybridoma Bank); Mouse anti-V5 (R960-25), 1/5000 (Life Technologies). Primary antibodies used for immunofluorecence: Rat anti-Ecad (DCAD2), 1/100 (Developmental Studies Hybridoma Bank), Rat anti-ASPP, 1/500 34, Mouse anti-a-Galactosidase, 1/500 (Promega). Rabbit anti-P-TAZSer89 1/1000 (E1X9C) (Cell Signalling Technologies), Rabbit anti-HA 1/1000 (C29F4) (Cell Signalling Technologies). Secondary antibodies were from GE-Healthcare (1:5000).

Validation

Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.

## Eukaryotic cell lines

Policy information about <u>cell lines</u>

Cell line source(s)

Crick Cell Services

Authentication

STR Short Tandem Repeat (STR) DNA profiling

Mycoplasma contamination

all lines were mycoplasma tested.

Commonly misidentified lines (See ICLAC register)

N/A

## Palaeontology

Specimen provenance

Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition

Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

## Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals

For laboratory animals, report species, strain, sex and age OR state that the study did not involve laboratory animals.

Wild animals

Provide details on animals observed in or captured in the field; report species, sex and age where possible. Describe how animals were caught and transported and what happened to captive animals after the study (if killed, explain why and describe method; if released, say where and when) OR state that the study did not involve wild animals.

Field-collected samples

For laboratory work with field-collected samples, describe all relevant parameters such as housing, maintenance, temperature, photoperiod and end-of-experiment protocol OR state that the study did not involve samples collected from the field.

Ethics oversight

Identify the organization(s) that approved or provided guidance on the study protocol, OR state that no ethical approval or guidance was required and explain why not.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

## Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above."

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

Ethics oversight

Identify the organization(s) that approved the study protocol.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

### Clinical data

Policy information about <u>clinical studies</u>

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration

Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol

Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection

Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes

Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

#### ChIP-seq

| Data | den | ositior | า |
|------|-----|---------|---|

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. <u>UCSC</u>)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

#### Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone name, and lot number.

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

enrichmen

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

## Flow Cytometry

#### **Plots**

Confirm that:

| The axis labels state the marker and fluorochro | ome used (e.g. CD4-FITC). |
|---|---------------------------|
|---|---------------------------|

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

## Methodology

Sample preparation

Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.

Instrument

Identify the instrument used for data collection, specifying make and model number.

Software

Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.

Cell population abundance

Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.

Gating strategy

Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

# Magnetic resonance imaging

|   | 00   |  |  |  |
|---|--|--|--|--|
| Experimental design   |  |  |  |  |
| Design type   | Indicate task or resting state; event-related or block design. |  |  |  |
|   |  | number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial rials are blocked) and interval between trials.  |  |  |
|   |  | er and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across   |  |  |
| Acquisition   |  |  |  |  |
| Imaging type(s)   | Specify: fund  | ctional, structural, diffusion, perfusion.   |  |  |
| Field strength  | Specify in Te  | sla  |  |  |
| Sequence & imaging parameters   |  | the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, ickness, orientation and TE/TR/flip angle.   |  |  |
| Area of acquisition   | State wheth  | er a whole brain scan was used OR define the area of acquisition, describing how the region was determined.  |  |  |
| Diffusion MRI Used  | Not use  | ed .   |  |  |
| Preprocessing   |  |  |  |  |
| Preprocessing software  |  | Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).  |  |  |
| Normalization   |  | normalized/standardized, describe the approach(es): specify linear or non-linear and define image types as one of the specific properties of the specific pr |  |  |
|   |  | template used for normalization/transformation, specifying subject space or group standardized space (e.g. irach, MNI305, ICBM152) OR indicate that the data were not normalized.  |  |  |
|   |  | or procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and all signals (heart rate, respiration).   |  |  |
| Volume censoring  Define your software and/or method and criteria for volume censoring, |  | software and/or method and criteria for volume censoring, and state the extent of such censoring.  |  |  |
| Statistical modeling & inference  | 9  |  |  |  |
| Model type and settings   |  | (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first levels (e.g. fixed, random or mixed effects; drift or auto-correlation).   |  |  |
| Effect(s) tested  |  | se effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether actorial designs were used.   |  |  |
| Specify type of analysis: Whole brain ROI-based Both                                    |  |  |  |  |
| Statistic type for inference (See Eklund et al. 2016)                                   | Specify voxe   | l-wise or cluster-wise and report all relevant parameters for cluster-wise methods.  |  |  |
| Correction Describe the Carlo).   |  | type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte  |  |  |
| Models & analysis   |  |  |  |  |
| n/a   Involved in the study   |  |  |  |  |
| Functional and/or effective connectivity  |  |  |  |  |
| Graph analysis  |  |  |  |  |
| Multivariate modeling or predictive analysis  |  |  |  |  |
| Functional and/or effective connectivity  |  | Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).  |  |  |

Graph analysis

Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).

Multivariate modeling and predictive analysis

Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.