

SUPPORTING TABLE 1. Cervical cancer: number of cases for females (15-99 years) diagnosed 2001-2009 and distribution (%) by SEER Summary Stage 2000 at diagnosis, by race, calendar period of diagnosis, and US Census Region and States.

Location	Stage	2001-2003			2004-2009		
		All Races	Whites	Blacks	All Races	Whites	Blacks
UNITED STATES	No. of patients	30,357	23,547	4882	60,263	46,563	9576
	Localized, %	48.8	50.4	40.9	44.7	46.2	36.6
	Regional, %	31.8	31.2	35.6	35.5	35.0	38.6
	Distant, %	9.6	9.4	11.0	11.5	11.3	13.5
	Unknown, %	9.8	9.0	12.5	8.4	7.5	11.3
NORTHEAST							
New England							
Connecticut	No. of patients	378	313	54	711	598	82
(SEER)	Localized, %	46.0	50.2	22.2	49.4	48.0	50.0
	Regional, %	37.6	33.5	59.3	34.3	34.8	39.0
	Distant, %	12.4	12.5	14.8	11.7	12.5	8.5
	Unknown, %	4.0	3.8	3.7	4.6	4.7	2.4
Massachusetts	No. of patients	641	552	49	1240	1058	109
(NPCR)	Localized, %	55.7	54.9	61.2	52.4	52.5	44.0
	Regional, %	32.6	33.5	30.6	31.0	31.3	35.8
	Distant, %	7.6	7.8	6.1	12.3	12.5	12.8
	Unknown, %	4.1	3.8	2.0	4.3	3.8	7.3
New Hampshire	No. of patients	143	142	—	245	237	—
(NPCR)	Localized, %	49.7	49.3	—	48.6	48.9	33.3
	Regional, %	33.6	33.8	—	35.9	37.1	0.0
	Distant, %	9.8	9.9	—	10.6	9.7	66.7
	Unknown, %	7.0	7.0	—	4.9	4.2	0.0
Rhode Island	No. of patients	118	108	—	269	225	22
(NPCR)	Localized, %	68.6	70.4	33.3	—	—	—
	Regional, %	20.3	18.5	66.7	—	—	—
	Distant, %	6.8	7.4	0.0	—	—	—
	Unknown, %	4.2	3.7	0.0	—	—	—
Mid Atlantic							
New Jersey	No. of patients	1329	1013	241	2495	1876	478
(NPCR/SEER)	Localized, %	43.7	44.3	35.7	44.0	45.8	36.8
	Regional, %	35.7	36.1	38.6	37.6	36.5	42.3
	Distant, %	12.5	11.9	15.8	11.2	11.5	11.5
	Unknown, %	8.1	7.6	10.0	7.1	6.2	9.4
New York	No. of patients	2729	1826	687	5218	3496	1257
(NPCR)	Localized, %	44.2	46.8	38.1	42.2	43.6	36.3
	Regional, %	31.3	30.3	36.1	37.8	36.8	42.9
	Distant, %	8.9	8.8	10.2	10.9	10.9	12.4
	Unknown, %	15.6	14.1	15.6	9.1	8.7	8.4
Pennsylvania	No. of patients	1578	1313	216	3159	2602	407
(NPCR)	Localized, %	51.6	52.4	47.2	43.6	44.5	37.8
	Regional, %	32.5	31.8	38.0	37.9	37.4	40.5
	Distant, %	9.8	9.4	11.6	13.9	14.0	16.5
	Unknown, %	6.0	6.3	3.2	4.6	4.1	5.2
SOUTH							
South Atlantic							
Delaware	No. of patients	105	78	25	243	174	60
(NPCR)	Localized, %	57.1	55.1	68.0	51.4	50.0	53.3
	Regional, %	29.5	33.3	20.0	31.3	33.3	30.0
	Distant, %	5.7	5.1	8.0	14.0	13.8	11.7
	Unknown, %	7.6	6.4	4.0	3.3	2.9	5.0
Florida	No. of patients	2741	2192	480	5346	4227	942
(NPCR)	Localized, %	45.5	47.4	36.5	42.8	44.3	34.3
	Regional, %	35.0	33.5	41.3	38.3	37.6	41.6
	Distant, %	9.9	9.5	12.3	11.9	11.2	15.8
	Unknown, %	9.6	9.5	10.0	7.1	6.8	8.3
Georgia	No. of patients	1225	787	400	2279	1453	754
(NPCR/SEER)	Localized, %	47.8	50.3	42.5	45.7	49.6	38.1
	Regional, %	36.7	33.2	43.8	39.5	37.3	43.6
	Distant, %	9.8	10.0	9.5	11.3	9.7	14.7
	Unknown, %	5.6	6.5	4.3	3.6	3.4	3.6
Maryland	No. of patients	606	358	205	1117	659	362

(NPCR)	Localized, %	—	—	—	—	—	—
	Regional, %	—	—	—	—	—	—
	Distant, %	—	—	—	—	—	—
	Unknown, %	—	—	—	—	—	—
North Carolina	No. of patients	980	668	266	2162	1510	565
(NPCR)	Localized, %	55.0	57.3	47.7	49.9	52.8	43.5
	Regional, %	32.7	31.7	35.0	35.0	32.8	39.1
	Distant, %	8.5	7.5	11.7	11.3	10.7	13.5
	Unknown, %	3.9	3.4	5.6	3.8	3.6	3.9
South Carolina	No. of patients	614	370	231	1143	712	392
(NPCR)	Localized, %	59.4	62.2	54.5	45.8	48.6	40.1
	Regional, %	27.2	24.3	32.0	36.2	36.0	38.0
	Distant, %	6.4	6.2	6.9	9.7	8.8	12.0
	Unknown, %	7.0	7.3	6.5	8.2	6.6	9.9
West Virginia	No. of patients	310	298	10	563	529	18
(NPCR)	Localized, %	51.9	53.4	20.0	44.2	44.6	44.4
	Regional, %	24.8	23.8	40.0	36.6	35.7	44.4
	Distant, %	9.7	9.1	30.0	13.3	13.4	11.1
	Unknown, %	13.5	13.8	10.0	5.9	6.2	0.0
East South Central							
Alabama	No. of patients	683	437	230	1223	820	370
(NPCR)	Localized, %	50.1	52.9	45.7	44.0	47.7	36.5
	Regional, %	35.6	35.2	36.5	41.5	38.9	47.6
	Distant, %	9.7	8.0	13.0	9.8	8.8	12.7
	Unknown, %	4.7	3.9	4.8	4.7	4.6	3.2
Kentucky	No. of patients	649	571	66	1206	1087	96
(NPCR/SEER)	Localized, %	50.1	51.5	39.4	47.3	47.8	36.5
	Regional, %	33.0	32.6	39.4	36.1	35.9	42.7
	Distant, %	9.9	9.5	15.2	12.7	12.5	16.7
	Unknown, %	7.1	6.5	6.1	3.9	3.8	4.2
Mississippi	No. of patients	123	63	58	842	441	382
(NPCR)	Localized, %	52.8	60.3	44.8	40.6	43.8	36.1
	Regional, %	23.6	25.4	20.7	38.0	37.0	39.8
	Distant, %	13.8	11.1	17.2	14.5	13.6	16.0
	Unknown, %	9.8	3.2	17.2	6.9	5.7	8.1
Tennessee	No. of patients	247	192	51	1674	1301	320
(NPCR)	Localized, %	52.6	53.6	47.1	46.9	49.3	37.5
	Regional, %	34.8	34.9	35.3	38.4	37.4	41.9
	Distant, %	10.5	10.4	11.8	10.4	9.8	12.8
	Unknown, %	2.0	1.0	5.9	4.4	3.5	7.8
West South Central							
Louisiana	No. of patients	661	367	283	1273	730	529
(NPCR/SEER)	Localized, %	50.4	56.1	43.1	45.2	48.1	40.8
	Regional, %	33.9	31.9	36.0	38.4	37.9	39.5
	Distant, %	11.3	7.9	16.3	11.1	8.5	14.6
	Unknown, %	4.4	4.1	4.6	5.3	5.5	5.1
Oklahoma	No. of patients	527	410	47	1031	811	61
(NPCR)	Localized, %	54.3	55.6	48.9	40.3	41.8	19.7
	Regional, %	29.2	28.3	36.2	33.8	32.6	42.6
	Distant, %	11.2	10.7	12.8	17.0	18.1	19.7
	Unknown, %	5.3	5.4	2.1	9.0	7.5	18.0
Texas	No. of patients	3278	2721	451	6428	5370	831
(NPCR)	Localized, %	48.4	48.9	43.2	43.4	44.5	35.0
	Regional, %	29.7	29.5	32.2	34.5	34.2	38.6
	Distant, %	8.3	8.4	9.5	10.4	9.8	14.8
	Unknown, %	13.6	13.2	15.1	11.8	11.5	11.6
MIDWEST							
East North Central							
Michigan	No. of patients	1262	954	252	2214	1694	428
(NPCR/SEER)	Localized, %	48.3	50.0	42.9	45.8	48.2	35.5
	Regional, %	28.4	26.4	37.7	26.9	26.7	28.7
	Distant, %	9.5	9.5	10.3	10.7	9.8	15.9
	Unknown, %	13.8	14.0	9.1	16.7	15.3	19.9
Ohio	No. of patients	1439	1220	171	2840	2391	361
(NPCR)	Localized, %	52.0	52.7	43.9	44.3	44.4	39.6
	Regional, %	29.3	29.1	34.5	38.9	39.3	40.4
	Distant, %	8.1	8.0	9.9	11.3	11.3	13.0

	Unknown, %	10.6	10.2	11.7	5.5	5.0	6.9
Wisconsin	No. of patients	543	475	47	1021	870	91
(NPCR)	Localized, %	—	—	—	—	—	—
	Regional, %	—	—	—	—	—	—
	Distant, %	—	—	—	—	—	—
	Unknown, %	—	—	—	—	—	—
West North Central							
Iowa	No. of patients	343	327	—	610	569	20
(SEER)	Localized, %	48.7	48.6	40.0	45.7	44.8	55.0
	Regional, %	32.7	32.4	40.0	38.4	38.5	40.0
	Distant, %	13.7	13.8	20.0	12.3	13.0	0.0
	Unknown, %	5.0	5.2	0.0	3.6	3.7	5.0
Nebraska	No. of patients	241	219	—	440	411	13
(NPCR)	Localized, %	51.5	53.0	33.3	44.5	44.8	30.8
	Regional, %	34.9	34.2	33.3	38.2	38.2	30.8
	Distant, %	10.0	10.0	11.1	12.3	12.4	23.1
	Unknown, %	3.7	2.7	22.2	5.0	4.6	15.4
WEST							
Mountain							
Colorado	No. of patients	483	438	16	925	826	39
(NPCR)	Localized, %	54.9	55.3	31.3	52.0	51.6	51.3
	Regional, %	29.8	30.1	43.8	29.6	30.4	30.8
	Distant, %	9.1	9.1	18.8	14.1	14.9	7.7
	Unknown, %	6.2	5.5	6.3	4.3	3.1	10.3
Idaho	No. of patients	131	125	—	254	245	—
(NPCR)	Localized, %	54.2	54.4	—	47.6	48.6	0.0
	Regional, %	32.1	31.2	—	35.4	35.1	100.0
	Distant, %	9.2	9.6	—	13.4	13.5	0.0
	Unknown, %	4.6	4.8	—	3.5	2.9	0.0
Montana	No. of patients	110	99	—	177	155	—
(NPCR)	Localized, %	50.9	50.5	—	50.8	50.3	100.0
	Regional, %	40.9	41.4	—	33.3	32.9	0.0
	Distant, %	4.5	5.1	—	14.7	15.5	0.0
	Unknown, %	3.6	3.0	—	1.1	1.3	0.0
New Mexico	No. of patients	241	210	—	470	418	—
(SEER)	Localized, %	50.6	52.4	33.3	45.7	47.1	20.0
	Regional, %	32.8	29.5	66.7	37.2	37.1	40.0
	Distant, %	9.5	10.5	0.0	11.7	11.2	40.0
	Unknown, %	7.1	7.6	0.0	5.3	4.5	0.0
Utah	No. of patients	174	164	—	356	341	—
(SEER)	Localized, %	56.9	57.3	0.0	52.5	53.4	0.0
	Regional, %	31.6	31.1	100.0	37.6	36.7	100.0
	Distant, %	9.8	9.8	0.0	9.0	9.1	0.0
	Unknown, %	1.7	1.8	0.0	0.8	0.9	0.0
Wyoming	No. of patients	61	60	—	127	122	—
(NPCR)	Localized, %	49.2	50.0	0.0	52.8	52.5	100.0
	Regional, %	36.1	35.0	100.0	32.3	32.8	0.0
	Distant, %	8.2	8.3	0.0	11.8	11.5	0.0
	Unknown, %	6.6	6.7	0.0	3.1	3.3	0.0
Pacific							
Alaska	No. of patients	65	46	—	156	101	—
(NPCR)	Localized, %	55.4	58.7	75.0	51.9	53.5	0.0
	Regional, %	30.8	32.6	25.0	30.1	28.7	50.0
	Distant, %	6.2	4.3	0.0	11.5	12.9	0.0
	Unknown, %	7.7	4.3	0.0	6.4	5.0	50.0
California	No. of patients	4431	3521	288	8654	6806	523
(NPCR/SEER)	Localized, %	49.8	50.6	44.1	48.1	49.1	41.7
	Regional, %	34.8	34.4	38.2	36.1	35.8	36.7
	Distant, %	12.2	12.2	13.2	12.5	12.2	16.8
	Unknown, %	3.2	2.8	4.5	3.3	2.9	4.8
Hawaii	No. of patients	160	36	—	305	75	—
(SEER)	Localized, %	61.9	69.4	100.0	53.1	54.7	100.0
	Regional, %	25.0	13.9	0.0	33.1	30.7	0.0
	Distant, %	12.5	16.7	0.0	10.5	10.7	0.0
	Unknown, %	0.6	0.0	0.0	3.3	4.0	0.0
Oregon	No. of patients	382	343	11	776	692	17
(NPCR)	Localized, %	55.2	56.6	36.4	47.8	47.4	41.2

	Regional, %	34.0	32.9	45.5	36.1	36.1	52.9
	Distant, %	8.4	8.2	18.2	12.5	12.7	5.9
	Unknown, %	2.4	2.3	0.0	3.6	3.8	0.0
Washington (NPCR/SEER)	No. of patients	626	531	20	1071	931	26
	Localized, %	56.1	56.3	60.0	48.0	48.4	53.8
	Regional, %	32.4	31.6	35.0	35.3	34.5	26.9
	Distant, %	9.4	9.8	5.0	14.4	14.8	11.5
	Unknown, %	2.1	2.3	0.0	2.3	2.3	7.7

Note: NPCR indicates National Program of Cancer Registries; SEER indicates Surveillance, Epidemiology, and End Results program. Information on stage was not available for two states (Maryland and Wisconsin), or for Rhode Island for cases diagnosed between 2004-2009. This is the same information that appears in Table 1.

SUPPORTING TABLE 2. Cervical cancer: age-standardized net survival (%) at 1-, 3- and 5-years for females (15-99 years) diagnosed 2001-2009, by race, calendar period of diagnosis, and US Census Region and States.

Location	Years	2001-2003						2004-2009			
		All Races		Whites		Blacks		All Races		Whites	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
UNITED STATES	1	83.4	82.9-83.9	83.8	83.3-84.4	79.0	77.7-80.2	82.9	82.5-83.3	83.0	82.6-83.4
	3	68.7	68.0-69.3	69.2	68.5-69.9	61.8	60.2-63.3	68.0	67.5-68.5	68.7	68.1-69.3
	5	63.5	62.8-64.1	64.0	63.2-64.7	56.6	55.0-58.2	62.8	62.2-63.5	63.5	62.7-64.3
NORTHEAST											
New England											
Connecticut (SEER)	1	85.7	81.9-89.5	85.5	81.3-89.8	83.8	73.6-94.1	84.3	81.3-87.3	82.8	79.4-86.2
	3	70.4	65.3-75.4	69.7	64.2-75.2	71.7	58.2-85.2	69.5	65.2-73.8	68.4	63.8-73.0
	5	61.8	56.3-67.3	63.1	57.1-69.1	49.4	33.8-65.0	64.1	59.1-69.1	62.4	56.9-67.7
Massachusetts (NPCR)	1	88.6	85.8-91.4	87.0	83.8-90.2	98.4	94.4-100.0	83.8	81.4-86.2	82.4	79.7-85.1
	3	76.9	73.1-80.6	74.6	70.5-78.7	84.7	73.8-95.7	72.3	69.2-75.5	70.5	67.1-74.0
	5	71.8	67.6-75.9	68.5	64.1-73.0	82.5	69.5-95.4	67.6	63.6-71.6	65.1	60.8-69.4
New Hampshire (NPCR)	1	77.7	71.3-84.1	77.7	71.3-84.1	—	—	86.6	81.2-92.1	86.8	81.3-92.3
	3	66.8	59.9-73.7	66.8	59.9-73.7	—	—	71.9	64.5-79.4	72.3	64.8-79.8
	5	70.4	61.0-79.9	70.4	60.9-79.8	—	—	65.1	56.4-73.9	65.4	56.6-74.2
Rhode Island (NPCR)	1	94.7	90.5-99.0	94.2	89.6-98.9	—	—	86.8	81.9-91.8	85.2	79.7-90.7
	3	81.9	74.5-89.3	80.1	72.1-88.1	—	—	77.2	70.6-83.8	74.0	66.6-81.4
	5	77.5	69.3-85.8	77.2	68.5-85.9	—	—	73.9	65.7-82.0	71.7	63.4-80.0
Mid Atlantic											
New Jersey (NPCR/SEER)	1	82.3	79.9-84.7	82.8	80.1-85.4	77.7	72.2-83.3	83.0	81.3-84.8	83.1	81.1-85.1
	3	66.1	63.2-69.0	67.1	63.8-70.4	58.0	51.2-64.8	67.8	65.4-70.2	69.6	66.8-72.4
	5	61.3	58.2-64.4	62.2	58.8-65.7	52.4	45.2-59.5	63.0	60.0-66.0	64.5	61.0-68.0
New York (NPCR)	1	84.2	82.7-85.7	84.0	82.2-85.9	82.0	78.9-85.0	85.1	84.0-86.2	84.4	83.0-85.8
	3	69.8	67.9-71.7	68.9	66.6-71.3	66.3	62.5-70.2	71.5	70.0-73.1	71.1	69.2-73.0
	5	65.2	63.2-67.3	63.4	60.9-65.9	62.8	58.7-66.9	67.0	65.0-69.0	67.4	65.0-69.8
Pennsylvania (NPCR)	1	83.7	81.6-85.9	84.7	82.4-87.0	75.1	68.6-81.7	82.4	80.8-83.9	82.5	80.7-84.3
	3	66.8	64.1-69.4	67.6	64.7-70.4	58.2	51.1-65.4	67.9	65.8-70.0	68.0	65.7-70.3
	5	60.1	57.3-62.9	61.1	58.0-64.1	50.0	42.7-57.3	62.6	60.0-65.3	62.9	60.1-65.7
SOUTH											
South Atlantic											
Delaware (NPCR)	1	83.8	76.9-90.7	81.5	73.3-89.7	92.4	81.7-100.0	89.0	84.3-93.7	89.0	83.2-94.8
	3	70.6	61.8-79.3	67.5	57.4-77.5	77.7	60.9-94.4	75.3	67.7-83.0	77.3	68.3-86.3
	5	59.0	49.7-68.3	53.8	43.5-64.1	74.1	56.5-91.8	64.8	56.9-72.7	63.3	53.9-72.7
Florida (NPCR)	1	84.2	82.7-85.7	84.5	82.8-86.2	81.5	77.7-85.4	84.1	82.9-85.2	84.5	83.1-85.9
	3	69.1	67.1-71.0	69.4	67.3-71.6	65.1	60.3-69.9	71.2	69.6-72.8	71.6	69.8-73.4
	5	63.4	61.3-65.5	63.6	61.4-65.9	59.9	54.8-65.1	65.2	63.1-67.4	65.4	63.0-67.8
Georgia (NPCR/SEER)	1	82.9	80.4-85.5	84.6	81.3-87.8	79.6	75.2-84.1	80.7	78.7-82.7	82.4	79.8-85.0
	3	67.8	64.7-70.9	68.8	64.8-72.8	64.3	59.1-69.5	63.0	60.2-65.7	64.6	61.1-68.1
	5	61.5	58.2-64.8	61.6	57.4-65.7	59.0	53.5-64.6	56.0	52.6-59.5	58.1	54.0-62.2
Maryland (NPCR)	1	82.0	78.5-85.5	81.9	77.3-86.4	81.8	76.0-87.6	83.5	80.9-86.1	84.5	81.2-87.8
	3	67.1	62.9-71.4	65.8	60.4-71.3	64.7	57.5-72.0	67.9	64.2-71.5	70.2	65.7-74.7
	5	63.1	58.6-67.7	62.6	56.9-68.4	59.0	51.3-66.7	62.5	58.1-66.9	65.3	60.0-70.6
North Carolina (NPCR)	1	77.3	74.3-80.3	78.8	75.0-82.5	71.2	65.6-76.9	82.4	80.4-84.4	81.9	79.4-84.4
	3	67.2	63.7-70.6	68.6	64.3-72.9	61.0	54.7-67.3	66.6	64.0-69.3	67.9	64.7-71.1
	5	61.7	57.9-65.4	63.7	59.1-68.4	52.6	45.9-59.2	62.4	59.2-65.7	65.1	61.3-68.9
South Carolina (NPCR)	1	83.7	80.2-87.2	85.1	80.4-89.8	81.3	75.9-86.7	81.6	78.6-84.5	83.7	80.0-87.4
	3	66.7	62.3-71.1	69.1	63.2-75.1	61.6	54.9-68.2	66.2	62.3-70.1	70.8	65.7-76.0
	5	61.5	56.8-66.1	62.3	56.2-68.3	57.4	50.3-64.5	58.8	53.4-64.2	61.8	54.6-69.0
West Virginia (NPCR)	1	81.5	76.8-86.2	82.8	78.1-87.6	60.2	31.6-88.7	78.6	74.5-82.8	78.4	74.2-82.6
	3	66.1	60.5-71.8	67.6	61.8-73.4	30.6	4.5-56.6	63.6	58.2-68.9	63.2	57.8-68.6
	5	60.4	54.5-66.4	61.9	55.8-68.0	20.5	0.0-42.6	57.6	51.6-63.5	57.1	51.2-63.0

East South Central											
Alabama	1	81.7	78.5-85.0	84.9	80.9-89.0	75.9	70.2-81.6	78.9	76.2-81.7	79.7	76.2-83.1
(NPCR)	3	66.4	62.4-70.4	70.7	65.5-75.9	58.8	52.3-65.2	61.9	58.3-65.6	64.1	59.5-68.8
	5	58.7	54.5-62.9	61.7	56.1-67.3	52.9	46.2-59.6	56.4	51.9-60.8	57.8	51.9-63.3
Kentucky	1	81.2	77.8-84.6	82.0	78.5-85.5	69.2	59.6-78.8	79.1	76.3-81.9	79.6	76.7-82.2
(NPCR/SEER)	3	67.7	63.5-71.9	68.9	64.5-73.3	52.9	42.0-63.8	64.0	60.4-67.5	64.0	60.3-67.1
	5	63.9	59.4-68.3	65.5	60.9-70.1	43.8	32.9-54.7	60.9	56.7-65.1	60.4	56.0-64.1
Mississippi	1	78.9	71.1-86.6	86.3	77.6-95.0	76.8	65.7-87.9	77.6	74.3-80.8	79.1	75.1-83.1
(NPCR)	3	65.0	56.1-73.8	81.2	71.0-91.4	61.2	48.1-74.3	59.9	55.6-64.1	65.3	60.0-70.7
	5	55.7	46.9-64.6	73.2	61.5-84.9	52.3	38.7-66.0	53.6	48.4-58.7	60.3	53.6-67.1
Tennessee	1	84.4	79.4-89.3	83.8	78.2-89.3	85.3	75.3-95.3	83.3	81.1-85.6	84.0	81.4-86.1
(NPCR)	3	67.0	60.7-73.3	69.1	62.3-75.9	59.1	45.1-73.1	66.3	63.2-69.5	69.3	65.7-72.2
	5	60.7	54.0-67.3	65.1	57.9-72.4	50.9	36.3-65.5	59.5	55.4-63.6	62.9	58.3-67.1
West South Central											
Louisiana	1	79.5	75.7-83.2	81.6	76.5-86.8	74.8	69.1-80.5	79.2	76.3-82.0	81.3	77.6-85.1
(NPCR/SEER)	3	64.5	60.1-68.9	69.0	63.0-75.1	57.4	50.9-63.9	60.4	56.5-64.2	64.1	59.2-69.1
	5	57.3	52.6-62.0	60.9	54.4-67.4	52.3	45.5-59.1	52.7	47.5-57.8	55.1	48.6-61.1
Oklahoma	1	81.3	77.2-85.4	80.0	75.4-84.7	86.1	75.9-96.3	80.0	77.0-82.9	80.7	77.5-83.1
(NPCR)	3	62.1	57.3-67.0	61.8	56.5-67.2	57.6	43.1-72.0	66.2	62.3-70.1	66.5	62.2-70.1
	5	58.7	53.4-64.0	59.0	53.2-64.7	52.5	37.6-67.4	64.0	58.8-69.2	64.7	58.9-70.1
Texas	1	83.5	82.0-85.1	84.2	82.5-86.0	77.5	73.3-81.7	82.8	81.6-84.0	83.7	82.4-85.1
(NPCR)	3	67.5	65.6-69.5	68.5	66.3-70.6	58.3	53.2-63.4	66.8	65.2-68.5	68.1	66.3-69.1
	5	63.5	61.4-65.6	64.0	61.6-66.3	56.0	50.4-61.7	62.8	60.7-64.9	63.8	61.5-66.1
MIDWEST											
East North Central											
Michigan	1	81.8	79.3-84.3	83.0	80.2-85.8	76.1	70.1-82.1	77.8	75.7-80.0	78.7	76.2-81.1
(NPCR)	3	68.1	65.1-71.1	69.3	65.9-72.6	60.0	53.2-66.9	64.3	61.7-67.0	65.8	62.7-68.1
	5	64.4	61.1-67.6	65.5	61.8-69.1	55.0	48.0-62.0	59.9	56.7-63.1	60.7	57.0-64.1
Ohio	1	80.4	78.0-82.7	81.7	79.2-84.2	71.5	64.2-78.8	80.5	78.8-82.2	80.1	78.2-82.2
(NPCR)	3	65.1	62.3-67.9	66.6	63.6-69.7	51.9	44.2-59.6	64.3	62.0-66.5	64.9	62.4-67.1
	5	60.0	57.0-62.9	60.9	57.7-64.2	48.2	40.4-56.0	58.0	55.1-60.8	58.2	55.0-61.1
Wisconsin	1	86.7	83.2-90.2	87.4	83.7-91.1	83.8	73.1-94.5	85.4	82.6-88.2	85.2	82.1-88.1
(NPCR)	3	71.2	66.7-75.8	73.0	68.3-77.8	65.4	51.4-79.5	72.2	68.4-76.0	73.3	69.2-77.1
	5	67.8	63.0-72.6	70.1	65.1-75.1	59.9	45.2-74.5	66.6	61.4-71.7	66.0	60.0-72.1
West North Central											
Iowa	1	80.4	75.8-84.9	79.9	75.2-84.7	—	—	85.7	82.4-89.1	85.6	82.1-89.1
(SEER)	3	65.9	60.4-71.3	65.2	59.6-70.7	—	—	69.1	64.0-74.2	69.2	64.0-74.1
	5	61.1	55.5-66.6	60.0	54.3-65.7	—	—	62.9	56.7-69.0	63.3	56.7-69.1
Nebraska	1	88.0	82.9-93.1	87.8	82.5-93.0	—	—	86.0	81.8-90.3	86.8	82.5-91.1
(NPCR)	3	68.1	61.3-75.0	68.3	61.3-75.3	—	—	72.7	67.0-78.3	73.5	67.9-79.1
	5	63.2	56.0-70.4	63.7	56.3-71.1	—	—	64.5	56.8-72.3	64.8	56.8-72.1
WEST											
Mountain											
Colorado	1	86.1	81.9-90.2	85.6	81.2-89.9	88.3	72.6-100.0	83.6	80.2-87.1	82.4	78.7-86.1
(NPCR)	3	73.6	68.6-78.7	73.3	68.0-78.6	64.1	40.5-87.7	69.4	65.1-73.7	68.2	63.7-72.1
	5	68.6	63.5-73.8	67.9	62.5-73.4	58.1	33.9-82.3	65.4	60.1-70.6	63.7	58.0-69.1
Idaho	1	83.5	76.3-90.7	82.6	75.2-90.1	—	—	85.8	80.6-91.1	86.2	80.9-91.1
(NPCR)	3	68.2	59.4-77.0	66.7	57.8-75.6	—	—	71.2	63.4-79.0	71.1	63.2-79.1
	5	64.8	55.9-73.7	63.9	54.9-72.9	—	—	68.3	59.4-77.2	68.0	58.9-77.1
Montana	1	89.8	83.3-96.3	89.8	83.1-96.6	—	—	88.0	82.6-93.5	88.8	83.2-94.1
(NPCR)	3	77.1	68.3-86.0	78.2	69.1-87.4	—	—	67.6	57.8-77.3	69.0	58.6-79.1
	5	64.9	55.1-74.7	67.1	56.8-77.3	—	—	63.7	53.7-73.7	63.4	52.8-73.1
New Mexico	1	80.9	75.1-86.7	79.4	73.0-85.7	—	—	81.1	77.1-85.1	81.1	76.7-85.1
(SEER)	3	67.5	60.9-74.0	66.4	59.7-73.1	—	—	64.5	59.3-69.8	65.8	60.3-71.1
	5	61.7	54.8-68.5	59.9	53.0-66.9	—	—	53.7	46.5-60.9	56.0	48.3-63.1
Utah	1	82.1	74.7-89.4	81.9	74.3-89.5	—	—	78.8	73.3-84.2	78.8	73.2-84.1
(SEER)	3	67.7	59.6-75.8	67.7	59.4-76.0	—	—	64.4	57.7-71.0	66.1	59.3-72.1
	5	61.9	53.9-69.9	61.3	53.0-69.5	—	—	61.3	54.0-68.6	62.5	55.0-69.1
Wyoming	1	84.2	74.8-93.6	83.9	74.3-93.4	—	—	75.3	67.7-82.9	75.6	68.0-83.1
(NPCR)	3	74.3	62.7-85.9	73.5	61.8-85.2	—	—	60.9	51.3-70.4	62.0	52.4-71.1
	5	74.2	62.3-86.2	73.2	61.1-85.3	—	—	52.5	42.5-62.4	53.6	43.6-63.1
Pacific											
Alaska	1	88.1	80.1-96.1	89.6	80.7-98.6	—	—	94.1	90.1-98.2	92.1	86.5-97.1
(NPCR)	3	72.2	61.1-83.4	73.6	60.5-86.7	—	—	79.1	71.0-87.3	73.1	62.6-83.1
	5	70.4	58.8-82.1	71.6	58.1-85.0	—	—	78.2	69.6-86.8	73.7	63.1-84.1
California	1	84.8	83.5-86.1	84.1	82.6-85.6	80.0	74.8-85.2	85.0	84.1-86.0	84.7	83.6-85.1
(NPCR/SEER)	3	70.8	69.1-72.4	70.9	69.0-72.8	59.1	52.8-65.3	70.1	68.8-71.5	69.6	68.1-71.1

	5	65.6	63.8-67.4	65.9	63.8-68.0	53.8	47.2-60.3	65.2	63.4-67.0	64.2	62.1-66.2
Hawaii	1	78.0	69.9-86.2	84.0	71.7-96.2		—	85.9	80.8-91.0	89.9	82.3-97.4
(SEER)	3	68.1	59.1-77.1	73.3	57.8-88.8		—	72.0	65.5-78.6	75.3	62.7-87.8
	5	60.3	50.7-69.8	65.3	48.7-81.9		—	62.9	53.7-72.2	58.6	38.9-78.1
Oregon	1	82.0	76.9-87.1	82.7	77.2-88.3	65.3	37.6-93.0	83.3	80.0-86.6	82.9	79.4-86.4
(NPCR)	3	64.7	58.9-70.5	64.8	58.5-71.1	37.1	9.8-64.5	69.8	65.4-74.1	70.0	65.4-74.1
	5	59.9	53.7-66.0	60.9	54.2-67.6	37.1	9.8-64.5	68.0	62.8-73.2	67.8	62.3-73.2
Washington	1	86.3	82.9-89.7	85.6	81.8-89.3	90.5	77.6-100.0	81.3	78.4-84.2	80.6	77.5-83.7
(NPCR)	3	74.5	70.2-78.8	74.4	69.7-79.0	76.2	57.5-95.0	67.2	63.5-71.0	67.2	63.2-71.1
	5	66.1	61.5-70.7	66.1	61.2-71.1	67.1	46.2-88.0	63.3	58.9-67.7	63.0	58.4-67.1

Note: NPCR indicates National Program of Cancer Registries; SEER indicates Surveillance, Epidemiology, and End Results program. Unstandardized estimates are italicized. This is the same information that appears in Table 2.

SUPPORTING TABLE 3. Cervical cancer: 5-year age-standardized net survival (%) for females (15-99 years) diagnosed 2001-2009, by SEER Summary Stage 2000 at diagnosis, race, calendar period of diagnosis and US Census Region and States.

Location	SEER Summary Stage	2001-2003						2004-2009			
		All Races		Whites		Blacks		All Races		Whites	
		NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI	NS (%)	95% CI
UNITED STATES	All stages	63.5	62.8-64.1	64.0	63.2-64.7	56.6	55.0-58.2	62.8	62.2-63.5	63.5	62.7-64.2
	Localized	84.5	83.4-85.5	84.9	83.7-86.0	79.1	76.4-81.7	85.9	84.7-87.0	86.6	85.3-87.8
	Regional	53.2	52.1-54.3	53.6	52.4-54.9	47.4	44.7-50.1	55.8	54.8-56.9	56.1	54.9-57.3
	Distant	16.0	14.6-17.4	16.3	14.7-17.9	13.4	10.4-16.4	16.3	15.0-17.6	16.6	15.1-18.2
	Unknown	58.3	56.3-60.3	58.1	55.8-60.4	52.3	47.9-56.7	56.2	54.3-58.2	56.6	54.3-58.8
NORTHEAST											
New England											
Connecticut	All stages	61.8	56.3-67.3	63.1	57.1-69.1	49.4	33.8-65.0	64.1	59.1-69.1	62.4	56.9-67.8
(SEER)	Localized	86.9	79.4-94.4	86.2	78.6-93.9	100.0	100.0-100.0	82.7	75.4-90.0	83.6	75.9-91.4
	Regional	50.0	41.3-58.6	50.6	40.8-60.4	41.6	22.5-60.8	56.0	47.4-64.6	54.0	45.0-63.1
	Distant	2.3	0.0-5.9	2.6	0.0-6.7		—	14.7	4.8-24.7	17.1	5.8-28.3
	Unknown	85.6	37.3-100.0	95.1	42.8-100.0		—	53.0	29.9-76.0	56.6	34.9-78.2
Massachusetts	All stages	71.8	67.6-75.9	68.5	64.1-73.0	82.5	69.5-95.4	67.6	63.6-71.6	65.1	60.8-69.4
(NPCR)	Localized	91.2	86.4-96.1	89.0	83.3-94.6	95.6	86.7-100.0	95.4	90.6-100.0	94.2	88.9-99.6
	Regional	59.5	52.6-66.4	58.1	50.7-65.5	62.8	34.9-90.7	57.0	50.2-63.9	54.3	47.0-61.7
	Distant	22.6	10.6-34.7	16.6	5.6-27.5		—	23.5	14.2-32.9	14.7	5.9-23.5
	Unknown	32.3	14.1-50.5	24.2	6.2-42.3		—	40.2	24.3-56.1	29.9	13.2-46.6
New Hampshire	All stages	70.4	61.0-79.9	70.4	60.9-79.8		—	65.1	56.4-73.9	65.4	56.6-74.2
(NPCR)	Localized	90.9	82.7-99.2	90.8	82.4-99.1		—	97.1	91.4-100.0	97.1	91.4-100.0
	Regional	63.9	50.1-77.7	63.9	50.1-77.7		—	40.5	29.0-52.0	40.5	29.0-52.0
	Distant	14.4	0.0-30.5	14.4	0.0-30.5		—	14.6	0.0-30.0	15.9	0.0-32.4
	Unknown	44.0	10.2-77.9	44.0	10.2-77.9		—	76.7	38.0-100.0	68.4	22.7-100.0
Rhode Island	All stages	77.5	69.3-85.8	77.2	68.5-85.9		—	73.9	65.7-82.0	71.7	63.4-80.1
(NPCR)	Localized	95.4	88.8-100.0	95.0	88.0-100.0		—		—		—
	Regional	46.9	27.0-66.8	45.9	24.4-67.3		—		—		—
	Distant		—		—		—		—		—
	Unknown		—		—		—		—		—
Mid Atlantic											
New Jersey	All stages	61.3	58.2-64.4	62.2	58.8-65.7	52.4	45.2-59.5	63.0	60.0-66.0	64.5	61.0-68.0
(NPCR/SEER)	Localized	85.3	80.0-90.6	85.8	79.9-91.7	77.3	67.4-87.2	85.8	80.9-90.7	85.6	79.9-91.2
	Regional	55.7	50.7-60.7	56.4	50.8-62.0	48.6	38.4-58.9	54.1	49.5-58.8	53.3	48.4-58.8
	Distant	15.1	9.9-20.3	15.2	9.3-21.2	15.3	3.8-26.9	14.5	8.7-20.2	17.3	10.9-23.1
	Unknown	56.9	47.4-66.4	54.4	44.0-64.7	47.8	26.5-69.0	62.1	52.8-71.5	70.2	60.1-80.3
New York	All stages	65.2	63.2-67.3	63.4	60.9-65.9	62.8	58.7-66.9	67.0	65.0-69.0	67.4	65.0-69.8
(NPCR)	Localized	83.8	80.6-87.0	83.0	79.1-86.9	81.3	75.1-87.5	88.8	85.7-92.0	88.9	85.3-92.4
	Regional	56.2	52.5-59.8	54.1	49.7-58.5	54.4	47.6-61.2	57.3	53.7-60.9	57.4	53.0-61.8
	Distant	16.6	11.7-21.5	16.8	10.8-22.9	17.8	9.0-26.5	19.8	15.0-24.6	24.5	17.9-31.1
	Unknown	65.0	59.8-70.2	57.8	51.5-64.0	64.4	54.1-74.7	68.6	63.1-74.1	69.6	63.4-75.5
Pennsylvania	All stages	60.1	57.3-62.9	61.1	58.0-64.1	50.0	42.7-57.3	62.6	60.0-65.3	62.9	60.1-65.8
(NPCR)	Localized	82.3	77.9-86.7	84.1	79.4-88.8	72.4	63.7-81.1	89.2	84.8-93.5	90.9	86.4-95.4
	Regional	47.4	42.9-51.9	48.3	43.3-53.3	40.4	30.0-50.7	56.2	51.9-60.5	56.0	51.5-60.5
	Distant	9.8	5.0-14.5	9.9	4.7-15.0	4.1	0.0-10.4	16.0	11.0-20.9	16.1	10.7-21.6
	Unknown	52.4	42.9-62.0	46.3	32.5-60.1		—	54.8	44.8-64.9	49.8	40.4-59.1
SOUTH											
South Atlantic											
Delaware	All stages	59.0	49.7-68.3	53.8	43.5-64.1	74.1	56.5-91.8	64.8	56.9-72.7	63.3	53.9-72.7
(NPCR)	Localized	83.9	73.4-94.4	78.3	64.9-91.7	95.7	84.8-100.0	83.8	72.1-95.5	87.8	74.5-100.0
	Regional	36.3	19.6-52.9	39.3	20.9-57.8		—	67.3	54.3-80.2	62.0	42.5-81.4

	Distant		—		—		—	23.8	5.3-42.2	12.4	0.0-28.8
	Unknown		—		—		—		—		—
Florida	All stages	63.4	61.3-65.5	63.6	61.4-65.9	59.9	54.8-65.1	65.2	63.1-67.4	65.4	63.0-67.7
(NPCR)	Localized	84.4	81.5-87.4	84.2	81.0-87.4	82.6	74.9-90.2	86.5	82.9-90.1	86.7	82.7-90.7
	Regional	53.5	50.1-57.0	52.4	48.5-56.3	53.3	45.7-60.8	60.2	56.7-63.6	57.3	53.4-61.2
	Distant	20.9	15.9-25.8	19.3	14.2-24.5	25.6	17.0-34.3	20.8	16.2-25.5	21.8	16.6-27.7
	Unknown	55.0	49.3-60.8	58.0	51.8-64.2	46.5	31.4-61.6	55.9	49.3-62.6	58.1	50.8-65.3
Georgia	All stages	61.5	58.2-64.8	61.6	57.4-65.7	59.0	53.5-64.6	56.0	52.6-59.5	58.1	54.0-62.3
(NPCR/SEER)	Localized	84.0	78.6-89.5	84.1	77.1-91.0	81.0	72.3-89.8	73.1	66.7-79.6	73.5	66.0-81.0
	Regional	53.9	48.9-58.8	53.9	47.3-60.6	52.2	44.3-60.0	52.3	47.2-57.4	50.1	44.7-55.6
	Distant	10.1	5.1-15.1	10.4	3.9-17.0	10.9	1.3-20.5	12.5	8.2-16.9	21.4	14.7-28.8
	Unknown	54.3	44.6-63.9	54.3	39.6-69.1	35.9	13.2-58.5	53.0	41.8-64.2	48.7	27.9-69.4
Maryland	All stages	63.1	58.6-67.7	62.6	56.9-68.4	59.0	51.3-66.7	62.5	58.1-66.9	65.3	60.0-70.7
(NPCR)	Localized		—		—		—		—		—
	Regional		—		—		—		—		—
	Distant		—		—		—		—		—
	Unknown		—		—		—		—		—
North Carolina	All stages	61.7	57.9-65.4	63.7	59.1-68.4	52.6	45.9-59.2	62.4	59.2-65.7	65.1	61.3-69.9
(NPCR)	Localized	79.5	74.4-84.6	78.8	72.4-85.2	75.9	67.3-84.4	84.4	79.8-89.0	86.1	81.4-90.8
	Regional	49.0	43.1-55.0	51.2	44.2-58.3	39.6	29.6-49.6	54.7	49.2-60.3	56.1	49.3-62.9
	Distant	7.3	3.0-11.6	16.3	6.3-26.4	0.0	—	18.0	12.2-23.7	18.9	12.0-25.8
	Unknown	46.7	28.8-64.7	57.4	33.6-81.1	30.1	7.1-53.1	31.5	19.1-43.9	35.1	20.1-50.1
South Carolina	All stages	61.5	56.8-66.1	62.3	56.2-68.3	57.4	50.3-64.5	58.8	53.4-64.2	61.8	54.6-69.9
(NPCR)	Localized	79.5	72.3-86.6	77.2	69.9-84.5	80.7	70.7-90.8	69.3	59.2-79.4	71.2	59.1-83.3
	Regional	40.9	33.4-48.4	42.1	31.9-52.3	36.8	25.9-47.8	55.1	47.1-63.2	64.8	55.0-74.6
	Distant	19.2	6.7-31.7	23.2	6.4-39.9	13.6	0.0-29.5	10.3	0.1-20.4	13.4	3.0-23.9
	Unknown	54.2	37.6-70.9	60.7	42.2-79.2	39.9	11.0-68.7	47.6	37.9-57.2	44.1	20.6-67.6
West Virginia	All stages	60.4	54.5-66.4	61.9	55.8-68.0	20.5	0.0-42.6	57.6	51.6-63.5	57.1	51.2-63.3
(NPCR)	Localized	82.6	74.1-91.1	82.4	73.9-90.9		—	78.6	69.3-87.8	79.1	69.8-88.4
	Regional	39.2	29.2-49.2	41.0	30.5-51.5		—	56.1	45.8-66.4	55.2	44.6-65.5
	Distant	13.8	2.0-25.5	15.3	2.4-28.2		—	13.1	3.9-22.2	13.2	4.0-22.5
	Unknown	56.4	40.0-72.7	57.7	41.2-74.3		—	52.8	31.9-73.7	52.8	31.9-73.7
East South Central											
Alabama	All stages	58.7	54.5-62.9	61.7	56.1-67.3	52.9	46.2-59.6	56.4	51.9-60.8	57.8	51.9-63.8
(NPCR)	Localized	77.9	71.9-83.8	77.7	70.2-85.1	73.5	64.3-82.8	82.4	74.5-90.2	88.5	79.4-97.6
	Regional	44.7	38.0-51.5	46.8	38.0-55.6	42.5	32.2-52.8	48.2	41.9-54.4	47.3	39.3-55.3
	Distant	16.3	8.6-24.0	15.8	3.8-27.8	17.2	3.9-30.5	14.8	7.8-21.8	13.5	5.7-21.4
	Unknown	44.3	24.1-64.5	57.2	30.1-84.3	19.0	0.0-41.1	40.0	25.6-54.4	36.9	20.5-53.3
Kentucky	All stages	63.9	59.4-68.3	65.5	60.9-70.1	43.8	32.9-54.7	60.9	56.7-65.1	60.4	56.0-64.8
(NPCR/SEER)	Localized	81.1	74.0-88.3	84.0	77.0-91.0	59.9	39.3-80.6	85.7	78.7-92.6	83.6	76.2-91.1
	Regional	54.7	47.4-62.0	55.4	47.7-63.2	49.6	28.4-70.9	52.5	46.2-58.7	52.7	46.3-59.2
	Distant	22.7	12.4-32.9	24.7	13.3-36.1	10.8	0.0-26.4	10.7	5.7-15.6	11.7	6.2-17.2
	Unknown	64.7	48.8-80.6	67.6	51.8-83.4		—	47.7	28.3-67.1	39.5	18.8-60.8
Mississippi	All stages	55.7	46.9-64.6	73.2	61.5-84.9	52.3	38.7-66.0	53.6	48.4-58.7	60.3	53.6-67.1
(NPCR)	Localized	80.4	69.6-91.1	88.5	76.8-100.0	67.7	48.3-87.1	75.7	67.6-83.7	80.6	72.2-89.0
	Regional	65.5	47.2-83.7	65.5	41.4-89.7	59.8	33.0-86.6	49.9	42.5-57.2	61.6	51.6-71.6
	Distant	0.0	—		—	0.0	—	14.2	7.9-20.5	11.9	2.6-21.3
	Unknown	58.5	31.9-85.1		—	50.2	21.1-79.2	43.6	22.2-65.1	49.5	27.6-71.3
Tennessee	All stages	60.7	54.0-67.3	65.1	57.9-72.4	50.9	36.3-65.5	59.5	55.4-63.6	62.9	58.3-67.5
(NPCR)	Localized	81.7	74.0-89.5	86.3	78.7-94.0	64.0	44.3-83.8	76.3	69.5-83.1	78.6	71.2-86.0
	Regional	46.0	37.6-54.5	47.1	37.6-56.6	51.1	26.5-75.6	55.5	49.7-61.3	58.2	51.6-64.8
	Distant	25.1	8.5-41.7	25.7	7.3-44.1		—	8.1	3.3-12.8	6.8	0.0-13.9
	Unknown		—		—		—	56.1	45.0-67.3	51.5	23.8-79.2
West South Central											
Louisiana	All stages	57.3	52.6-62.0	60.9	54.4-67.4	52.3	45.5-59.1	52.7	47.5-57.8	55.1	48.6-61.6
(NPCR/SEER)	Localized	80.3	72.9-87.7	90.5	85.8-95.2	76.4	67.7-85.2	70.7	62.1-79.4	76.2	67.0-85.5
	Regional	46.5	39.7-53.3	43.9	35.6-52.3	49.7	40.0-59.4	49.5	41.9-57.1	48.0	39.1-57.0
	Distant	10.3	4.7-15.9	17.5	4.3-30.7	8.9	1.0-16.8	17.5	10.7-24.3	15.9	0.0-33.0
	Unknown	53.5	32.6-74.5	55.8	27.0-84.7	55.7	25.9-85.5	34.3	19.0-49.5	30.8	11.2-50.4
Oklahoma	All stages	58.7	53.4-64.0	59.0	53.2-64.7	52.5	37.6-67.4	64.0	58.8-69.2	64.7	58.9-70.6
(NPCR)	Localized	74.6	67.4-81.7	72.3	64.4-80.2	74.2	54.9-93.6	88.2	80.0-96.4	88.1	78.6-97.6
	Regional	58.3	50.1-66.5	60.6	51.4-69.8	43.4	20.3-66.6	61.0	53.8-68.2	61.8	53.7-69.9
	Distant	10.6	3.0-18.3	11.8	2.6-21.0		—	17.9	11.7-24.2	17.8	11.0-24.4
	Unknown	29.2	12.3-46.1	27.8	9.4-46.2		—	65.4	54.5-76.3	68.1	55.5-80.7
Texas	All stages	63.5	61.4-65.6	64.0	61.6-66.3	56.0	50.4-61.7	62.8	60.7-64.9	63.8	61.5-66.2
(NPCR)	Localized	82.6	79.5-85.7	82.1	78.7-85.5	78.2	70.3-86.1	85.3	81.3-89.3	85.1	80.5-89.9
	Regional	51.6	47.9-55.3	52.1	48.1-56.2	42.2	33.1-51.2	55.4	51.9-58.8	56.3	52.5-60.1

	Distant	16.7	12.4-21.0	18.5	13.6-23.4	7.3	0.0-14.7	16.6	13.2-20.1	15.8	12.0-19.7
	Unknown	63.2	57.9-68.4	66.1	60.2-72.0	49.2	35.8-62.7	65.0	59.9-70.1	67.3	61.8-72.7
MIDWEST											
East North Central											
Michigan	All stages	64.4	61.1-67.6	65.5	61.8-69.1	55.0	48.0-62.0	59.9	56.7-63.1	60.7	57.0-64.4
(NPCR)	Localized	84.0	78.9-89.1	84.9	79.1-90.6	78.5	70.3-86.7	84.7	79.6-89.9	83.3	77.4-89.2
	Regional	57.9	52.1-63.8	61.5	54.8-68.2	44.5	34.7-54.2	55.2	48.7-61.6	56.4	49.6-63.2
	Distant	12.6	7.2-18.0	12.2	6.0-18.3	16.3	2.6-30.0	12.5	7.6-17.4	14.7	8.9-20.6
	Unknown	61.3	53.6-69.1	60.1	51.5-68.7	48.9	28.6-69.3	50.3	44.9-55.7	49.9	43.3-56.4
Ohio	All stages	60.0	57.0-62.9	60.9	57.7-64.2	48.2	40.4-56.0	58.0	55.1-60.8	58.2	55.0-61.3
(NPCR)	Localized	80.8	76.1-85.6	82.4	77.4-87.4	73.4	62.5-84.3	85.6	80.9-90.3	86.6	81.5-91.8
	Regional	47.5	42.4-52.7	49.1	43.5-54.7	40.4	26.9-54.0	48.5	43.6-53.4	49.7	44.5-54.9
	Distant	10.7	5.6-15.8	8.6	3.6-13.5	24.8	5.2-44.4	9.3	4.5-14.1	8.5	3.8-13.2
	Unknown	49.1	41.2-56.9	46.5	38.1-55.0	35.9	14.6-57.2	34.7	26.0-43.4	32.0	22.5-41.5
Wisconsin	All stages	67.8	63.0-72.6	70.1	65.1-75.1	59.9	45.2-74.5	66.6	61.4-71.7	66.0	60.0-72.0
(NPCR)	Localized		—		—		—		—		—
	Regional		—		—		—		—		—
	Distant		—		—		—		—		—
	Unknown		—		—		—		—		—
West North Central											
Iowa	All stages	61.1	55.5-66.6	60.0	54.3-65.7		—	62.9	56.7-69.0	63.3	56.7-69.8
(SEER)	Localized	81.0	73.0-89.0	79.0	70.9-87.2		—	85.4	76.7-94.1	87.3	78.4-96.2
	Regional	57.8	49.0-66.6	56.6	47.6-65.7		—	61.1	52.3-70.0	62.6	53.3-71.9
	Distant	13.5	3.9-23.2	14.1	4.1-24.2		—	22.0	12.6-31.5	22.5	12.9-32.2
	Unknown	29.6	8.9-50.3	29.6	8.9-50.3		—	28.7	4.0-53.5	30.2	4.3-56.1
Nebraska	All stages	63.2	56.0-70.4	63.7	56.3-71.1		—	64.5	56.8-72.3	64.8	56.8-72.8
(NPCR)	Localized	85.4	77.2-93.7	85.0	76.7-93.3		—	91.2	83.5-98.9	91.4	83.7-99.1
	Regional	54.5	45.7-63.3	54.2	44.7-63.6		—	51.7	41.3-62.2	53.0	42.5-63.5
	Distant	12.7	0.3-25.0	13.8	0.5-27.2		—	27.5	13.6-41.5	25.7	11.8-39.7
	Unknown		—		—		—	44.7	19.0-70.4	40.6	12.9-68.2
WEST											
Mountain											
Colorado	All stages	68.6	63.5-73.8	67.9	62.5-73.4	58.1	33.9-82.3	65.4	60.1-70.6	63.7	58.0-69.8
(NPCR)	Localized	92.9	87.8-98.0	92.3	86.8-97.9		—	88.3	79.0-97.5	86.9	77.5-96.3
	Regional	57.5	49.0-65.9	57.4	48.6-66.2		—	58.1	50.3-65.8	58.3	50.0-66.6
	Distant	16.3	5.6-27.1	15.3	4.4-26.1		—	25.7	15.6-35.7	23.6	15.2-31.9
	Unknown	78.3	63.2-93.5	72.6	54.5-90.8		—	60.4	41.4-79.4	52.3	28.5-76.1
Idaho	All stages	64.8	55.9-73.7	63.9	54.9-72.9		—	68.3	59.4-77.2	68.0	58.9-77.1
(NPCR)	Localized	94.0	88.0-100.0	93.7	87.4-100.0		—	91.5	81.4-100.0	91.5	81.3-100.0
	Regional	55.3	39.2-71.4	53.4	37.1-69.7		—	68.3	55.9-80.8	68.1	55.4-80.7
	Distant	8.4	0.0-20.7	8.4	0.0-20.7		—	17.6	1.9-33.4	13.7	0.0-28.4
	Unknown		—		—		—		—		—
Montana	All stages	64.9	55.1-74.7	67.1	56.8-77.3		—	63.7	53.7-73.7	63.4	52.8-73.9
(NPCR)	Localized	83.6	70.1-97.2	85.4	71.9-99.0		—	88.0	75.8-100.0	86.7	73.5-99.8
	Regional	65.1	49.3-81.0	66.7	50.1-83.3		—	48.2	34.4-61.9	51.5	38.2-64.8
	Distant		—		—		—	27.6	8.4-46.8	31.4	10.4-52.4
	Unknown		—		—		—		—		—
New Mexico	All stages	61.7	54.8-68.5	59.9	53.0-66.9		—	53.7	46.5-60.9	56.0	48.3-63.3
(SEER)	Localized	88.5	82.0-94.9	87.6	80.7-94.5		—	74.7	63.6-85.7	72.3	61.1-83.3
	Regional	52.0	41.4-62.5	50.9	37.8-63.9		—	44.7	34.7-54.7	48.7	37.7-59.8
	Distant	13.7	0.1-27.2	9.3	0.0-20.5		—	10.2	1.1-19.3	14.4	3.4-25.5
	Unknown	68.6	44.6-92.7	72.9	48.8-97.1		—	65.3	43.7-87.0	55.6	30.9-80.2
Utah	All stages	61.9	53.9-69.9	61.3	53.0-69.5		—	61.3	54.0-68.6	62.5	55.0-69.9
(SEER)	Localized	91.5	85.3-97.7	90.9	84.4-97.4		—	91.0	84.1-97.9	91.6	84.5-98.6
	Regional	65.3	50.6-80.1	64.4	48.9-79.9		—	56.9	46.9-66.9	57.8	47.6-68.6
	Distant	6.1	0.0-15.4	6.5	0.0-16.4		—	0.0	0.0-0.0	0.0	0.0-0.0
	Unknown		—		—		—		—		—
Wyoming	All stages	74.2	62.3-86.2	73.2	61.1-85.3		—	52.5	42.5-62.4	53.6	43.6-63.6
(NPCR)	Localized	94.6	85.5-100.0	94.6	85.5-100.0		—	86.9	77.1-96.7	88.3	78.6-97.9
	Regional	60.3	38.4-82.2	56.6	34.6-78.7		—	39.3	14.7-63.9	39.3	14.7-63.9
	Distant		—		—		—	35.4	10.8-60.0	39.8	14.2-65.5
	Unknown		—		—		—		—		—
Pacific											
Alaska	All stages	70.4	58.8-82.1	71.6	58.1-85.0		—	78.2	69.6-86.8	73.7	63.1-84.3
(NPCR)	Localized	85.8	73.6-98.1	88.2	74.8-100.0		—	98.3	93.7-100.0	96.2	89.2-100.0
	Regional	46.2	24.7-67.6	47.3	23.0-71.6		—	69.8	52.5-87.2	67.0	46.7-87.4
	Distant		—		—		—	11.6	0.0-27.4	17.7	0.0-37.0

	Unknown		—		—		—	87.4	63.0-100.0		—
California	All stages	65.6	63.8-67.4	65.9	63.8-68.0	53.8	47.2-60.3	65.2	63.4-67.0	64.2	62.1-66.3
(NPCR/SEER)	Localized	90.8	88.2-93.4	91.8	88.9-94.8	87.9	80.9-94.9	89.0	85.9-92.0	89.4	85.9-92.9
	Regional	55.8	52.9-58.8	56.7	53.4-60.0	40.1	30.4-49.7	57.6	54.7-60.4	56.9	53.6-60.7
	Distant	18.9	15.5-22.3	19.2	15.3-23.0	13.8	3.1-24.4	16.7	13.4-20.0	15.1	11.9-18.2
	Unknown	41.0	32.6-49.4	39.8	30.0-49.6	23.5	2.0-45.0	47.1	38.7-55.5	43.1	33.7-52.9
Hawaii	All stages	60.3	50.7-69.8	65.3	48.7-81.9		—	62.9	53.7-72.2	58.6	38.9-78.3
(SEER)	Localized	83.5	74.6-92.4	85.8	69.5-100.0		—	99.9	97.1-100.0	100.0	100.0-100.0
	Regional	53.8	37.0-70.7		—		—	38.9	28.0-49.8	13.5	0.0-31.5
	Distant	15.1	0.7-29.5		—		—	20.8	4.6-37.1		—
	Unknown		—		—		—	15.7	0.0-37.4		—
Oregon	All stages	59.9	53.7-66.0	60.9	54.2-67.6	37.1	9.8-64.5	68.0	62.8-73.2	67.8	62.3-73.3
(NPCR)	Localized	89.3	84.5-94.1	89.2	84.2-94.3		—	88.3	79.9-96.7	88.8	80.0-97.6
	Regional	48.4	39.6-57.2	56.7	47.2-66.1		—	65.8	58.1-73.5	63.5	55.2-71.7
	Distant	19.0	5.5-32.5	18.1	4.1-32.2		—	16.9	5.7-28.1	18.6	6.4-30.8
	Unknown		—		—		—	32.2	10.9-53.4	29.6	7.4-51.8
Washington	All stages	66.1	61.5-70.7	66.1	61.2-71.1	67.1	46.2-88.0	63.3	58.9-67.7	63.0	58.4-67.6
(NPCR)	Localized	84.8	77.7-91.8	85.1	77.7-92.5	76.3	52.4-100.0	92.1	84.1-100.0	90.0	81.5-98.5
	Regional	56.3	49.6-63.0	55.1	48.1-62.2		—	63.7	57.2-70.2	64.9	58.0-71.9
	Distant	29.2	18.9-39.5	29.3	18.3-40.3		—	18.8	12.0-25.6	17.9	11.0-24.8
	Unknown	62.0	36.5-87.5	67.2	41.5-92.8		—	57.4	36.5-78.3	51.3	28.9-73.7

Note: NPCR indicates National Program of Cancer Registries; SEER indicates Surveillance, Epidemiology, and End Results program. Information on stage was not available for two states (Maryland and Wisconsin), or for Rhode Island for cases diagnosed inbetween 2004–2009. Unstandardized estimates are italicized. This is the same information that appears in Table 3.