

Table S1. Bootstrapped Mixed Model Regressions to Age 5 Parenting Behaviors

	B	SE	95% CI
Model: Maternal Intrusiveness			
Depression x NICU Stress	.05	.02	 [.010, .058]
Depression at Discharge	.04	.02	 [.016, .083]
NICU Stress at Discharge	.04	.15	[-.271, .305]
Model: Maternal Negativity			
Depression x NICU Stress	.01	.00	 [.002, .019]
Depression at Discharge	.01	.00	[-.001, .013]
NICU Stress at Discharge	.07	.03	 [.018, .129]
Model: Maternal Sensitivity			
Depression at Discharge	-.05	.02	 [-.098, -.001]
NICU Stress at Discharge	-.02	.19	[-.347, .381]
Model: Maternal Positivity			
Depression at Discharge	-.00	.03	[-.065, .067]
NICU Stress at Discharge	-.17	.18	[-.578, .982]

Note: Numbers represent unstandardized regression coefficients with regressions done in linear mixed modeling, using bias-corrected bootstrapping with 1000 samples and 95% CIs. CIs that do not contain 0 are considered significant. All models adjusted for child sex, maternal education, income to needs ratio, child IQ, maternal IQ, and maternal depression at age 5. Only child IQ remained a significant predictor of Intrusiveness at age 5, B(SE)=-.02 (.01), 95%CI [-.047, -.010].

Figure S1. Subject Recruitment and Attrition

