

p1-s	AAGCTGAAGAGCTGGGACCT
p1-as	GGAGATGAGGGATGAGAAGG
p2-s	CAGCAAGCACAAAAGAAACC
p2-as	AGATTTAGACATGGAGCTGG
p3-s	CAGGTCAAGAGAAACAGAC
p3-as	GCTATCTTCAGACACACCAG
p4-s	GTCAGAGTTACCAGCCAGCA
p4-as	GTCTGACATGCAGCATGAGG
p5-s	CCACAATGAACAGGTGAGAC
p5-as	ATAGTGAGACCTGGTGTGCT
p6-s	CCTCATGTCTCTCGCTACTC
p6-as	TGGCTAGAGAGCATCCCTTG
p7-s	ATTTAGGGCACAGGTGACATGA
p7-as	CCACTTCCCCGACCTCACTA
p8-s	CCACCTGGTGAATGACTCAC
p8-as	GCACCTCAGTCCCTTGTTCT
p9-s	GGATAATGTGGACTTGGTGG
p9-as	GTCACCTTAGTCCCTAGCAC
p10-s	CCAGGATTCTCATGCTGGGT
p10-as	TACTGAGGGATGCTGGGAGA

Table EV1. Sequences of the IL17a-IL17f locus-spanning primers used in the ChIP assay.