

Table S1. Age, gender, season of illness, days of illness at enrollment, and samples obtained

PID#	Age (mo.)	Gender	Season	Day of illness at enrollment	Nasal sample	Blood sample
Sympotmatic RSV						
N005	4	M	Spring	7	Y	N
N006	4	F	Spring	3	Y	N
N030	8	F	Fall	3	Y	Y
N043	4	F	Winter	6*	Y	Y
N044	5	F	Winter	5	Y	Y
N046	7	M	Winter	5	Y	Y
Sympotmatic non-RSV virus (nRSV)						
N003	6	M	Spring	2	Y	Y
N008	65	M	Spring	11	Y	Y
N009	15	M	Spring	2**	Y	Y
N011	131	M	Spring	2	Y	Y
N012	19	F	Spring	7	Y	Y
N016	17	M	Summer	4	Y	Y
N019	9	M	Summer	3	Y	Y
N024	11	M	Fall	2	Y	Y
N028	14	F	Fall	1	Y	Y
Asympotmatic Rhinovirus (asRV)						
N017	112	F	Summer		Y	Y
N020	107	F	Summer		Y	Y
N023	29	M	Fall		Y	Y
N025	4	F	Fall		Y	Y
N033	11	M	Fall		Y	Y
Virus negative asymptomatic controls						
N015	34	M	Summer		Y	Y
N018	93	M	Summer		Y	Y
N026	15	M	Fall		Y	Y
N040	9	M	Winter		Y	Y
N041	17	M	Winter		Y	Y
N045	26	M	Winter		Y	Y

*16 days of illness, febrile for 6 days

2 days with up to 5 days of additional illness with different symptoms