

Supplementary Material to “Cross-genera SSR transferability in cacti revealed by a case study using *Cereus* (Cereaceae, Cactaceae)”

Table S4 - Private alleles (>10% frequency) found in each loci per population.

Population	Loci	Allele	Frequency
S113	<i>Pmac108</i>	124	0.15
	<i>Pmac149</i>	138	0.17
	<i>Pmac149</i>	140	0.72
	<i>mEgR 02</i>	156	0.12
	<i>mAbR 28</i>	186	0.11
S82/83	<i>mEgR 02</i>	178	1.00
	<i>mEgR 78</i>	252	0.50
S88	<i>Pmac82</i>	82	0.20
	<i>Pmac82</i>	85	0.10
	<i>Pmac84</i>	76	0.25
	<i>Pmac108</i>	102	0.25
	<i>Pmac146</i>	132	0.22
	<i>mEgR 78</i>	128	0.11
	<i>mEgR 78</i>	238	0.33
S115D	<i>mEgR 78</i>	254	0.11
	<i>mEgR 02</i>	172	0.31
S104	<i>Pmac108</i>	116	0.10
	<i>mAbR 28</i>	166	0.27
S114	<i>Pmac84</i>	84	0.12
	<i>Pmac146</i>	116	0.35