

# Supporting Information

## Structure and Protein Interaction-based Gene

## Ontology Annotations Reveal Likely Functions of

## Uncharacterized Proteins on Human Chromosome

17

*Chengxin Zhang, Xiaoqiong Wei, Gilbert S. Omenn, and Yang Zhang*

### Table of Contents

<b>Text S1.</b> SPARQL query for curating the list of uPE1 proteins from neXtProt database version 2018-01-17 .....	<b>S2</b>
<b>Text S1.</b> SPARQL query for curating the initial list of unannotated proteins from neXtProt database.....	<b>S3</b>
<b>Text S3.</b> Benchmark set of 100 well annotated PE1 proteins randomly selected from chromosome 17.....	<b>S4</b>
<b>Table S1.</b> Fmax of different programs for GO prediction using UniProt and neXtProt annotation as gold standard for the benchmark set of 100 chromosome 17 PE1 proteins .....	<b>S5</b>
<b>Table S2.</b> Fmax of “structure” component and the final consensus prediction in COFACTOR for a benchmark set of 59 proteins with experimental structure covering at least 30% of target sequence .....	<b>S6</b>
<b>Table S3.</b> COFACTOR predicted functions for 66 uPE1 protein on chromosome 17 .....	<b>S8</b>

**Text S1.** SPARQL query for curating the list of uPE1 proteins from neXtProt database version 2018-01-17, which excluded six more GO terms (GO:0005524. ATP binding; GO:0000287 magnesium binding; GO:0003676 nucleic acid binding; GO:0003824 catalytic activity; GO:0007165 signal transduction; GO:0035556 intracellular signal transduction) in addition to the GO terms excluded by neXtProt 2017-08-01 (Text S2). Due to the exclusion of more GO terms, the number of uPE1 proteins has increased from 1218 in neXtProt version 2017-08-01 to 1260 in neXtProt version 2018-01-17.

```

select distinct ?entry where {
  ?entry :isoform ?iso.
  ?entry :existence :Evidence_at_protein_level.
  filter not exists { ?iso :functionInfo ?_ . }
  filter not exists { ?iso :function ?func .
    optional {?func :term ?fterm1 .}
    filter(!bound(?fterm1)) #eliminates
functions from pathways
  }
  filter not exists {
    ?iso :function / :term ?fterm .
    filter(?fterm != cv:GO_0005524 && ?fterm
!= cv:GO_0000287 && ?fterm != cv:GO_0005515 && ?fterm !=
cv:GO_0042802
    && ?fterm != cv:GO_0008270 &&
?fterm != cv:GO_0051260 && ?fterm != cv:GO_0005509
    && ?fterm != cv:GO_0003676 &&
?fterm != cv:GO_0003824 && ?fterm != cv:GO_0007165 && ?fterm !=
cv:GO_0035556)
    # eliminates proteins whose ONLY GO
functions are one of ATP-binding, magnesium-binding, calcium-
binding, zinc-binding,
    # nucleic acid binding, protein-binding,
identical protein binding, protein homooligomerization,
catalytic activity, signal transduction,
  }
}

```

**Text S2.** SPARQL query for curating the initial list of unannotated proteins from neXtProt database. To curate the initial list of 66 uPE1 proteins, the following SPARQL query is used at neXtProt website version 2017-08-01 at <https://www.nextprot.org/proteins/search?mode=advanced>. The full list of 1232 uPE1 proteins is subsequently filtered by selecting proteins from chromosome 17. Due to the difference in database version, the same SPARQL query against the current neXtProt may return a slightly different list of uPE1 proteins. For example, as of neXtProt version 2018-01-17, the same SPARQL query retrieved 1218 entries. As an additional note, neXtProt version 2018-01-17 updated its definition of unannotated proteins by excluding in total 11 GO terms, including the 5 GO terms listed below (Text S1).

```

select distinct ?entry ?fterm where {
  ?entry :isoform ?iso.
  ?entry :existence :Evidence_at_protein_level .
  filter not exists { ?iso :functionInfo ?_ . }
  filter not exists { ?iso :function ?func .
    optional {?func :term ?fterm1 .}
    filter(!bound(?fterm1)) #eliminates
functions from pathways
  }
  filter not exists {
    ?iso :function / :term ?fterm .
    filter(?fterm != cv:GO_0005515 && ?fterm
!= cv:GO_0042802 && ?fterm != cv:GO_0005509 && ?fterm !=
cv:GO_0008270 && ?fterm != cv:GO_0051260)
    # eliminates proteins whose ONLY GO
function is one of calcium-binding, zinc-binding, protein-
binding, identical protein binding, protein homooligomerization
  }
}

```

**Text S3.** Benchmark set of 100 well annotated PE1 proteins randomly selected from chromosome 17. Only the canonical isoform listed by neXtProt is used for benchmark testing. The full list of benchmark proteins are: NX\_P04626, NX\_P04637, NX\_Q9GZM8, NX\_P02749, NX\_P50616, NX\_Q96GD4, NX\_Q9GZT4, NX\_Q9UKF7, NX\_O75771, NX\_Q13227, NX\_Q9HC21, NX\_Q96FM1, NX\_P32322, NX\_Q13829, NX\_Q8N9F7, NX\_Q15078, NX\_P46108, NX\_Q9UGN4, NX\_Q9UH92, NX\_Q9NRY6, NX\_P14415, NX\_Q07021, NX\_Q9BXJ1, NX\_Q9Y6N1, NX\_P35232, NX\_Q9Y5W9, NX\_Q00169, NX\_Q969T9, NX\_Q9BZG1, NX\_Q96H20, NX\_Q86V81, NX\_P62258, NX\_P61289, NX\_Q9H2A7, NX\_Q8N2A8, NX\_O95249, NX\_Q07955, NX\_Q8WVN6, NX\_Q7Z4W1, NX\_O95476, NX\_Q8IW40, NX\_Q13432, NX\_P09564, NX\_Q92988, NX\_Q0VD86, NX\_Q9UNK0, NX\_O60248, NX\_Q13253, NX\_P60008, NX\_Q9BYE0, NX\_P16035, NX\_Q86UA6, NX\_P62993, NX\_P01241, NX\_P09629, NX\_P51148, NX\_Q9UKL6, NX\_Q9BQB4, NX\_Q16613, NX\_Q14197, NX\_Q96FZ7, NX\_Q8TCD5, NX\_P12829, NX\_Q9Y584, NX\_P60763, NX\_Q86XA0, NX\_Q9HD47, NX\_P51452, NX\_Q9NQ92, NX\_Q9BRG1, NX\_O60895, NX\_P62253, NX\_Q96F10, NX\_O15273, NX\_O75947, NX\_P62750, NX\_Q15649, NX\_P63241, NX\_P15531, NX\_P61254, NX\_O15392, NX\_P07737, NX\_P62829, NX\_P84243, NX\_P61353, NX\_Q8IY31, NX\_O14907, NX\_Q9BRA2, NX\_Q86WV5, NX\_Q8WVK7, NX\_O95166, NX\_P63272, NX\_P63027, NX\_Q86UU9, NX\_P41567, NX\_P13500, NX\_P61956, NX\_P10147, NX\_Q9NYG5, NX\_A8MT69, NX\_P63173, NX\_O14610.

**Table S2.** Fmax of different programs for GO prediction using UniProt and neXtProt annotation as gold standard for the benchmark set of 100 chromosome 17 PE1 proteins.

	UniProt (EXP, IDA, IMP, IGI, IEP, TAS, IC)			neXtProt (Gold evidence)			neXtProt (Gold and Silver evidence)		
	MF	BP	CC	MF	BP	CC	MF	BP	CC
BLAST	0.225	0.206	0.312	0.320	0.235	0.340	0.312	0.234	0.351
PSIBLAST	0.253	0.188	0.314	0.332	0.230	0.348	0.334	0.243	0.359
GoFDR	0.355	0.341	0.447	0.472	0.376	0.476	0.447	0.364	0.479
GOtcha	0.251	0.195	0.414	0.321	0.219	0.444	0.454	0.219	0.454
Naïve	0.346	0.281	0.509	0.142	0.302	0.469	0.146	0.322	0.486
sequence	0.378	0.358	0.479	0.476	0.406	0.515	0.458	0.395	0.512
PPI	0.244	0.347	0.451	0.279	0.394	0.496	0.291	0.401	0.530
sequence+PPI	0.382	0.398	0.510	0.476	0.451	0.552	0.461	0.444	0.572
structure	0.498	0.431	0.499	0.647	0.490	0.547	0.648	0.512	0.571
COFACTOR	<b>0.545</b>	<b>0.497</b>	<b>0.599</b>	<b>0.693</b>	<b>0.573</b>	<b>0.669</b>	<b>0.689</b>	<b>0.591</b>	<b>0.688</b>

The upper block includes three different control methods (BLAST, PSIBLAST, Naïve) used as baseline algorithms in CAFA function annotation experiments and two top performing sequence-based function prediction methods. In the lower block, “sequence”, “PPI”, and “structure” are the three component methods of “COFACTOR”, which combines these three components by weighted average. The program with the highest Fmax at each category is highlighted by bold. Both neXtProt and UniProt assigns GO terms to proteins using different evidence codes, with “gold” in neXtProt and “EXP, IDA, IMP, IGI, IEP, TAS, IC” in UniProt standing for confident function annotation with reliable literature references, typically with low throughput wet lab experiments.

**Table S2.** Fmax of “structure” component and the final consensus prediction in COFACTOR for a benchmark set of 59 proteins with experimental structure covering at least 30% of target sequence.

neXtProt ID <sup>a</sup>	PDB chain ID <sup>b</sup>	Target coverage <sup>c</sup>	TM-score <sup>d</sup>	structure <sup>e</sup>			COFACTOR <sup>f</sup>		
				MF	BP	CC	MF	BP	CC
NX_O14907	2l4tA	1.000	0.659	1.000	0.861	0.800	1.000	0.805	0.815
NX_O95166	3wimA	1.000	0.957	0.941	0.892	0.784	0.941	0.921	0.779
NX_P15531	3l7uC	1.000	0.989	0.771	0.182	0.700	0.795	0.298	0.718
NX_P41567	2if1A	1.000	0.902	1.000	0.133	1.000	1.000	0.667	0.727
NX_P61956	2n9eB	1.000	0.697	0.941	0.860	0.762	0.941	0.860	1.000
NX_P63272	3h7hA	1.000	0.990	0.591	0.695	0.800	0.591	0.695	0.800
NX_Q7Z4W1	3d3wB	1.000	0.996	0.933	0.525	0.857	0.933	0.559	0.955
NX_Q9NYG5	5g05B	1.000	0.692	0.917	0.585	0.897	0.917	0.583	0.897
NX_P46108	2eyzA	0.997	0.996	0.667	0.483	0.800	0.615	0.474	0.750
NX_P07737	3chwP	0.993	0.980	0.258	0.611	0.423	0.404	0.662	0.730
NX_P61353	5t2cT	0.993	0.943	0.500	0.814	0.522	0.500	0.814	0.522
NX_P63173	5t2ce	0.986	0.877	1.000	0.857	0.944	1.000	0.897	0.971
NX_Q9BRG1	3cuqC	0.983	0.996	1.000	0.553	0.807	1.000	0.606	0.879
NX_O15392	3uedC	0.979	0.971	0.938	0.895	0.899	1.000	0.909	0.959
NX_P62993	1griB	0.972	0.982	0.800	0.565	0.824	0.849	0.631	0.873
NX_P51452	3f81B	0.968	0.985	0.923	0.968	0.811	0.960	0.943	0.878
NX_Q9BRA2	1wouA	0.968	0.926	1.000	1.000	1.000	0.900	0.698	1.000
NX_Q00169	1uw5C	0.967	0.995	0.552	1.000	0.250	0.552	1.000	0.421
NX_Q8TCD5	2i7dA	0.960	0.986	0.857	0.808	0.963	0.968	0.767	0.963
NX_Q86WV5	4joiD	0.959	0.987	0.750	0.730	0.750	0.750	0.811	0.900
NX_P62829	4v6xCV	0.950	0.954	1.000	0.623	0.546	1.000	0.623	0.600
NX_Q9UKL6	1ln1A	0.949	0.990	1.000	1.000	1.000	0.571	0.533	1.000
NX_Q9GZT4	3l6bA	0.944	0.951	1.000	0.790	0.800	0.979	0.793	0.800
NX_P02749	1c1zA	0.942	0.990	0.960	0.794	0.745	0.923	0.788	0.760
NX_A8MT69	4draH	0.938	0.946	0.833	0.756	1.000	1.000	0.829	1.000
NX_P61254	5t2cS	0.924	0.961	0.909	0.841	0.727	0.909	0.841	0.727
NX_Q96F10	2q4vB	0.924	0.891	0.941	1.000	0.870	0.875	0.732	0.714
NX_P60763	2ov2B	0.922	0.963	0.980	0.245	0.627	0.980	0.457	0.600
NX_P62258	3ualA	0.902	0.981	0.718	0.493	0.737	0.718	0.482	0.737
NX_Q8WVK7	4aj5T	0.901	0.825	1.000	0.667	0.929	1.000	0.417	0.788
NX_P63241	5dlqF	0.890	0.948	0.783	0.815	0.913	0.783	0.800	0.958
NX_Q9BQB4	2k8pA	0.887	0.900	1.000	0.959	0.400	1.000	0.932	0.500
NX_P16035	1gxdD	0.873	0.922	0.929	0.722	0.900	0.929	0.880	0.957
NX_P32322	5uawE	0.862	0.988	0.909	0.933	0.333	0.909	0.933	0.933
NX_Q13253	1m4uA	0.858	0.969	0.800	0.770	1.000	0.727	0.782	1.000
NX_P01241	1bp3A	0.853	0.765	1.000	0.938	1.000	1.000	0.919	1.000
NX_Q96H20	3cuqA	0.849	0.989	1.000	0.852	0.949	0.889	0.887	0.963
NX_P62750	4v6xCX	0.776	0.898	0.737	0.957	0.558	0.737	0.971	0.640
NX_P13500	1donB	0.768	0.841	0.857	0.615	0.571	0.933	0.676	0.750
NX_P10147	5corJ	0.761	0.849	0.981	0.901	0.800	0.981	0.908	0.800
NX_P51148	4kyiH	0.755	0.973	1.000	0.516	0.702	1.000	0.564	0.849
NX_Q13432	3gqqD	0.738	0.968	1.000	0.829	0.938	0.154	0.815	0.769
NX_P84243	3wtpE	0.735	0.968	0.964	0.469	0.842	0.964	0.469	0.842
NX_Q96GD4	4af3A	0.733	0.905	0.941	0.746	0.892	0.968	0.693	0.941

NX_P62253	2awfA	0.677	0.952	1.000	0.857	0.846	1.000	0.857	0.846
NX_Q07021	1p32A	0.645	0.972	0.926	0.912	0.826	0.893	0.933	0.923
NX_Q14197	5oomp	0.617	0.919	0.867	1.000	0.839	0.867	1.000	0.973
NX_Q9Y5W9	4ikdA	0.526	0.729	0.750	0.667	0.346	0.857	0.947	0.900
NX_P04637	2fejA	0.519	0.873	0.914	0.868	0.901	0.953	0.873	0.932
NX_O15273	1ya5T	0.509	0.752	0.000	0.081	0.300	0.148	0.351	0.667
NX_Q15078	3o0gE	0.485	0.914	0.800	0.762	0.805	0.800	0.769	0.868
NX_P04626	3n85A	0.482	0.491	0.805	0.557	0.519	0.769	0.654	0.739
NX_Q15649	5l85A	0.458	0.469	0.353	0.000	0.182	0.462	0.522	0.600
NX_O60895	2xvtC	0.451	0.905	0.074	0.076	0.286	0.759	0.564	0.667
NX_Q07955	2o3dA	0.440	0.566	0.714	0.453	0.655	0.909	0.625	0.727
NX_Q9UGN4	2q87C	0.351	0.793	0.400	0.054	0.235	0.316	0.371	0.686
NX_P50616	2z15A	0.339	0.315	0.000	0.250	0.286	0.286	0.474	0.833
NX_Q9GZM8	2v66E	0.322	0.559	0.222	0.256	0.459	0.182	0.418	0.680
NX_Q86V81	3ulhA	0.319	0.684	0.727	0.443	0.450	1.000	0.683	0.597
Average		0.805	0.877	0.799	0.669	0.717	0.809	0.718	0.810
Pearson correlation to TM-score				0.435	0.400	0.432	0.286	0.249	0.161

<sup>a</sup> This set of 59 proteins is a subset from the benchmark set of 100 well annotated PE1 proteins from chromosome 17. The table is sorted in descending order of target coverage.

<sup>b</sup> Since the experimental structures do not necessarily cover the full length target sequence, if a target can be mapped to more than one experimental structure, only the structure that has the largest coverage to the target sequence is considered.

<sup>c</sup> “Target coverage” is the portion of query residues covered by corresponding experimental structure.

<sup>d</sup> “TM-score” is the TM-score between the first I-TASSER model and the corresponding experimental structures. I-TASSER model residues not solved in experimental structures are excluded in TM-score calculation.

<sup>e</sup> “structure” columns show the Fmax of structure-based component of COFACTOR pipeline.

<sup>f</sup> “COFACTOR” columns show the Fmax of final consensus COFACTOR function prediction.

**Table S3.** COFACTOR predicted functions for 66 uPE1 protein on chromosome 17 as of neXtProt 2017-08-01. General GO terms associated with more than 20% of annotated UniProt proteins are excluded. For each protein, only GO terms predicted with Cscore > 0.3 are included in the table, with Cscore > 0.5 highlighted in bold. Entries are sorted in descending order of the highest MF Cscore. The 30 uPE1 proteins with MF Cscore > 0.5 are shaded in grey. The first 13 proteins in this list have MF Cscore > 0.59, as reported in Table 1 in main text. Additionally, 33 and 49 proteins in this list have BP Cscore>0.55 and CC Cscore>0.59, respectively. NeXtProt does not use CC terms for classifying uPE1 proteins (see Text S2 for SPARQL query).

	NextProt Accession, Gene Name, and Common Name	Molecular Function (MF)	Biological Process (BP)	Cellular Component (CC)
1	NX_Q8TBR7-2, FAM57A. (FAM57A)	<b>GO:0016740 (1.00) transferase activity</b> <b>GO:0050291 (0.99) sphingosine N-acyltransferase activity</b>	<b>GO:0032502 (0.69) developmental process</b> <b>GO:0044767 (0.64) single-organism developmental process</b> <b>GO:0048856 (0.59) anatomical structure development</b> <b>GO:1901564 (0.57) organonitrogen compound metabolic process</b> <b>GO:0006629 (0.57) lipid metabolic process</b> <b>GO:0048869 (0.55) cellular developmental process</b> <b>GO:0016043 (0.54) cellular component organization</b> <b>GO:0007420 (0.54) brain development</b> <b>GO:0021952 (0.53) central nervous system projection neuron axonogenesis</b> <b>GO:0001654 (0.53) eye development</b> GO:0006672 (0.46) ceramide metabolic process GO:0046467 (0.42) membrane lipid biosynthetic process GO:0046513 (0.41) ceramide biosynthetic process GO:0048523 (0.31) negative regulation of cellular process	<b>GO:0005887 (1.00) integral component of plasma membrane</b> <b>GO:0005886 (1.00) plasma membrane</b> <b>GO:0005783 (0.98) endoplasmic reticulum</b> GO:0097458 (0.37) neuron part GO:0042995 (0.37) cell projection
2	NX_Q12767-1, TMEM94. (Transmembrane protein 94)	<b>GO:0043492 (0.91) ATPase activity, coupled to movement of substances</b> <b>GO:0022892 (0.91) substrate-specific transporter activity</b> <b>GO:0019829 (0.74) cation-transporting ATPase activity</b> <b>GO:0022890 (0.61) inorganic cation transmembrane transporter activity</b> <b>GO:0015662 (0.61) ATPase activity, coupled to transmembrane movement of ions, phosphorylative mechanism</b> <b>GO:0046873 (0.57) metal ion transmembrane transporter activity</b>	<b>GO:0065008 (0.80) regulation of biological quality</b> <b>GO:0098771 (0.77) inorganic ion homeostasis</b> <b>GO:0030003 (0.77) cellular cation homeostasis</b> <b>GO:0006875 (0.72) cellular metal ion homeostasis</b> <b>GO:0006810 (0.71) transport</b> <b>GO:0006812 (0.68) cation transport</b> <b>GO:0034220 (0.66) ion transmembrane transport</b> <b>GO:0098662 (0.65) inorganic cation transmembrane transport</b> <b>GO:1902600 (0.64) hydrogen ion transmembrane transport</b> <b>GO:0090662 (0.60) ATP hydrolysis coupled transmembrane transport</b>	<b>GO:0005654 (1.00) nucleoplasm</b>



		GO:0015077 (0.41) monovalent inorganic cation transmembrane transporter activity GO:0005524 (0.37) ATP binding GO:0005391 (0.37) sodium:potassium-exchanging ATPase activity	<b>GO:0015988 (0.60) energy coupled proton transmembrane transport, against electrochemical gradient</b> <b>GO:0030004 (0.57) cellular monovalent inorganic cation homeostasis</b> <b>GO:0030001 (0.56) metal ion transport</b> <b>GO:0071805 (0.52) potassium ion transmembrane transport</b> <b>GO:0071436 (0.52) sodium ion export</b>	
3	NX_Q5BKU9-1, OXLD1. (Oxidoreductase-like domain-containing protein 1)	<b>GO:0016491 (0.87) oxidoreductase activity</b> <b>GO:0000166 (0.82) nucleotide binding</b> <b>GO:0071949 (0.73) FAD binding</b> <b>GO:0004128 (0.73) cytochrome-b5 reductase activity, acting on NAD(P)H</b> <b>GO:0016211 (0.52) ammonia ligase activity</b> GO:0035639 (0.33) purine ribonucleoside triphosphate binding GO:0032559 (0.33) adenylyl ribonucleotide binding GO:0032550 (0.33) purine ribonucleoside binding	GO:0015701 (0.90) bicarbonate transport GO:0009084 (0.53) glutamine family amino acid biosynthetic process GO:0008652 (0.53) cellular amino acid biosynthetic process GO:0006541 (0.53) glutamine metabolic process GO:0071941 (0.34) nitrogen cycle metabolic process	GO:0005739 (0.90) mitochondrion GO:0005737 (0.66) cytoplasm
4	NX_A6NGC4-1, TLCD2. (TLC domain-containing protein 2)	GO:0016740 (0.86) transferase activity GO:0050291 (0.76) sphingosine N-acyltransferase activity GO:0005216 (0.59) ion channel activity GO:0009881 (0.55) photoreceptor activity	GO:0006643 (0.76) membrane lipid metabolic process GO:0006672 (0.73) ceramide metabolic process GO:0044765 (0.61) single-organism transport GO:0006811 (0.60) ion transport GO:0034220 (0.58) ion transmembrane transport GO:0019538 (0.58) protein metabolic process GO:0044267 (0.56) cellular protein metabolic process GO:0050896 (0.55) response to stimulus GO:0006464 (0.54) cellular protein modification process GO:0018298 (0.53) protein-chromophore linkage GO:0007602 (0.53) phototransduction GO:0032502 (0.52) developmental process GO:0048856 (0.50) anatomical structure development GO:0046467 (0.48) membrane lipid biosynthetic process GO:0046513 (0.46) ceramide biosynthetic process	GO:0016021 (1.00) integral component of membrane GO:0016020 (1.00) membrane GO:0005783 (0.75) endoplasmic reticulum GO:0005886 (0.55) plasma membrane
5	NX_O43934-1, MFSD11. (UNC93-like protein MFSD11)	GO:0005215 (0.85) transporter activity GO:0022857 (0.84) transmembrane transporter activity GO:0022892 (0.78) substrate-specific transporter activity GO:0022891 (0.77) substrate-specific transmembrane transporter activity GO:0051119 (0.74) sugar transmembrane transporter activity GO:0015145 (0.72) monosaccharide transmembrane transporter activity	GO:0006810 (0.82) transport GO:0071702 (0.70) organic substance transport GO:0055085 (0.69) transmembrane transport GO:0008643 (0.68) carbohydrate transport GO:0015749 (0.67) monosaccharide transport GO:0008645 (0.66) hexose transport GO:0015758 (0.64) glucose transport GO:0034219 (0.61) carbohydrate transmembrane transport GO:0035428 (0.60) hexose transmembrane transport GO:0046323 (0.47) glucose import GO:0050896 (0.38) response to stimulus	GO:0016021 (1.00) integral component of membrane GO:0016020 (1.00) membrane GO:0005887 (0.77) integral component of plasma membrane GO:0005886 (0.70) plasma membrane

		<p><b>GO:0015149 (0.71) hexose transmembrane transporter activity</b>  <b>GO:0005355 (0.70) glucose transmembrane transporter activity</b>  <b>GO:0008324 (0.67) cation transmembrane transporter activity</b>  <b>GO:0005351 (0.66) sugar:proton symporter activity</b>  GO:0051183 (0.34) vitamin transporter activity  GO:0048029 (0.33) monosaccharide binding  GO:0015146 (0.33) pentose transmembrane transporter activity  GO:0015148 (0.32) D-xylose transmembrane transporter activity</p>	<p>GO:0006820 (0.38) anion transport  GO:0051716 (0.35) cellular response to stimulus  GO:0042221 (0.34) response to chemical  GO:1901700 (0.33) response to oxygen-containing compound</p>	
6	NX_Q9P298-1, HIGD1B. (HIG1 domain family member 1B)	<p><b>GO:0016740 (0.79) transferase activity</b>  <b>GO:0061630 (0.71) ubiquitin protein ligase activity</b></p>	<p>GO:0043066 (0.32) negative regulation of apoptotic process  GO:0043623 (0.31) cellular protein complex assembly</p>	<p><b>GO:0043234 (0.88) protein complex</b>  <b>GO:0005634 (0.71) nucleus</b>  <b>GO:0044429 (0.53) mitochondrial part</b>  GO:0005737 (0.46) cytoplasm  GO:0044428 (0.45) nuclear part  GO:0044427 (0.45) chromosomal part  GO:0005739 (0.42) mitochondrion  GO:0016020 (0.38) membrane  GO:0043232 (0.37) intracellular non-membrane-bounded organelle  GO:0016021 (0.36) integral component of membrane  GO:0097249 (0.32) mitochondrial respiratory chain supercomplex  GO:0031305 (0.32) integral component of mitochondrial inner membrane  GO:0031090 (0.30) organelle membrane</p>
7	NX_Q2TAL5-1, SMTNL2. (Smoothelin-like protein 2)	<p><b>GO:0008092 (0.77) cytoskeletal protein binding</b>  GO:0003779 (0.42) actin binding  GO:1901363 (0.40) heterocyclic compound binding  GO:0097159 (0.40) organic cyclic compound binding  GO:0050660 (0.37) flavin adenine dinucleotide binding  GO:0046983 (0.30) protein dimerization activity  GO:0042802 (0.30) identical protein binding</p>	<p><b>GO:0016043 (0.70) cellular component organization</b>  <b>GO:0032502 (0.69) developmental process</b>  <b>GO:0044767 (0.63) single-organism developmental process</b>  <b>GO:0048856 (0.59) anatomical structure development</b>  GO:0006996 (0.47) organelle organization  GO:0007010 (0.45) cytoskeleton organization  GO:1902589 (0.42) single-organism organelle organization  GO:0048869 (0.41) cellular developmental process  GO:0030029 (0.41) actin filament-based process  GO:0030036 (0.39) actin cytoskeleton organization  GO:0048519 (0.32) negative regulation of biological process  GO:0031032 (0.31) actomyosin structure organization  GO:0048523 (0.30) negative regulation of cellular process  GO:0048468 (0.30) cell development</p>	<p><b>GO:0005737 (0.66) cytoplasm</b>  <b>GO:0016020 (0.52) membrane</b>  <b>GO:0043232 (0.51) intracellular non-membrane-bounded organelle</b>  <b>GO:0044430 (0.50) cytoskeletal part</b>  GO:0005856 (0.43) cytoskeleton  GO:0005886 (0.42) plasma membrane  GO:0042995 (0.38) cell projection  GO:0043234 (0.37) protein complex  GO:0044459 (0.36) plasma membrane part  GO:0030054 (0.36) cell junction  GO:0030055 (0.32) cell-substrate junction  GO:0005912 (0.31) adherens junction  GO:0044449 (0.30) contractile fiber part</p>
8	NX_Q9BQS6-1,	<b>GO:0042802 (0.76) identical</b>	<b>GO:0050896 (0.82) response to stimulus</b>	<b>GO:0005634 (0.97) nucleus</b>

	HSPB9. (Heat shock protein beta-9)	<b>protein binding</b> GO:0042803 (0.63) <b>protein homodimerization activity</b> GO:0051082 (0.52) <b>unfolded protein binding</b> GO:0005212 (0.50) <b>structural constituent of eye lens</b> GO:0032182 (0.39) ubiquitin-like protein binding GO:0030291 (0.39) protein serine/threonine kinase inhibitor activity GO:0019900 (0.39) kinase binding GO:0003723 (0.37) RNA binding GO:0043169 (0.35) cation binding	GO:0006950 (0.80) <b>response to stress</b> GO:0009628 (0.71) <b>response to abiotic stimulus</b> GO:0042221 (0.60) <b>response to chemical</b> GO:0009408 (0.60) <b>response to heat</b> GO:0016043 (0.56) <b>cellular component organization</b> GO:0044767 (0.52) <b>single-organism developmental process</b> GO:0048523 (0.51) <b>negative regulation of cellular process</b> GO:0042981 (0.51) <b>regulation of apoptotic process</b> GO:0006457 (0.51) <b>protein folding</b> GO:0043066 (0.50) <b>negative regulation of apoptotic process</b> GO:0022607 (0.49) cellular component assembly GO:1901700 (0.48) <b>response to oxygen-containing compound</b> GO:0048856 (0.48) <b>anatomical structure development</b> GO:0031323 (0.48) <b>regulation of cellular metabolic process</b>	GO:0005737 (0.96) <b>cytoplasm</b>
9	NX_Q96LD4-1, TRIM47. (Tripartite motif-containing protein 47)	GO:0004842 (0.76) <b>ubiquitin-protein transferase activity</b> GO:0061630 (0.31) ubiquitin protein ligase activity	GO:0031323 (0.54) <b>regulation of cellular metabolic process</b> GO:0019538 (0.54) <b>protein metabolic process</b> GO:0060255 (0.53) <b>regulation of macromolecule metabolic process</b> GO:0080090 (0.52) <b>regulation of primary metabolic process</b> GO:0048518 (0.50) <b>positive regulation of biological process</b> GO:0006464 (0.50) <b>cellular protein modification process</b> GO:0032446 (0.48) protein modification by small protein conjugation GO:0048522 (0.47) <b>positive regulation of cellular process</b> GO:0016567 (0.47) protein ubiquitination GO:0065008 (0.46) <b>regulation of biological quality</b> GO:0044764 (0.46) <b>multi-organism cellular process</b> GO:0051715 (0.43) <b>cytolysis in other organism</b> GO:0010468 (0.41) <b>regulation of gene expression</b> GO:2001141 (0.40) <b>regulation of RNA biosynthetic process</b> GO:2000112 (0.40) <b>regulation of cellular macromolecule biosynthetic process</b>	GO:0005737 (0.57) <b>cytoplasm</b> GO:0016020 (0.41) <b>membrane</b> GO:0005634 (0.41) <b>nucleus</b> GO:0005576 (0.41) <b>extracellular region</b> GO:0043232 (0.38) <b>intracellular non-membrane-bounded organelle</b> GO:0043234 (0.35) <b>protein complex</b> GO:0044428 (0.32) <b>nuclear part</b>
10	NX_Q8N7B9-1, EFCAB3. (EF-hand calcium-binding domain-containing protein 3)	GO:0043169 (0.74) <b>cation binding</b> GO:0005509 (0.47) calcium ion binding	GO:0019538 (0.58) <b>protein metabolic process</b> GO:0044267 (0.52) <b>cellular protein metabolic process</b> GO:0007165 (0.46) <b>signal transduction</b> GO:0050896 (0.43) <b>response to stimulus</b> GO:0035556 (0.43) <b>intracellular signal transduction</b> GO:0006796 (0.42) <b>phosphate-containing compound metabolic process</b> GO:0006464 (0.41) <b>cellular protein modification process</b> GO:0051179 (0.40) <b>localization</b> GO:0006468 (0.40) <b>protein phosphorylation</b> GO:0046777 (0.39) <b>protein autophosphorylation</b> GO:0042221 (0.39) <b>response to chemical</b>	GO:0016020 (0.82) <b>membrane</b> GO:0005737 (0.68) <b>cytoplasm</b> GO:0005886 (0.66) <b>plasma membrane</b> GO:0005634 (0.62) <b>nucleus</b> GO:0043234 (0.45) <b>protein complex</b> GO:0044459 (0.44) <b>plasma membrane part</b> GO:0005829 (0.39) <b>cytosol</b> GO:0044430 (0.38) <b>cytoskeletal part</b> GO:0097458 (0.33) <b>neuron part</b> GO:0031090 (0.31) <b>organelle membrane</b> GO:0042995 (0.30) <b>cell projection</b>

			GO:0018105 (0.39) peptidyl-serine phosphorylation GO:0051234 (0.38) establishment of localization GO:0010038 (0.37) response to metal ion GO:0009738 (0.34) abscisic acid-activated signaling pathway	
11	NX_Q6AI12-1, ANKRD40. (Ankyrin repeat domain-containing protein 40)	GO:0019899 (0.64) enzyme binding GO:0044389 (0.62) ubiquitin-like protein ligase binding GO:0008092 (0.62) cytoskeletal protein binding GO:0030507 (0.57) spectrin binding GO:0008093 (0.57) cytoskeletal adaptor activity GO:0044877 (0.51) macromolecular complex binding GO:0008134 (0.51) transcription factor binding GO:0005048 (0.50) signal sequence binding GO:0005200 (0.49) structural constituent of cytoskeleton GO:0051117 (0.48) ATPase binding GO:0016740 (0.30) transferase activity	GO:0060255 (0.62) regulation of macromolecule metabolic process GO:0007165 (0.62) signal transduction GO:0080090 (0.61) regulation of primary metabolic process GO:0031323 (0.61) regulation of cellular metabolic process GO:0051179 (0.60) localization GO:0048522 (0.60) positive regulation of cellular process GO:0016043 (0.60) cellular component organization GO:0065008 (0.58) regulation of biological quality GO:0050896 (0.58) response to stimulus GO:0048519 (0.58) negative regulation of biological process GO:0006355 (0.58) regulation of transcription, DNA-templated GO:0048523 (0.57) negative regulation of cellular process GO:0010604 (0.57) positive regulation of macromolecule metabolic process GO:0006810 (0.57) transport GO:0031325 (0.56) positive regulation of cellular metabolic process	GO:0005737 (0.77) cytoplasm GO:0005634 (0.65) nucleus GO:0016020 (0.63) membrane GO:0005886 (0.55) plasma membrane GO:0044459 (0.51) plasma membrane part GO:0043234 (0.51) protein complex GO:0016021 (0.46) integral component of membrane GO:0005829 (0.43) cytosol GO:0097458 (0.34) neuron part
12	NX_Q6UX52-1, C17orf99. (Uncharacterized protein C17orf99)	GO:0004872 (0.63) receptor activity GO:0004888 (0.56) transmembrane signaling receptor activity GO:0004672 (0.53) protein kinase activity GO:0019199 (0.50) transmembrane receptor protein kinase activity GO:0097367 (0.49) carbohydrate derivative binding GO:0035639 (0.47) purine ribonucleoside triphosphate binding GO:0032559 (0.47) adenylyl ribonucleotide binding GO:0032550 (0.47) purine ribonucleoside binding GO:0046983 (0.39) protein dimerization activity	GO:0032502 (0.68) developmental process GO:0044767 (0.67) single-organism developmental process GO:0048869 (0.61) cellular developmental process GO:0016043 (0.61) cellular component organization GO:0009653 (0.60) anatomical structure morphogenesis GO:0006928 (0.58) movement of cell or subcellular component GO:0048856 (0.54) anatomical structure development GO:0030030 (0.54) cell projection organization GO:0032989 (0.53) cellular component morphogenesis GO:0048812 (0.52) neuron projection morphogenesis GO:0016477 (0.52) cell migration GO:0006796 (0.51) phosphate-containing compound metabolic process GO:0006464 (0.51) cellular protein modification process GO:0016310 (0.50) phosphorylation GO:0061564 (0.48) axon development	GO:0031224 (1.00) intrinsic component of membrane GO:0016020 (1.00) membrane GO:0016021 (0.95) integral component of membrane GO:0005886 (0.90) plasma membrane GO:0044459 (0.75) plasma membrane part GO:0005887 (0.63) integral component of plasma membrane GO:0031982 (0.42) vesicle GO:0097458 (0.41) neuron part GO:0042995 (0.40) cell projection GO:0031988 (0.38) membrane-bounded vesicle GO:0009986 (0.38) cell surface GO:0043005 (0.35) neuron projection GO:0030054 (0.35) cell junction GO:0030424 (0.34) axon GO:0044421 (0.32) extracellular region part
13	NX_Q3MHD2-1, LSM12. (Protein LSM12 homolog)	GO:0003723 (0.59) RNA binding	GO:0090304 (0.79) nucleic acid metabolic process GO:0016070 (0.73) RNA metabolic process GO:0022618 (0.39) ribonucleoprotein complex assembly GO:0000387 (0.32) spliceosomal snRNP assembly	GO:0005576 (0.55) extracellular region GO:0005829 (0.47) cytosol GO:0005634 (0.33) nucleus GO:0036464 (0.31) cytoplasmic ribonucleoprotein granule
14	NX_A8MVW0-1, FAM171A2. (FAM171A2)	GO:1901363 (0.58) heterocyclic compound binding GO:0097159 (0.58) organic	GO:0016043 (0.52) cellular component organization GO:0051179 (0.49) localization	GO:0005737 (0.66) cytoplasm GO:0043234 (0.64) protein complex

		<p><b>cyclic compound binding</b>  <b>GO:0003676 (0.56) nucleic acid binding</b>  <b>GO:0019899 (0.54) enzyme binding</b>  <b>GO:0017016 (0.52) Ras GTPase binding</b>  GO:0022892 (0.47) substrate-specific transporter activity</p>	<p>GO:0006810 (0.46) transport  GO:0060255 (0.42) regulation of macromolecule metabolic process  GO:0006996 (0.42) organelle organization  GO:0080090 (0.41) regulation of primary metabolic process  GO:0031323 (0.41) regulation of cellular metabolic process  GO:0048519 (0.40) negative regulation of biological process  GO:0019538 (0.40) protein metabolic process  GO:0051171 (0.39) regulation of nitrogen compound metabolic process  GO:0050896 (0.39) response to stimulus  GO:0048523 (0.39) negative regulation of cellular process  GO:0032879 (0.39) regulation of localization  GO:0016192 (0.39) vesicle-mediated transport  GO:0010468 (0.39) regulation of gene expression</p>	<p><b>GO:0031982 (0.53) vesicle</b>  <b>GO:0031988 (0.52) membrane-bounded vesicle</b>  <b>GO:0044421 (0.51) extracellular region part</b>  GO:0070062 (0.48) extracellular exosome  GO:0005634 (0.48) nucleus  GO:0044428 (0.40) nuclear part  GO:0016020 (0.40) membrane  GO:0005829 (0.35) cytosol  GO:0031090 (0.34) organelle membrane</p>
15	<p>NX_Q0P5P2-1,  C17orf67.  (Uncharacterized protein C17orf67)</p>	<p><b>GO:0043169 (0.58) cation binding</b>  <b>GO:0004112 (0.58) cyclic-nucleotide phosphodiesterase activity</b>  GO:0032561 (0.48) guanyl ribonucleotide binding  GO:0030551 (0.48) cyclic nucleotide binding</p>	<p>GO:0046068 (0.48) cGMP metabolic process  GO:0009214 (0.48) cyclic nucleotide catabolic process  GO:0009154 (0.48) purine ribonucleotide catabolic process  GO:2000243 (0.37) positive regulation of reproductive process  GO:1900542 (0.37) regulation of purine nucleotide metabolic process  GO:0090075 (0.37) relaxation of muscle  GO:0071902 (0.37) positive regulation of protein serine/threonine kinase activity  GO:0060281 (0.37) regulation of oocyte development  GO:0055117 (0.37) regulation of cardiac muscle contraction  GO:0050868 (0.37) negative regulation of T cell activation  GO:0050672 (0.37) negative regulation of lymphocyte proliferation  GO:0045988 (0.37) negative regulation of striated muscle contraction  GO:0045822 (0.37) negative regulation of heart contraction  GO:0043902 (0.37) positive regulation of multi-organism process  GO:0043410 (0.37) positive regulation of MAPK cascade</p>	<p><b>GO:0005829 (0.53) cytosol</b>  GO:0005737 (0.47) cytoplasm  GO:0016020 (0.33) membrane</p>
16	<p>NX_Q9BQA9-1,  C17orf62.  (Uncharacterized protein C17orf62)</p>	<p><b>GO:0035639 (0.57) purine ribonucleoside triphosphate binding</b>  <b>GO:0032559 (0.57) adenylyl ribonucleotide binding</b>  <b>GO:0032550 (0.57) purine ribonucleoside binding</b>  GO:0051427 (0.37) hormone receptor binding  GO:0031701 (0.37) angiotensin receptor binding  GO:0005126 (0.37) cytokine receptor binding  GO:0004672 (0.37) protein kinase activity</p>	<p><b>GO:0044351 (0.83) macropinocytosis</b>  GO:0048870 (0.32) cell motility  GO:0048869 (0.32) cellular developmental process  GO:0046777 (0.32) protein autophosphorylation  GO:0018108 (0.32) peptidyl-tyrosine phosphorylation  GO:0008283 (0.32) cell proliferation  GO:0007165 (0.32) signal transduction  GO:0006955 (0.32) immune response  GO:0006952 (0.32) defense response</p>	<p><b>GO:0043232 (0.79) intracellular non-membrane-bounded organelle</b>  <b>GO:0044430 (0.74) cytoskeletal part</b>  <b>GO:0005856 (0.74) cytoskeleton</b>  <b>GO:0005737 (0.74) cytoplasm</b>  <b>GO:0005874 (0.68) microtubule</b>  <b>GO:0005829 (0.68) cytosol</b>  <b>GO:0005871 (0.63) kinesin complex</b>  <b>GO:0016020 (0.53) membrane</b>  <b>GO:0005634 (0.53) nucleus</b>  GO:0005815 (0.42) microtubule organizing center  GO:0005819 (0.37) spindle  GO:0005876 (0.32) spindle microtubule</p>
17	<p>NX_Q96T59-1,  CDRT15.</p>	<p><b>GO:0030234 (0.57) enzyme regulator activity</b></p>	<p><b>GO:0006810 (0.68) transport</b>  <b>GO:0016043 (0.57) cellular component</b></p>	<p><b>GO:0016020 (0.79) membrane</b>  <b>GO:0043234 (0.54) protein</b></p>

	(CMT1A duplicated region transcript 15 protein)	<p><b>GO:0016887 (0.55) ATPase activity</b>  <b>GO:0003777 (0.55) microtubule motor activity</b>  GO:0043178 (0.49) alcohol binding  GO:0032934 (0.49) sterol binding  GO:0015248 (0.49) sterol transporter activity  GO:0008047 (0.49) enzyme activator activity  GO:0071814 (0.40) protein-lipid complex binding  GO:0070405 (0.40) ammonium ion binding  GO:0042277 (0.40) peptide binding  GO:0070325 (0.30) lipoprotein particle receptor binding  GO:0034190 (0.30) apolipoprotein receptor binding  GO:0004857 (0.30) enzyme inhibitor activity</p>	<p><b>organization</b>  <b>GO:0071702 (0.55) organic substance transport</b>  <b>GO:0006928 (0.55) movement of cell or subcellular component</b>  <b>GO:0007165 (0.54) signal transduction</b>  <b>GO:0065008 (0.53) regulation of biological quality</b>  <b>GO:0044707 (0.53) single-multicellular organism process</b>  <b>GO:0051239 (0.52) regulation of multicellular organismal process</b>  GO:0055092 (0.49) sterol homeostasis  GO:0045940 (0.49) positive regulation of steroid metabolic process  GO:0042157 (0.49) lipoprotein metabolic process  GO:0034645 (0.49) cellular macromolecule biosynthetic process  GO:0034377 (0.49) plasma lipoprotein particle assembly  GO:0016101 (0.49) diterpenoid metabolic process  GO:0015914 (0.49) phospholipid transport</p>	<p><b>complex</b>  <b>GO:0016021 (0.54) integral component of membrane</b>  GO:0044430 (0.47) cytoskeletal part  GO:0005886 (0.47) plasma membrane  GO:0005871 (0.44) kinesin complex  GO:0070062 (0.35) extracellular exosome  GO:0005829 (0.33) cytosol  GO:0005634 (0.33) nucleus</p>
18	NX_Q8N2U0-1, TMEM256. (Transmembrane protein 256)	<p><b>GO:0022892 (0.57) substrate-specific transporter activity</b>  <b>GO:0017128 (0.55) phospholipid scramblase activity</b>  GO:0008865 (0.45) fructokinase activity  GO:0004454 (0.45) ketohexokinase activity</p>	<p><b>GO:0046835 (0.57) carbohydrate phosphorylation</b>  GO:0006810 (0.46) transport  GO:0044351 (0.43) macropinocytosis</p>	<p><b>GO:0070062 (0.51) extracellular exosome</b>  GO:0016020 (0.41) membrane</p>
19	NX_Q7RTS6-1, OTOP2. (Otopettrin-2)	<p><b>GO:0046983 (0.55) protein dimerization activity</b>  <b>GO:0046873 (0.55) metal ion transmembrane transporter activity</b>  <b>GO:0042802 (0.55) identical protein binding</b>  <b>GO:0031420 (0.55) alkali metal ion binding</b>  <b>GO:0015077 (0.55) monovalent inorganic cation transmembrane transporter activity</b>  GO:0009678 (0.39) hydrogen-translocating pyrophosphatase activity  GO:0004427 (0.39) inorganic diphosphatase activity</p>	<p><b>GO:0042472 (1.00) inner ear morphogenesis</b>  <b>GO:0009590 (0.51) detection of gravity</b>  GO:0045299 (0.49) otolith mineralization  GO:0032475 (0.49) otolith formation  GO:0098662 (0.41) inorganic cation transmembrane transport  GO:0030001 (0.41) metal ion transport</p>	<p><b>GO:0016020 (0.86) membrane</b>  <b>GO:0016021 (0.61) integral component of membrane</b>  GO:0005886 (0.35) plasma membrane  GO:0043234 (0.31) protein complex</p>
20	NX_A6NFU0-1, FAM187A. (Ig-like V-type domain-containing protein FAM187A)	<p><b>GO:0004872 (0.55) receptor activity</b>  <b>GO:0042802 (0.50) identical protein binding</b>  GO:0046983 (0.48) protein dimerization activity  GO:0004888 (0.46) transmembrane signaling receptor activity  GO:0097367 (0.42) carbohydrate derivative binding  GO:0098632 (0.30) protein binding involved in cell-cell adhesion</p>	<p><b>GO:0006928 (0.64) movement of cell or subcellular component</b>  <b>GO:0032502 (0.63) developmental process</b>  <b>GO:0044767 (0.60) single-organism developmental process</b>  <b>GO:0007411 (0.59) axon guidance</b>  <b>GO:0048856 (0.55) anatomical structure development</b>  <b>GO:0048869 (0.53) cellular developmental process</b>  <b>GO:0016043 (0.53) cellular component organization</b>  <b>GO:0051239 (0.52) regulation of multicellular organismal process</b>  <b>GO:0007155 (0.52) cell adhesion</b>  <b>GO:0048518 (0.51) positive regulation of biological process</b>  <b>GO:0050793 (0.50) regulation of developmental process</b></p>	<p><b>GO:0031224 (0.93) intrinsic component of membrane</b>  <b>GO:0016020 (0.92) membrane</b>  <b>GO:0016021 (0.82) integral component of membrane</b>  <b>GO:0005886 (0.71) plasma membrane</b>  <b>GO:0044459 (0.66) plasma membrane part</b>  <b>GO:0097458 (0.59) neuron part</b>  <b>GO:0044421 (0.55) extracellular region part</b>  <b>GO:0043005 (0.53) neuron projection</b>  <b>GO:0030424 (0.52) axon</b>  <b>GO:0031226 (0.51) intrinsic component of plasma membrane</b>  <b>GO:0005887 (0.50) integral component of plasma membrane</b>  GO:0030054 (0.43) cell junction</p>

			<p><b>GO:0048583 (0.50) regulation of response to stimulus</b>  <b>GO:0009653 (0.50) anatomical structure morphogenesis</b>  GO:2000026 (0.49) regulation of multicellular organismal development  GO:0098609 (0.49) cell-cell adhesion</p>	<p>GO:0043025 (0.40) neuronal cell body  GO:0005737 (0.32) cytoplasm  GO:0005576 (0.32) extracellular region</p>
21	NX_Q5M775-1, SPECC1. (Cytospin-B)	<p><b>GO:0008092 (0.53) cytoskeletal protein binding</b>  GO:0046983 (0.45) protein dimerization activity  GO:0042802 (0.45) identical protein binding  GO:0019899 (0.45) enzyme binding  GO:0003779 (0.43) actin binding  GO:0042805 (0.42) actinin binding  GO:0005198 (0.41) structural molecule activity  GO:1901363 (0.40) heterocyclic compound binding  GO:0097367 (0.40) carbohydrate derivative binding  GO:0097159 (0.40) organic cyclic compound binding  GO:0032403 (0.40) protein complex binding  GO:0051015 (0.38) actin filament binding  GO:0044389 (0.38) ubiquitin-like protein ligase binding  GO:0003676 (0.38) nucleic acid binding  GO:0001948 (0.38) glycoprotein binding</p>	<p><b>GO:0016043 (0.67) cellular component organization</b>  <b>GO:0032502 (0.62) developmental process</b>  <b>GO:0044767 (0.60) single-organism developmental process</b>  <b>GO:0006996 (0.55) organelle organization</b>  <b>GO:0048856 (0.51) anatomical structure development</b>  GO:1902589 (0.49) single-organism organelle organization  GO:0007010 (0.48) cytoskeleton organization  GO:0048869 (0.46) cellular developmental process  GO:0051179 (0.45) localization  GO:0006928 (0.43) movement of cell or subcellular component  GO:0030029 (0.42) actin filament-based process  GO:0009653 (0.42) anatomical structure morphogenesis  GO:0030036 (0.41) actin cytoskeleton organization  GO:0051641 (0.39) cellular localization  GO:0022607 (0.37) cellular component assembly</p>	<p><b>GO:0044430 (0.66) cytoskeletal part</b>  <b>GO:0016020 (0.59) membrane</b>  <b>GO:0043232 (0.54) intracellular non-membrane-bounded organelle</b>  <b>GO:0030054 (0.51) cell junction</b>  <b>GO:0005856 (0.51) cytoskeleton</b>  GO:0005886 (0.48) plasma membrane  GO:0044459 (0.47) plasma membrane part  GO:0042995 (0.45) cell projection  GO:0005912 (0.45) adherens junction  GO:0005737 (0.42) cytoplasm  GO:0030055 (0.41) cell-substrate junction  GO:0005924 (0.38) cell-substrate adherens junction  GO:0005911 (0.36) cell-cell junction  GO:0044449 (0.35) contractile fiber part  GO:0044448 (0.34) cell cortex part</p>
22	NX_O43149-1, ZZEF1. (Zinc finger ZZ-type and EF-hand domain-containing protein 1)	<p><b>GO:0016740 (0.53) transferase activity</b>  GO:0004842 (0.32) ubiquitin-protein transferase activity</p>	<p><b>GO:0019538 (0.61) protein metabolic process</b>  <b>GO:0006464 (0.50) cellular protein modification process</b>  GO:0032446 (0.36) protein modification by small protein conjugation  GO:0016567 (0.35) protein ubiquitination</p>	<p>GO:0005634 (0.47) nucleus  GO:0005737 (0.46) cytoplasm</p>
23	NX_Q7Z5L0-1, VMO1. (Vitelline membrane outer layer protein 1 homolog)	<p><b>GO:0016787 (0.53) hydrolase activity</b>  GO:0008061 (0.36) chitin binding  GO:0004568 (0.36) chitinase activity</p>	<p>GO:0048856 (0.35) anatomical structure development</p>	<p><b>GO:0070062 (1.00) extracellular exosome</b></p>
24	NX_A8MSI8-1, LYRM9. (LYR motif-containing protein 9)	<p><b>GO:0008137 (0.52) NADH dehydrogenase (ubiquinone) activity</b></p>	<p>GO:0022607 (0.41) cellular component assembly  GO:0043623 (0.36) cellular protein complex assembly  GO:0070271 (0.32) protein complex biogenesis  GO:0033108 (0.32) mitochondrial respiratory chain complex assembly</p>	<p><b>GO:0005737 (0.56) cytoplasm</b>  <b>GO:0005739 (0.53) mitochondrion</b>  GO:0044421 (0.42) extracellular region part  GO:0070062 (0.40) extracellular exosome  GO:0016020 (0.40) membrane  GO:0005576 (0.40) extracellular region</p>
25	NX_Q8WU58-1, FAM222B. (FAM222B)	<p><b>GO:0003676 (0.52) nucleic acid binding</b>  GO:0043169 (0.32) cation binding</p>	<p>GO:0019222 (0.33) regulation of metabolic process  GO:0060255 (0.32) regulation of macromolecule metabolic process  GO:0031323 (0.32) regulation of cellular metabolic process  GO:0080090 (0.30) regulation of primary metabolic process  GO:0010468 (0.30) regulation of gene expression</p>	<p><b>GO:0005654 (1.00) nucleoplasm</b></p>
26	NX_Q8TC99-1, FNDC8.	<p><b>GO:0097367 (0.51) carbohydrate derivative</b></p>	<p><b>GO:0032502 (0.67) developmental process</b></p>	<p>GO:0005634 (0.96) nucleus</p>

	(Fibronectin type III domain-containing protein 8)	<b>binding</b> <b>GO:1901363 (0.50) heterocyclic compound binding</b> <b>GO:0097159 (0.50) organic cyclic compound binding</b> GO:0035639 (0.49) purine ribonucleoside triphosphate binding GO:0032559 (0.49) adenylyl ribonucleotide binding GO:0032550 (0.49) purine ribonucleoside binding GO:0016740 (0.37) transferase activity GO:0004872 (0.37) receptor activity GO:0016787 (0.35) hydrolase activity GO:0004888 (0.35) transmembrane signaling receptor activity GO:0004672 (0.35) protein kinase activity GO:0008186 (0.31) RNA-dependent ATPase activity GO:0008026 (0.31) ATP-dependent helicase activity GO:0003724 (0.31) RNA helicase activity	<b>GO:0044767 (0.63) single-organism developmental process</b> <b>GO:0048856 (0.54) anatomical structure development</b> <b>GO:0048869 (0.52) cellular developmental process</b> GO:0006928 (0.40) movement of cell or subcellular component GO:0016043 (0.39) cellular component organization GO:0019538 (0.36) protein metabolic process GO:0006464 (0.35) cellular protein modification process GO:0009653 (0.34) anatomical structure morphogenesis GO:0006796 (0.34) phosphate-containing compound metabolic process GO:0051239 (0.32) regulation of multicellular organismal process GO:0007411 (0.32) axon guidance GO:2000026 (0.30) regulation of multicellular organismal development GO:0051128 (0.30) regulation of cellular component organization GO:0016310 (0.30) phosphorylation	
27	NX_Q9C073-1, FAM117A. (FAM117A)	<b>GO:0022891 (0.51) substrate-specific transmembrane transporter activity</b> GO:0005459 (0.40) UDP-galactose transmembrane transporter activity	GO:0032501 (0.48) multicellular organismal process GO:0044767 (0.46) single-organism developmental process GO:0048856 (0.44) anatomical structure development GO:0048869 (0.42) cellular developmental process GO:0003008 (0.40) system process GO:0051179 (0.37) localization GO:0072015 (0.36) glomerular visceral epithelial cell development GO:0006810 (0.36) transport GO:0003094 (0.36) glomerular filtration	<b>GO:0005737 (0.57) cytoplasm</b>
28	NX_O14894-1, TM4SF5. (Transmembrane 4 L6 family member 5)	<b>GO:0015370 (0.50) solute:sodium symporter activity</b> <b>GO:0005326 (0.50) neurotransmitter transporter activity</b>	<b>GO:0048856 (1.00) anatomical structure development</b> <b>GO:0044767 (1.00) single-organism developmental process</b> <b>GO:2000227 (0.64) negative regulation of pancreatic A cell differentiation</b> <b>GO:2000077 (0.64) negative regulation of type B pancreatic cell development</b> <b>GO:0090104 (0.64) pancreatic epsilon cell differentiation</b> <b>GO:0031018 (0.64) endocrine pancreas development</b> GO:0042246 (0.36) tissue regeneration GO:0044765 (0.34) single-organism transport	<b>GO:0016021 (1.00) integral component of membrane</b>
29	NX_Q96MC4-1, CEP295NL. (CEP295 N-terminal-like protein)	<b>GO:0016740 (0.50) transferase activity</b> GO:0036094 (0.45) small molecule binding GO:1901981 (0.44) phosphatidylinositol phosphate binding GO:0030234 (0.44) enzyme regulator activity GO:0033218 (0.43) amide binding GO:0030246 (0.43) carbohydrate binding	<b>GO:0051128 (0.64) regulation of cellular component organization</b> <b>GO:0048518 (0.63) positive regulation of biological process</b> <b>GO:0048522 (0.62) positive regulation of cellular process</b> <b>GO:0033043 (0.61) regulation of organelle organization</b> <b>GO:0010638 (0.58) positive regulation of organelle organization</b> <b>GO:0016043 (0.55) cellular component organization</b> <b>GO:0032502 (0.51) developmental</b>	<b>GO:0043234 (0.63) protein complex</b> <b>GO:0044430 (0.58) cytoskeletal part</b> <b>GO:0005737 (0.53) cytoplasm</b> GO:0016020 (0.44) membrane GO:0005829 (0.43) cytosol GO:0043232 (0.42) intracellular non-membrane-bounded organelle GO:0044428 (0.33) nuclear part GO:0005634 (0.33) nucleus GO:0044450 (0.30) microtubule organizing center part



		GO:0010485 (0.43) H4 histone acetyltransferase activity GO:0008375 (0.43) acetylglucosaminyltransferase activity	<b>process</b> GO:0044767 (0.49) single-organism developmental process GO:0051179 (0.48) localization GO:0006996 (0.48) organelle organization GO:0048856 (0.47) anatomical structure development GO:0065008 (0.44) regulation of biological quality GO:0051641 (0.44) cellular localization GO:0022607 (0.44) cellular component assembly GO:0044267 (0.43) cellular protein metabolic process	
30	NX_Q9Y2Y6-1, TMEM98. (Transmembrane protein 98)	<b>GO:0046914 (0.50) transition metal ion binding</b> <b>GO:0046906 (0.50) tetrapyrrole binding</b> <b>GO:0016676 (0.50) oxidoreductase activity, acting on a heme group of donors, oxygen as acceptor</b> <b>GO:0015078 (0.50) hydrogen ion transmembrane transporter activity</b> <b>GO:0015002 (0.50) heme-copper terminal oxidase activity</b> <b>GO:0009055 (0.50) electron carrier activity</b>	<b>GO:0098662 (0.50) inorganic cation transmembrane transport</b> <b>GO:0046034 (0.50) ATP metabolic process</b> <b>GO:0045333 (0.50) cellular respiration</b> <b>GO:0016310 (0.50) phosphorylation</b> <b>GO:0015672 (0.50) monovalent inorganic cation transport</b> <b>GO:0006818 (0.50) hydrogen transport</b>	<b>GO:0005634 (0.52) nucleus</b> GO:0005783 (0.48) endoplasmic reticulum
31	NX_Q8IZD0-1, SAMD14. (Sterile alpha motif domain-containing protein 14)	GO:0044877 (0.48) macromolecular complex binding GO:0032403 (0.47) protein complex binding GO:0051015 (0.45) actin filament binding GO:1901363 (0.43) heterocyclic compound binding GO:0097159 (0.43) organic cyclic compound binding GO:0043169 (0.42) cation binding GO:0097367 (0.41) carbohydrate derivative binding GO:0017076 (0.41) purine nucleotide binding GO:0035639 (0.40) purine ribonucleoside triphosphate binding GO:0032559 (0.40) adenylyl ribonucleotide binding GO:0032550 (0.40) purine ribonucleoside binding GO:0016879 (0.40) ligase activity, forming carbon-nitrogen bonds	<b>GO:0016043 (0.64) cellular component organization</b> <b>GO:0007165 (0.61) signal transduction</b> GO:0030030 (0.49) cell projection organization GO:0035556 (0.47) intracellular signal transduction GO:0019932 (0.46) second-messenger-mediated signaling GO:0031175 (0.45) neuron projection development GO:0019722 (0.45) calcium-mediated signaling GO:0007015 (0.44) actin filament organization GO:0044710 (0.30) single-organism metabolic process	<b>GO:0005737 (0.81) cytoplasm</b> <b>GO:0043232 (0.61) intracellular non-membrane-bounded organelle</b> <b>GO:0097458 (0.53) neuron part</b> <b>GO:0042995 (0.51) cell projection</b> <b>GO:0044456 (0.50) synapse part</b> <b>GO:0043005 (0.50) neuron projection</b> <b>GO:0016020 (0.50) membrane</b> <b>GO:0005856 (0.50) cytoskeleton</b> GO:0015629 (0.42) actin cytoskeleton GO:0014069 (0.42) postsynaptic density GO:0030425 (0.38) dendrite GO:0005829 (0.33) cytosol GO:0005739 (0.30) mitochondrion
32	NX_A8MV24-1, C17orf98. (Uncharacterized protein C17orf98)	GO:0015926 (0.48) glucosidase activity	GO:0051275 (0.37) beta-glucan catabolic process GO:0030243 (0.37) cellulose metabolic process	<b>GO:0005576 (0.75) extracellular region</b>
33	NX_Q8IYN6-1, UBALD2. (UBA-like domain-containing protein 2)	GO:1901363 (0.46) heterocyclic compound binding GO:0097159 (0.46) organic cyclic compound binding GO:0043169 (0.41) cation binding GO:0016491 (0.40) oxidoreductase activity GO:0046906 (0.39) tetrapyrrole binding GO:0016684 (0.39) oxidoreductase activity, acting on	<b>GO:0044248 (0.53) cellular catabolic process</b> GO:0050896 (0.44) response to stimulus GO:0044710 (0.41) single-organism metabolic process GO:0006950 (0.41) response to stress GO:1990748 (0.39) cellular detoxification GO:0042743 (0.39) hydrogen peroxide metabolic process GO:0016043 (0.38) cellular component organization	<b>GO:0005576 (0.55) extracellular region</b> GO:0043234 (0.44) protein complex GO:0005634 (0.43) nucleus GO:0044428 (0.42) nuclear part GO:0044451 (0.36) nucleoplasm part GO:0005737 (0.31) cytoplasm GO:0005829 (0.30) cytosol

		peroxide as acceptor GO:0016209 (0.39) antioxidant activity		
34	NX_Q86X02-1, CDR2L. (Cerebellar degeneration-related protein 2-like)	GO:0016787 (0.46) hydrolase activity GO:0017111 (0.45) nucleoside-triphosphatase activity GO:0008092 (0.37) cytoskeletal protein binding GO:1901363 (0.35) heterocyclic compound binding GO:0097159 (0.35) organic cyclic compound binding GO:0035639 (0.33) purine ribonucleoside triphosphate binding GO:0032559 (0.33) adenylyl ribonucleotide binding GO:0032550 (0.33) purine ribonucleoside binding	<b>GO:0016043 (0.52) cellular component organization</b> GO:0006996 (0.44) organelle organization GO:0022607 (0.37) cellular component assembly GO:0007010 (0.36) cytoskeleton organization GO:0070925 (0.33) organelle assembly GO:0043933 (0.31) macromolecular complex subunit organization GO:0043623 (0.30) cellular protein complex assembly	<b>GO:0044430 (0.87) cytoskeletal part</b> <b>GO:0005737 (0.80) cytoplasm</b> <b>GO:0043234 (0.64) protein complex</b> <b>GO:0043232 (0.61) intracellular non-membrane-bounded organelle</b> <b>GO:0016459 (0.54) myosin complex</b> GO:0016020 (0.49) membrane GO:0042995 (0.32) cell projection GO:0032982 (0.31) myosin filament GO:0031988 (0.30) membrane-bounded vesicle
35	NX_B2RV13-1, C17orf105. (Uncharacterized protein C17orf105)	GO:0016740 (0.44) transferase activity GO:0004842 (0.41) ubiquitin-protein transferase activity GO:0004185 (0.36) serine-type carboxypeptidase activity GO:0004181 (0.36) metalloproteinase activity	<b>GO:0019538 (0.94) protein metabolic process</b> <b>GO:0006464 (0.51) cellular protein modification process</b> GO:0042787 (0.49) protein ubiquitination involved in ubiquitin-dependent protein catabolic process GO:1901564 (0.47) organonitrogen compound metabolic process GO:0043603 (0.47) cellular amide metabolic process GO:0016485 (0.44) protein processing GO:0006518 (0.44) peptide metabolic process	<b>GO:0005737 (0.88) cytoplasm</b> <b>GO:0005634 (0.81) nucleus</b> <b>GO:0005829 (0.76) cytosol</b> <b>GO:0044428 (0.54) nuclear part</b> <b>GO:0016020 (0.51) membrane</b> <b>GO:0005654 (0.51) nucleoplasm</b> GO:0044421 (0.48) extracellular region part GO:0044454 (0.45) nuclear chromosome part GO:0005615 (0.44) extracellular space GO:0000790 (0.41) nuclear chromatin
36	NX_Q2TAC2-1, CCDC57. (Coiled-coil domain-containing protein 57)	GO:0097367 (0.44) carbohydrate derivative binding GO:0035639 (0.41) purine ribonucleoside triphosphate binding GO:0032559 (0.41) adenylyl ribonucleotide binding GO:0032550 (0.41) purine ribonucleoside binding GO:0052813 (0.31) phosphatidylinositol bisphosphate kinase activity GO:0052742 (0.31) phosphatidylinositol kinase activity GO:0035004 (0.31) phosphatidylinositol 3-kinase activity GO:0016307 (0.31) phosphatidylinositol phosphate kinase activity	<b>GO:0016043 (0.56) cellular component organization</b> <b>GO:0048518 (0.50) positive regulation of biological process</b> GO:0060255 (0.48) regulation of macromolecule metabolic process GO:0010604 (0.46) positive regulation of macromolecule metabolic process GO:0035556 (0.43) intracellular signal transduction GO:0010468 (0.43) regulation of gene expression GO:0048017 (0.41) inositol lipid-mediated signaling GO:1901576 (0.34) organic substance biosynthetic process GO:0044249 (0.34) cellular biosynthetic process GO:0032502 (0.34) developmental process GO:0044767 (0.33) single-organism developmental process GO:0006796 (0.33) phosphate-containing compound metabolic process GO:0044710 (0.32) single-organism metabolic process GO:0016310 (0.32) phosphorylation GO:0046834 (0.31) lipid phosphorylation	<b>GO:0016020 (1.00) membrane</b> <b>GO:0043234 (0.90) protein complex</b> <b>GO:0005942 (0.85) phosphatidylinositol 3-kinase complex</b> <b>GO:0005737 (0.74) cytoplasm</b> <b>GO:0005886 (0.69) plasma membrane</b> <b>GO:0005829 (0.60) cytosol</b> GO:0044430 (0.47) cytoskeletal part GO:0044421 (0.35) extracellular region part GO:0005773 (0.34) vacuole GO:0044428 (0.33) nuclear part GO:0043232 (0.32) intracellular non-membrane-bounded organelle GO:0042995 (0.32) cell projection GO:0031982 (0.32) vesicle GO:0031988 (0.31) membrane-bounded vesicle GO:0005634 (0.30) nucleus
37	NX_Q8N3J3-1, C17orf53. (Uncharacterized protein C17orf53)	GO:0016787 (0.43) hydrolase activity GO:0004175 (0.37) endopeptidase activity GO:0004252 (0.36) serine-type endopeptidase activity	<b>GO:0016043 (0.62) cellular component organization</b> <b>GO:0048518 (0.60) positive regulation of biological process</b> <b>GO:0051179 (0.58) localization</b> <b>GO:0048519 (0.58) negative regulation of biological process</b> <b>GO:0065008 (0.57) regulation of biological quality</b> <b>GO:0048523 (0.57) negative regulation</b>	<b>GO:0005576 (0.91) extracellular region</b> <b>GO:0044421 (0.70) extracellular region part</b> <b>GO:0005615 (0.67) extracellular space</b> <b>GO:0031982 (0.55) vesicle</b> <b>GO:0031988 (0.54) membrane-bounded vesicle</b> <b>GO:0070062 (0.53) extracellular</b>

			<p><b>of cellular process</b>  <b>GO:0006810 (0.57) transport</b>  <b>GO:0051239 (0.54) regulation of multicellular organismal process</b>  <b>GO:0048583 (0.54) regulation of response to stimulus</b>  <b>GO:1902578 (0.53) single-organism localization</b>  <b>GO:0048584 (0.52) positive regulation of response to stimulus</b>  <b>GO:0044765 (0.52) single-organism transport</b>  <b>GO:0016192 (0.52) vesicle-mediated transport</b>  <b>GO:0051240 (0.51) positive regulation of multicellular organismal process</b>  <b>GO:0042127 (0.51) regulation of cell proliferation</b></p>	<p><b>exosome</b>  <b>GO:0016020 (0.53) membrane</b>  GO:0005886 (0.36) plasma membrane  GO:0005737 (0.30) cytoplasm</p>
38	NX_Q9BSJ5-1, C17orf80. (Uncharacterized protein C17orf80)	GO:1901363 (0.43) heterocyclic compound binding GO:0097159 (0.43) organic cyclic compound binding GO:0097367 (0.40) carbohydrate derivative binding GO:0035639 (0.39) purine ribonucleoside triphosphate binding GO:0032559 (0.39) adenylyl ribonucleotide binding GO:0032550 (0.39) purine ribonucleoside binding GO:0008092 (0.35) cytoskeletal protein binding GO:0003676 (0.35) nucleic acid binding GO:0043169 (0.30) cation binding	GO:0032501 (0.47) multicellular organismal process GO:0044767 (0.46) single-organism developmental process GO:0016043 (0.46) cellular component organization GO:0065008 (0.44) regulation of biological quality GO:0044707 (0.37) single-multicellular organism process GO:0006996 (0.33) organelle organization GO:0051239 (0.30) regulation of multicellular organismal process	<p><b>GO:0070062 (0.97) extracellular exosome</b></p>
39	NX_Q96N21-1, TEPSIN. (AP-4 complex accessory subunit Tepsin)	GO:0043167 (0.43) ion binding GO:0043169 (0.42) cation binding		<p><b>GO:0043234 (0.63) protein complex</b>  <b>GO:0005737 (0.60) cytoplasm</b>  GO:0016020 (0.41) membrane  GO:0044428 (0.38) nuclear part  GO:0043232 (0.33) intracellular non-membrane-bounded organelle  GO:1902494 (0.32) catalytic complex  GO:1990234 (0.31) transferase complex  GO:0005634 (0.30) nucleus</p>
40	NX_Q71RG4-1, TMUB2. (Transmembrane and ubiquitin-like domain-containing protein 2)	GO:1990841 (0.41) promoter-specific chromatin binding GO:0051718 (0.41) DNA (cytosine-5-)-methyltransferase activity, acting on CpG substrates GO:0045322 (0.41) unmethylated CpG binding GO:0042826 (0.41) histone deacetylase binding GO:0030331 (0.41) estrogen receptor binding GO:0019904 (0.41) protein domain specific binding GO:0008327 (0.41) methyl-CpG binding GO:0008270 (0.41) zinc ion binding GO:0003723 (0.41) RNA binding GO:0003690 (0.41) double-stranded DNA binding	<p><b>GO:0019538 (0.78) protein metabolic process</b>  <b>GO:0019941 (0.63) modification-dependent protein catabolic process</b>  <b>GO:0006511 (0.62) ubiquitin-dependent protein catabolic process</b>  <b>GO:0043412 (0.56) macromolecule modification</b>  <b>GO:0071840 (0.54) cellular component organization or biogenesis</b>  <b>GO:0016043 (0.53) cellular component organization</b>  GO:0048519 (0.49) negative regulation of biological process  GO:0080090 (0.48) regulation of primary metabolic process  GO:0060255 (0.48) regulation of macromolecule metabolic process  GO:0090304 (0.47) nucleic acid metabolic process  GO:0051246 (0.47) regulation of protein metabolic process</p>	<p><b>GO:0005634 (1.00) nucleus</b>  <b>GO:0044428 (0.89) nuclear part</b>  <b>GO:0005737 (0.81) cytoplasm</b>  <b>GO:0005654 (0.79) nucleoplasm</b>  <b>GO:0043234 (0.64) protein complex</b>  GO:0044427 (0.44) chromosomal part  GO:0043025 (0.44) neuronal cell body  GO:0005721 (0.43) pericentric heterochromatin  GO:0005657 (0.43) replication fork</p>

			GO:0050896 (0.47) response to stimulus GO:0048523 (0.47) negative regulation of cellular process GO:0043161 (0.47) proteasome-mediated ubiquitin-dependent protein catabolic process GO:0031323 (0.47) regulation of cellular metabolic process	
41	NX_P84157-1, MXRA7. (Matrix-remodeling-associated protein 7)	GO:0003676 (0.40) nucleic acid binding	GO:0050896 (0.43) response to stimulus GO:0051716 (0.37) cellular response to stimulus GO:0006950 (0.31) response to stress	<b>GO:0005634 (0.59) nucleus</b> <b>GO:0044428 (0.53) nuclear part</b> GO:0009986 (0.30) cell surface
42	NX_Q86X59-1, C17orf82. (Putative uncharacterized protein C17orf82)	GO:0015926 (0.39) glucosidase activity GO:0003676 (0.34) nucleic acid binding	<b>GO:0016043 (0.55) cellular component organization</b> <b>GO:0032502 (0.52) developmental process</b> GO:0048856 (0.48) anatomical structure development GO:0051179 (0.45) localization GO:0006810 (0.44) transport GO:0043933 (0.42) macromolecular complex subunit organization GO:0022607 (0.42) cellular component assembly GO:0065003 (0.39) macromolecular complex assembly GO:0051641 (0.39) cellular localization GO:0051649 (0.38) establishment of localization in cell GO:0048731 (0.38) system development GO:0006139 (0.38) nucleobase-containing compound metabolic process GO:0090304 (0.37) nucleic acid metabolic process GO:0034622 (0.37) cellular macromolecular complex assembly GO:0046907 (0.36) intracellular transport	<b>GO:0005576 (0.53) extracellular region</b> GO:0016020 (0.48) membrane GO:0005737 (0.44) cytoplasm GO:0043234 (0.39) protein complex GO:0005886 (0.33) plasma membrane
43	NX_Q8WXE0-1, CASKIN2. (Caskin-2)	GO:0016740 (0.39) transferase activity GO:0019899 (0.31) enzyme binding	GO:0007165 (0.41) signal transduction	<b>GO:0005737 (0.60) cytoplasm</b> GO:0005634 (0.36) nucleus
44	NX_O43760-1, SYNGR2. (Synaptogyrin-2)	GO:0043169 (0.37) cation binding	<b>GO:0006810 (0.66) transport</b> <b>GO:0051649 (0.64) establishment of localization in cell</b> <b>GO:0051641 (0.64) cellular localization</b> <b>GO:0006605 (0.52) protein targeting</b> GO:0051049 (0.31) regulation of transport	<b>GO:0031594 (1.00) neuromuscular junction</b> <b>GO:0030672 (1.00) synaptic vesicle membrane</b>
45	NX_Q8NAA5-1, LRRC75A. (Leucine-rich repeat-containing protein 75A)	GO:0030234 (0.37) enzyme regulator activity GO:0004857 (0.36) enzyme inhibitor activity	GO:0044767 (0.48) single-organism developmental process GO:0065009 (0.45) regulation of molecular function GO:0050790 (0.44) regulation of catalytic activity GO:0051239 (0.43) regulation of multicellular organismal process GO:0019222 (0.40) regulation of metabolic process GO:0048518 (0.39) positive regulation of biological process GO:0044092 (0.39) negative regulation of molecular function GO:0009057 (0.39) macromolecule catabolic process GO:0060255 (0.38) regulation of macromolecule metabolic process GO:0050793 (0.38) regulation of developmental process GO:0031323 (0.38) regulation of cellular	<b>GO:0005737 (0.69) cytoplasm</b> <b>GO:0043234 (0.58) protein complex</b> <b>GO:0016020 (0.57) membrane</b> GO:0005886 (0.45) plasma membrane GO:0044421 (0.38) extracellular region part GO:0005634 (0.37) nucleus GO:0031988 (0.36) membrane-bounded vesicle GO:0070062 (0.35) extracellular exosome GO:0031224 (0.32) intrinsic component of membrane GO:0044428 (0.31) nuclear part

			metabolic process GO:2000026 (0.37) regulation of multicellular organismal development GO:0090304 (0.37) nucleic acid metabolic process GO:0044265 (0.37) cellular macromolecule catabolic process GO:0080090 (0.36) regulation of primary metabolic process	
46	NX_P34910-1, EVI2B. (EVI2B)	GO:0005198 (0.37) structural molecule activity	GO:0051179 (0.43) localization GO:0051234 (0.42) establishment of localization GO:0006810 (0.41) transport GO:0051649 (0.39) establishment of localization in cell GO:0051641 (0.39) cellular localization GO:0046907 (0.37) intracellular transport GO:0071702 (0.34) organic substance transport GO:0051169 (0.33) nuclear transport GO:0050658 (0.32) RNA transport GO:0045184 (0.32) establishment of protein localization	<b>GO:0005887 (1.00) integral component of plasma membrane</b>
47	NX_Q96A25-1, TMEM106A. (Transmembrane protein 106A)	GO:0008236 (0.36) serine-type peptidase activity GO:0004175 (0.36) endopeptidase activity	<b>GO:0048813 (1.00) dendrite morphogenesis</b> <b>GO:0032418 (1.00) lysosome localization</b> <b>GO:0007041 (0.93) lysosomal transport</b> <b>GO:0007040 (0.93) lysosome organization</b>	<b>GO:0016020 (0.97) membrane</b>
48	NX_Q8NEP4-1, C17orf47. (Uncharacterized protein C17orf47)	GO:1901363 (0.37) heterocyclic compound binding GO:0097159 (0.37) organic cyclic compound binding GO:0003676 (0.35) nucleic acid binding		<b>GO:0043234 (0.68) protein complex</b> GO:0005737 (0.41) cytoplasm GO:1990234 (0.34) transferase complex GO:0043232 (0.33) intracellular non-membrane-bounded organelle GO:0016020 (0.33) membrane
49	NX_Q9NWM3-1, CUEDC1. (CUE domain-containing protein 1)	GO:0022892 (0.35) substrate-specific transporter activity GO:0019899 (0.32) enzyme binding	<b>GO:0006796 (0.55) phosphate-containing compound metabolic process</b> <b>GO:0016310 (0.52) phosphorylation</b>	<b>GO:0005634 (0.85) nucleus</b> <b>GO:0005737 (0.75) cytoplasm</b> <b>GO:0044428 (0.66) nuclear part</b> <b>GO:0016020 (0.60) membrane</b> <b>GO:0043234 (0.58) protein complex</b> <b>GO:0070062 (0.56) extracellular exosome</b> <b>GO:0005643 (0.54) nuclear pore</b> GO:0005829 (0.36) cytosol GO:0005654 (0.30) nucleoplasm
50	NX_Q96QE4-1, LRRC37B. (Leucine-rich repeat-containing protein 37B)	GO:0005215 (0.35) transporter activity GO:0022892 (0.34) substrate-specific transporter activity	GO:0007165 (0.45) signal transduction GO:0032502 (0.42) developmental process GO:0044767 (0.41) single-organism developmental process GO:0051179 (0.35) localization GO:0016043 (0.35) cellular component organization GO:0051641 (0.34) cellular localization GO:0006810 (0.34) transport GO:0051649 (0.33) establishment of localization in cell GO:0008104 (0.33) protein localization GO:0048583 (0.32) regulation of response to stimulus GO:0006886 (0.32) intracellular protein transport GO:0007166 (0.31) cell surface receptor signaling pathway GO:0031323 (0.30) regulation of cellular metabolic process	GO:0005737 (0.49) cytoplasm GO:0044421 (0.30) extracellular region part
51	NX_Q8N6N6-1, NATD1.	GO:0004402 (0.33) histone acetyltransferase activity	<b>GO:0006473 (0.68) protein acetylation</b> GO:0018393 (0.44) internal peptidyl-lysine	<b>GO:0043234 (0.64) protein complex</b>

	(NATD1)		acetylation GO:0001702 (0.37) gastrulation with mouth forming second GO:0016573 (0.35) histone acetylation GO:0006474 (0.35) N-terminal protein amino acid acetylation	<b>GO:0031248 (0.55) protein acetyltransferase complex</b> GO:0005737 (0.36) cytoplasm GO:0044428 (0.33) nuclear part GO:0044427 (0.33) chromosomal part GO:0005634 (0.30) nucleus
52	NX_Q71RC9-1, SMIM5. (Small integral membrane protein 5)	GO:0051015 (0.33) actin filament binding GO:0030274 (0.33) LIM domain binding GO:0017166 (0.33) vinculin binding GO:0005200 (0.33) structural constituent of cytoskeleton GO:0005178 (0.33) integrin binding	GO:0098876 (0.48) vesicle-mediated transport to the plasma membrane GO:0071702 (0.48) organic substance transport GO:0051278 (0.48) fungal-type cell wall polysaccharide biosynthetic process GO:0045184 (0.48) establishment of protein localization GO:0030010 (0.48) establishment of cell polarity GO:0006892 (0.48) post-Golgi vesicle-mediated transport GO:0006038 (0.48) cell wall chitin biosynthetic process GO:0000281 (0.48) mitotic cytokinesis GO:0070527 (0.33) platelet aggregation GO:0030866 (0.33) cortical actin cytoskeleton organization GO:0007044 (0.33) cell-substrate junction assembly GO:0007016 (0.33) cytoskeletal anchoring at plasma membrane	<b>GO:0016020 (0.93) membrane</b> <b>GO:0043234 (0.60) protein complex</b> <b>GO:0044431 (0.53) Golgi apparatus part</b> <b>GO:0005794 (0.53) Golgi apparatus</b> GO:0031988 (0.47) membrane-bounded vesicle GO:0005737 (0.47) cytoplasm GO:0070062 (0.40) extracellular exosome GO:0044430 (0.40) cytoskeletal part GO:0034044 (0.40) exomer complex GO:0005925 (0.40) focal adhesion GO:0005886 (0.40) plasma membrane GO:0005856 (0.40) cytoskeleton GO:0032587 (0.33) ruffle membrane GO:0009986 (0.33) cell surface GO:0005815 (0.33) microtubule organizing center
53	NX_Q96GE4-1, CEP95. (Centrosomal protein of 95 kDa)	GO:0035639 (0.32) purine ribonucleoside triphosphate binding GO:0032559 (0.32) adenylyl ribonucleotide binding GO:0032550 (0.32) purine ribonucleoside binding GO:0003676 (0.32) nucleic acid binding	GO:0016043 (0.38) cellular component organization	<b>GO:0005813 (1.00) centrosome</b> <b>GO:000922 (1.00) spindle pole</b>
54	NX_Q9BU68-1, PRR15L. (Proline-rich protein 15-like protein)	GO:0044877 (0.31) macromolecular complex binding GO:0005524 (0.31) ATP binding GO:0004672 (0.31) protein kinase activity	GO:0018108 (0.42) peptidyl-tyrosine phosphorylation GO:0008283 (0.42) cell proliferation GO:0006955 (0.42) immune response GO:0006952 (0.42) defense response GO:2001236 (0.31) regulation of extrinsic apoptotic signaling pathway GO:2001234 (0.31) negative regulation of apoptotic signaling pathway GO:0043068 (0.31) positive regulation of programmed cell death GO:0022610 (0.31) biological adhesion	<b>GO:0005737 (0.84) cytoplasm</b> <b>GO:0016020 (0.74) membrane</b> <b>GO:0044459 (0.58) plasma membrane part</b> <b>GO:0005829 (0.58) cytosol</b> GO:0098590 (0.37) plasma membrane region GO:0005886 (0.37) plasma membrane GO:0043234 (0.32) protein complex GO:0005634 (0.32) nucleus
55	NX_A8MU93-1, C17orf100. (Uncharacterized protein C17orf100)		<b>GO:0030308 (0.84) negative regulation of cell growth</b>	<b>GO:0005737 (0.88) cytoplasm</b> <b>GO:0005634 (0.81) nucleus</b> <b>GO:0043234 (0.77) protein complex</b> <b>GO:0016459 (0.76) myosin complex</b> <b>GO:0031988 (0.60) membrane-bounded vesicle</b> <b>GO:0016020 (0.59) membrane</b> GO:0042995 (0.44) cell projection GO:0016023 (0.44) cytoplasmic, membrane-bounded vesicle GO:0044421 (0.30) extracellular region part GO:0030139 (0.30) endocytic vesicle GO:0005886 (0.30) plasma membrane
56	NX_Q969W3-1, FAM104A. (FAM104A)		<b>GO:0006950 (0.81) response to stress</b> <b>GO:0042276 (0.80) error-prone translesion synthesis</b>	<b>GO:0043234 (0.85) protein complex</b> <b>GO:0005634 (0.84) nucleus</b>

				<p><b>GO:0061695 (0.81) transferase complex, transferring phosphorus-containing groups</b>  <b>GO:0016035 (0.80) zeta DNA polymerase complex</b>  <b>GO:0005829 (0.68) cytosol</b>  <b>GO:0016020 (0.57) membrane</b>  <b>GO:0005737 (0.57) cytoplasm</b>  <b>GO:0031982 (0.51) vesicle</b>  <b>GO:0005886 (0.51) plasma membrane</b>  GO:0043232 (0.45) intracellular non-membrane-bounded organelle  GO:0031410 (0.45) cytoplasmic vesicle  GO:0030054 (0.45) cell junction  GO:0044459 (0.40) plasma membrane part  GO:0031988 (0.40) membrane-bounded vesicle  GO:0005773 (0.40) vacuole</p>
57	NX_P0DI83-1, RAB34. (Ras-related protein Rab-34, isoform NARR)		<p><b>GO:0032502 (0.51) developmental process</b>  GO:0016043 (0.32) cellular component organization  GO:0080090 (0.31) regulation of primary metabolic process  GO:0060255 (0.31) regulation of macromolecule metabolic process  GO:0031323 (0.31) regulation of cellular metabolic process  GO:0031326 (0.30) regulation of cellular biosynthetic process</p>	<p>GO:0016020 (0.46) membrane  GO:0043234 (0.43) protein complex  GO:0031224 (0.36) intrinsic component of membrane  GO:0016021 (0.31) integral component of membrane</p>
58	NX_O60309-1, LRRC37A3. (Leucine-rich repeat-containing protein 37A3)		<p>GO:0007165 (0.47) signal transduction  GO:0032502 (0.45) developmental process  GO:0044767 (0.44) single-organism developmental process  GO:0016043 (0.35) cellular component organization  GO:0048583 (0.34) regulation of response to stimulus  GO:0007166 (0.32) cell surface receptor signaling pathway  GO:0009653 (0.31) anatomical structure morphogenesis  GO:0019222 (0.30) regulation of metabolic process</p>	<p>GO:0005737 (0.38) cytoplasm</p>
59	NX_A6NM11-1, LRRC37A2. (Leucine-rich repeat-containing protein 37A2)		<p>GO:0007165 (0.45) signal transduction  GO:0032502 (0.44) developmental process  GO:0044767 (0.42) single-organism developmental process  GO:0016043 (0.35) cellular component organization  GO:0048583 (0.32) regulation of response to stimulus  GO:0007166 (0.30) cell surface receptor signaling pathway</p>	<p>GO:0005737 (0.37) cytoplasm</p>
60	NX_Q96MW1-1, CCDC43. (Coiled-coil domain-containing protein 43)		<p>GO:0006810 (0.44) transport  GO:0046907 (0.41) intracellular transport  GO:0006886 (0.38) intracellular protein transport  GO:0006606 (0.35) protein import into nucleus  GO:0006607 (0.32) NLS-bearing protein import into nucleus</p>	<p><b>GO:0005829 (0.70) cytosol</b>  <b>GO:0044428 (0.66) nuclear part</b>  <b>GO:0005737 (0.53) cytoplasm</b>  <b>GO:0005654 (0.51) nucleoplasm</b>  <b>GO:0016020 (0.50) membrane</b>  GO:0043234 (0.43) protein complex  GO:0043228 (0.37) non-membrane-bounded organelle  GO:0031090 (0.37) organelle membrane  GO:0005643 (0.35) nuclear pore  GO:0044463 (0.33) cell projection part  GO:0043232 (0.32) intracellular non-</p>

				membrane-bounded organelle GO:0030054 (0.31) cell junction
61	NX_A6NMS7-1, LRRC37A. (Leucine-rich repeat-containing protein 37A)		GO:0032502 (0.44) developmental process GO:0007165 (0.44) signal transduction GO:0044767 (0.42) single-organism developmental process GO:0016043 (0.35) cellular component organization GO:0048583 (0.32) regulation of response to stimulus GO:0007166 (0.30) cell surface receptor signaling pathway	GO:0005737 (0.38) cytoplasm
62	NX_Q9H0J4-1, QRICH2. (Glutamine-rich protein 2)		GO:0016043 (0.43) cellular component organization GO:0006996 (0.31) organelle organization GO:0007017 (0.30) microtubule-based process	GO:0044430 (0.40) cytoskeletal part GO:0043234 (0.36) protein complex
63	NX_A4FU69-1, EFCAB5. (EF-hand calcium-binding domain-containing protein 5)		GO:0016043 (0.40) cellular component organization GO:0032502 (0.32) developmental process GO:0044767 (0.31) single-organism developmental process	
64	NX_Q2M2W7-1, C17orf58. (UPF0450 protein C17orf58)		GO:0052548 (0.37) regulation of endopeptidase activity GO:0010466 (0.37) negative regulation of peptidase activity	<b>GO:0005615 (0.67) extracellular space</b> <b>GO:0005576 (0.67) extracellular region</b> <b>GO:0031988 (0.60) membrane-bounded vesicle</b> <b>GO:0070062 (0.53) extracellular exosome</b> GO:0016020 (0.33) membrane
65	NX_Q0P670-1, SPEM2. (Uncharacterized protein SPEM2)		GO:0044767 (0.36) single-organism developmental process	<b>GO:0043234 (0.57) protein complex</b> <b>GO:0005737 (0.53) cytoplasm</b> GO:0044428 (0.31) nuclear part GO:0043232 (0.31) intracellular non-membrane-bounded organelle GO:0016020 (0.31) membrane
66	NX_Q8WW18-1, C17orf50. (Uncharacterized protein C17orf50)			<b>GO:0005737 (1.00) cytoplasm</b> <b>GO:0043657 (0.90) host cell</b> <b>GO:0070062 (0.77) extracellular exosome</b> <b>GO:0016020 (0.77) membrane</b> <b>GO:0005829 (0.77) cytosol</b> <b>GO:0005634 (0.77) nucleus</b> <b>GO:0044428 (0.56) nuclear part</b> GO:0072372 (0.37) primary cilium GO:0034399 (0.37) nuclear periphery GO:0031965 (0.37) nuclear membrane GO:0015630 (0.37) microtubule cytoskeleton GO:0005739 (0.37) mitochondrion GO:0005694 (0.37) chromosome GO:0000775 (0.37) chromosome, centromeric region GO:0000159 (0.37) protein phosphatase type 2A complex