

Supplemental table 1 – potentially relevant search terms

term	# of relevant references found	# of irrelevant references found	sensitivity	specificity	precision	accuracy
palliative*[tw]	169	3	67,1%	99,1%	98,3%	85,7%
palliative	177	15	70,2%	95,7%	92,2%	85,0%
"palliative care"[tw]	162	3	64,3%	99,1%	98,2%	84,5%
care[tw]	222	64	88,1%	81,6%	77,6%	84,3%
care*[tw]	224	68	88,9%	80,5%	76,7%	84,0%
"palliative care"	168	13	66,7%	96,3%	92,8%	83,8%
care[tiab]	194	44	77,0%	87,4%	81,5%	83,0%
care	229	79	90,9%	77,3%	74,4%	83,0%
care*[tiab]	198	49	78,6%	85,9%	80,2%	82,8%
care*	230	83	91,3%	76,1%	73,5%	82,5%
palliative*[tiab]	141	1	56,0%	99,7%	99,3%	81,3%
"Palliative Care"[mh]	143	3	56,7%	99,1%	97,9%	81,3%
"Palliative Care"[mj]	127	2	50,4%	99,4%	98,4%	78,8%
care*[ti]	130	5	51,6%	98,6%	96,3%	78,8%
"palliative care"[tiab]	119	1	47,2%	99,7%	99,2%	77,7%
care[ti]	118	4	46,8%	98,9%	96,7%	77,0%
"Terminal Care"[mh]	92	0	36,5%	100,0%	100,0%	73,3%
life[tw]	133	42	52,8%	87,9%	76,0%	73,2%
life	134	43	53,2%	87,6%	75,7%	73,2%
life[tiab]	123	36	48,8%	89,7%	77,4%	72,5%
termin*	95	14	37,7%	96,0%	87,2%	71,5%
termin*[tw]	95	14	37,7%	96,0%	87,2%	71,5%
"end of life"	74	0	29,4%	100,0%	100,0%	70,3%
nurs*	98	25	38,9%	92,8%	79,7%	70,2%
end	85	13	33,7%	96,3%	86,7%	70,0%
end[tw]	84	13	33,3%	96,3%	86,6%	69,8%
hospice*	71	1	28,2%	99,7%	98,6%	69,7%
"end of"	77	7	30,6%	98,0%	91,7%	69,7%
end*[tw]	84	15	33,3%	95,7%	84,8%	69,5%
"palliative medicine"	76	10	30,2%	97,1%	88,4%	69,0%
death[tw]	81	16	32,1%	95,4%	83,5%	68,8%
death*[tw]	84	19	33,3%	94,5%	81,6%	68,8%
death	81	17	32,1%	95,1%	82,7%	68,7%
patient*[tiab]	198	134	78,6%	61,5%	59,6%	68,7%
"psychology"[sh]	101	39	40,1%	88,8%	72,1%	68,3%
patient	203	141	80,6%	59,5%	59,0%	68,3%
"Aged"[mh]	112	51	44,4%	85,3%	68,7%	68,2%
patient*[tw]	203	142	80,6%	59,2%	58,8%	68,2%

"terminal care"[tw]	60	0	23,8%	100,0%	100,0%	68,0%
psychology*[tw]	102	42	40,5%	87,9%	70,8%	68,0%
hospice*[tw]	58	0	23,0%	100,0%	100,0%	67,7%
attitude[tw]	73	15	29,0%	95,7%	83,0%	67,7%
death*[tiab]	72	16	28,6%	95,4%	81,8%	67,3%
death[tiab]	68	13	27,0%	96,3%	84,0%	67,2%
nurs*[tw]	67	15	26,6%	95,7%	81,7%	66,7%
ill*[tw]	75	23	29,8%	93,4%	76,5%	66,7%
patient[tw]	126	74	50,0%	78,7%	63,0%	66,7%
cancer*[tiab]	99	48	39,3%	86,2%	67,3%	66,5%
patient*	129	78	51,2%	77,6%	62,3%	66,5%
"Neoplasms"[mh:noexp]	68	18	27,0%	94,8%	79,1%	66,3%
"Aged, 80 and over"[mh]	69	19	27,4%	94,5%	78,4%	66,3%
family*	74	24	29,4%	93,1%	75,5%	66,3%
cancer[tiab]	96	47	38,1%	86,5%	67,1%	66,2%
need*[tw]	110	61	43,7%	82,5%	64,3%	66,2%
life*[ti]	52	4	20,6%	98,9%	92,9%	66,0%
family*[tw]	70	22	27,8%	93,7%	76,1%	66,0%
attitude*[tw]	77	29	30,6%	91,7%	72,6%	66,0%
life[ti]	51	4	20,2%	98,9%	92,7%	65,8%
cancer*	103	56	40,9%	83,9%	64,8%	65,8%
"life care"	45	0	17,9%	100,0%	100,0%	65,5%
nurs*[tiab]	53	8	21,0%	97,7%	86,9%	65,5%
ill*[tiab]	57	12	22,6%	96,6%	82,6%	65,5%
patient*[ti]	76	31	30,2%	91,1%	71,0%	65,5%
need*[tiab]	103	58	40,9%	83,3%	64,0%	65,5%
end[ti]	43	0	17,1%	100,0%	100,0%	65,2%
ill	46	3	18,3%	99,1%	93,9%	65,2%
ill[tw]	46	3	18,3%	99,1%	93,9%	65,2%
"attitude to"[tw]	49	7	19,4%	98,0%	87,5%	65,0%
profess*	57	15	22,6%	95,7%	79,2%	65,0%
ill*	50	9	19,8%	97,4%	84,7%	64,8%
service*[tw]	71	30	28,2%	91,4%	70,3%	64,8%
service*	79	38	31,3%	89,1%	67,5%	64,8%
patient[tiab]	98	57	38,9%	83,6%	63,2%	64,8%
cancer	112	71	44,4%	79,6%	61,2%	64,8%
"health care"[tw]	72	32	28,6%	90,8%	69,2%	64,7%
"health care"	74	34	29,4%	90,2%	68,5%	64,7%
home*[tiab]	45	6	17,9%	98,3%	88,2%	64,5%
home*[tw]	47	8	18,7%	97,7%	85,5%	64,5%
neoplasm*[tw]	89	50	35,3%	85,6%	64,0%	64,5%
"end of"[ti]	38	0	15,1%	100,0%	100,0%	64,3%
home	42	4	16,7%	98,9%	91,3%	64,3%
home*	44	6	17,5%	98,3%	88,0%	64,3%
"Neoplasms"[mj:noexp]	54	16	21,4%	95,4%	77,1%	64,3%

nurs	54	16	21,4%	95,4%	77,1%	64,3%
"terminally ill"[tw]	37	0	14,7%	100,0%	100,0%	64,2%
sett*[tiab]	54	17	21,4%	95,1%	76,1%	64,2%
family*[tiab]	56	20	22,2%	94,3%	73,7%	64,0%
symptom*[tiab]	71	35	28,2%	89,9%	67,0%	64,0%
"health personnel"[tw]	41	6	16,3%	98,3%	87,2%	63,8%
family[tiab]	55	20	21,8%	94,3%	73,3%	63,8%
"Attitude of Health Personnel"[mh:noexp]	36	2	14,3%	99,4%	94,7%	63,7%
"Palliative Care/methods"[mh]	36	2	14,3%	99,4%	94,7%	63,7%
"attitude of health personnel"[tw]	36	2	14,3%	99,4%	94,7%	63,7%
advanced[tiab]	42	8	16,7%	97,7%	84,0%	63,7%
personnel*[tw]	43	9	17,1%	97,4%	82,7%	63,7%
symptom*	99	65	39,3%	81,3%	60,4%	63,7%
"hospice care"	33	0	13,1%	100,0%	100,0%	63,5%
"care and"	39	6	15,5%	98,3%	86,7%	63,5%
profess*[tiab]	45	12	17,9%	96,6%	78,9%	63,5%
design[tw]	50	17	19,8%	95,1%	74,6%	63,5%
"standards"[sh]	52	19	20,6%	94,5%	73,2%	63,5%
interview*[tiab]	53	20	21,0%	94,3%	72,6%	63,5%
"Neoplasms"[mh]	88	55	34,9%	84,2%	61,5%	63,5%
"Attitude to Death"[mh]	32	0	12,7%	100,0%	100,0%	63,3%
"attitude to death"[tw]	32	0	12,7%	100,0%	100,0%	63,3%
"Attitude of Health Personnel"[mh]	38	6	15,1%	98,3%	86,4%	63,3%
service*[tiab]	52	20	20,6%	94,3%	72,2%	63,3%
health[tw]	150	118	59,5%	66,1%	56,0%	63,3%
"care and"[tiab]	34	3	13,5%	99,1%	91,9%	63,2%
"care in"[tiab]	34	3	13,5%	99,1%	91,9%	63,2%
questionnaire	61	30	24,2%	91,4%	67,0%	63,2%
experience*[tiab]	72	41	28,6%	88,2%	63,7%	63,2%
health	162	131	64,3%	62,4%	55,3%	63,2%
"cancer patients"[tiab]	38	8	15,1%	97,7%	82,6%	63,0%
termin*[tiab]	43	13	17,1%	96,3%	76,8%	63,0%
interview*	53	23	21,0%	93,4%	69,7%	63,0%
interview*[tw]	53	23	21,0%	93,4%	69,7%	63,0%
cancer[ti]	58	28	23,0%	92,0%	67,4%	63,0%
pain	90	60	35,7%	82,8%	60,0%	63,0%
health*	169	139	67,1%	60,1%	54,9%	63,0%
caregiver*[tw]	29	0	11,5%	100,0%	100,0%	62,8%
design[tiab]	45	16	17,9%	95,4%	73,8%	62,8%
cancer*[ti]	59	30	23,4%	91,4%	66,3%	62,8%
health*[tw]	153	124	60,7%	64,4%	55,2%	62,8%
"Hospice Care"[mh]	28	0	11,1%	100,0%	100,0%	62,7%
"Palliative Care/methods"[mj]	29	1	11,5%	99,7%	96,7%	62,7%
die*[tw]	35	7	13,9%	98,0%	83,3%	62,7%

"palliative care"[ad]	40	12	15,9%	96,6%	76,9%	62,7%
communication	44	16	17,5%	95,4%	73,3%	62,7%
unit*[tw]	68	40	27,0%	88,5%	63,0%	62,7%
"Terminally ill"[mh]	27	0	10,7%	100,0%	100,0%	62,5%
"advanced cancer"[tiab]	27	0	10,7%	100,0%	100,0%	62,5%
die*	37	10	14,7%	97,1%	78,7%	62,5%
communication*	40	13	15,9%	96,3%	75,5%	62,5%
illness*[tiab]	31	5	12,3%	98,6%	86,1%	62,3%
assess*[tw]	100	74	39,7%	78,7%	57,5%	62,3%
illness[tiab]	30	5	11,9%	98,6%	85,7%	62,2%
communication[tw]	37	12	14,7%	96,6%	75,5%	62,2%
"patients and"[tiab]	38	13	15,1%	96,3%	74,5%	62,2%
"Neoplasms/complications"[mh]	40	15	15,9%	95,7%	72,7%	62,2%
explore*[tiab]	41	16	16,3%	95,4%	71,9%	62,2%
illness*[tw]	42	17	16,7%	95,1%	71,2%	62,2%
"Caregivers"[mh]	24	0	9,5%	100,0%	100,0%	62,0%
"care services"	26	2	10,3%	99,4%	92,9%	62,0%
illness*	42	18	16,7%	94,8%	70,0%	62,0%
symptom[tiab]	43	19	17,1%	94,5%	69,4%	62,0%
physic*[tw]	64	40	25,4%	88,5%	61,5%	62,0%
"Neoplasms"[mj]	73	49	29,0%	85,9%	59,8%	62,0%
"Attitude of Health Personnel"[mj:noexp]	23	0	9,1%	100,0%	100,0%	61,8%
"Palliative Care/psychology"[mh]	23	0	9,1%	100,0%	100,0%	61,8%
"Questionnaires"[mh]	43	20	17,1%	94,3%	68,3%	61,8%
"Attitude to Health"[mh]	55	32	21,8%	90,8%	63,2%	61,8%
design*[tw]	60	37	23,8%	89,4%	61,9%	61,8%
inform*[tiab]	60	37	23,8%	89,4%	61,9%	61,8%
symptom	76	53	30,2%	84,8%	58,9%	61,8%
bereave*	22	0	8,7%	100,0%	100,0%	61,7%
spiritual*[tw]	23	1	9,1%	99,7%	95,8%	61,7%
"care services"[tw]	23	1	9,1%	99,7%	95,8%	61,7%
"Neoplasms/complications"[mj]	29	7	11,5%	98,0%	80,6%	61,7%
receive*[tiab]	42	20	16,7%	94,3%	67,7%	61,7%
identify*[tiab]	48	26	19,0%	92,5%	64,9%	61,7%
inform*[tw]	63	41	25,0%	88,2%	60,6%	61,7%
"Attitude of Health Personnel"[mj]	23	2	9,1%	99,4%	92,0%	61,5%
specialis*	27	6	10,7%	98,3%	81,8%	61,5%
participant*[tiab]	44	23	17,5%	93,4%	65,7%	61,5%
"patients with"[tiab]	70	49	27,8%	85,9%	58,8%	61,5%
specialis*[tiab]	23	3	9,1%	99,1%	88,5%	61,3%
nurs*[ti]	24	4	9,5%	98,9%	85,7%	61,3%
"patient relations"[tw]	24	4	9,5%	98,9%	85,7%	61,3%
qualitative	34	14	13,5%	96,0%	70,8%	61,3%
qualitative[tw]	34	14	13,5%	96,0%	70,8%	61,3%

unit*[tiab]	41	21	16,3%	94,0%	66,1%	61,3%
conduct*[tw]	49	29	19,4%	91,7%	62,8%	61,3%
need[tiab]	51	31	20,2%	91,1%	62,2%	61,3%
physic*[tiab]	57	37	22,6%	89,4%	60,6%	61,3%
over[tw]	97	77	38,5%	77,9%	55,7%	61,3%
"care for"[tiab]	20	1	7,9%	99,7%	95,2%	61,2%
"Neoplasms/psychology"[mh:noexp]	23	4	9,1%	98,9%	85,2%	61,2%
team	23	4	9,1%	98,9%	85,2%	61,2%
team*	26	7	10,3%	98,0%	78,8%	61,2%
communication[tiab]	28	9	11,1%	97,4%	75,7%	61,2%
communication*[tiab]	29	10	11,5%	97,1%	74,4%	61,2%
psychologic*[tw]	33	14	13,1%	96,0%	70,2%	61,2%
research[tiab]	58	39	23,0%	88,8%	59,8%	61,2%
provide*[tiab]	84	65	33,3%	81,3%	56,4%	61,2%
"Middle Aged"[mh]	107	88	42,5%	74,7%	54,9%	61,2%
"middle aged"[tw]	107	88	42,5%	74,7%	54,9%	61,2%
die	20	2	7,9%	99,4%	90,9%	61,0%
die[tw]	20	2	7,9%	99,4%	90,9%	61,0%
team[tw]	21	3	8,3%	99,1%	87,5%	61,0%
team*[tw]	24	6	9,5%	98,3%	80,0%	61,0%
"Neoplasms/psychology"[mh]	25	7	9,9%	98,0%	78,1%	61,0%
"Neoplasms/complications"[mh:noexp]	29	11	11,5%	96,8%	72,5%	61,0%
qualitative[tiab]	29	11	11,5%	96,8%	72,5%	61,0%
physician*[tw]	37	19	14,7%	94,5%	66,1%	61,0%
objective*[tiab]	45	27	17,9%	92,2%	62,5%	61,0%
objective*[tw]	46	28	18,3%	92,0%	62,2%	61,0%
over*[tw]	99	81	39,3%	76,7%	55,0%	61,0%
middle*	108	90	42,9%	74,1%	54,5%	61,0%
inpatient*[tiab]	18	1	7,1%	99,7%	94,7%	60,8%
inpatient	19	2	7,5%	99,4%	90,5%	60,8%
suffer	19	2	7,5%	99,4%	90,5%	60,8%
"health services"[tw]	28	11	11,1%	96,8%	71,8%	60,8%
"Quality of Life"[mh]	30	13	11,9%	96,3%	69,8%	60,8%
"health care"[tiab]	30	13	11,9%	96,3%	69,8%	60,8%
identify[tiab]	39	22	15,5%	93,7%	63,9%	60,8%
inform*	56	39	22,2%	88,8%	58,9%	60,8%
pain[tw]	62	45	24,6%	87,1%	57,9%	60,8%
inpatient[tiab]	16	0	6,3%	100,0%	100,0%	60,7%
"home care"[tw]	16	0	6,3%	100,0%	100,0%	60,7%
skill*[tiab]	21	5	8,3%	98,6%	80,8%	60,7%
"Attitude to Health"[mh:noexp]	22	6	8,7%	98,3%	78,6%	60,7%
"attitude to health"[tw]	22	6	8,7%	98,3%	78,6%	60,7%
physician[tw]	24	8	9,5%	97,7%	75,0%	60,7%
explore[tiab]	27	11	10,7%	96,8%	71,1%	60,7%
physician*	37	21	14,7%	94,0%	63,8%	60,7%

"bereavement"[mh]	15	0	6,0%	100,0%	100,0%	60,5%
"Home Care Services"[mh]	15	0	6,0%	100,0%	100,0%	60,5%
"palliative care services"	15	0	6,0%	100,0%	100,0%	60,5%
dyspnea	16	1	6,3%	99,7%	94,1%	60,5%
advanced[ti]	17	2	6,7%	99,4%	89,5%	60,5%
death*[ti]	17	2	6,7%	99,4%	89,5%	60,5%
"care team"[tw]	17	2	6,7%	99,4%	89,5%	60,5%
"care team"	18	3	7,1%	99,1%	85,7%	60,5%
"needs and"[tw]	19	4	7,5%	98,9%	82,6%	60,5%
"Neoplasms/complications"[mj:noexp]	20	5	7,9%	98,6%	80,0%	60,5%
satisfaction[tw]	24	9	9,5%	97,4%	72,7%	60,5%
distress*	25	10	9,9%	97,1%	71,4%	60,5%
distress*[tiab]	25	10	9,9%	97,1%	71,4%	60,5%
five*[tiab]	31	16	12,3%	95,4%	66,0%	60,5%
physician	35	20	13,9%	94,3%	63,6%	60,5%
conduct	52	37	20,6%	89,4%	58,4%	60,5%
statistic*[tw]	58	43	23,0%	87,6%	57,4%	60,5%
research*[tiab]	62	47	24,6%	86,5%	56,9%	60,5%
"Stress, Psychological"[mh]	15	1	6,0%	99,7%	93,8%	60,3%
"care in"[ti]	15	1	6,0%	99,7%	93,8%	60,3%
admission*	18	4	7,1%	98,9%	81,8%	60,3%
admission*[tw]	18	4	7,1%	98,9%	81,8%	60,3%
"cancer patients"[ti]	18	4	7,1%	98,9%	81,8%	60,3%
"Hospitalization"[mh]	19	5	7,5%	98,6%	79,2%	60,3%
"patients in"[tiab]	22	8	8,7%	97,7%	73,3%	60,3%
service[tiab]	23	9	9,1%	97,4%	71,9%	60,3%
them*[tiab]	27	13	10,7%	96,3%	67,5%	60,3%
questionnaire[tiab]	34	20	13,5%	94,3%	63,0%	60,3%
questionnaire*[tiab]	38	24	15,1%	93,1%	61,3%	60,3%
death[ti]	14	1	5,6%	99,7%	93,3%	60,2%
admission	15	2	6,0%	99,4%	88,2%	60,2%
admission[tw]	15	2	6,0%	99,4%	88,2%	60,2%
"death and"[tw]	15	2	6,0%	99,4%	88,2%	60,2%
anxiety[tiab]	16	3	6,3%	99,1%	84,2%	60,2%
team*[tiab]	18	5	7,1%	98,6%	78,3%	60,2%
"completed the"[tiab]	18	5	7,1%	98,6%	78,3%	60,2%
"palliative medicine"[ad]	18	5	7,1%	98,6%	78,3%	60,2%
service[tw]	24	11	9,5%	96,8%	68,6%	60,2%
physician*[tiab]	29	16	11,5%	95,4%	64,4%	60,2%
concern*[tiab]	32	19	12,7%	94,5%	62,7%	60,2%
issue*[tiab]	35	22	13,9%	93,7%	61,4%	60,2%
time[tiab]	59	46	23,4%	86,8%	56,2%	60,2%
"Hospitalization"[mj]	13	1	5,2%	99,7%	92,9%	60,0%
team[tiab]	14	2	5,6%	99,4%	87,5%	60,0%
termin*[ti]	14	2	5,6%	99,4%	87,5%	60,0%

ask*[tiab]	16	4	6,3%	98,9%	80,0%	60,0%
anxiety[tw]	17	5	6,7%	98,6%	77,3%	60,0%
meet*[tiab]	17	5	6,7%	98,6%	77,3%	60,0%
provis*[tiab]	17	5	6,7%	98,6%	77,3%	60,0%
objective[tiab]	33	21	13,1%	94,0%	61,1%	60,0%
general	39	27	15,5%	92,2%	59,1%	60,0%
discuss*[tiab]	42	30	16,7%	91,4%	58,3%	60,0%
numeric*[tw]	43	31	17,1%	91,1%	58,1%	60,0%
topic*[tw]	44	32	17,5%	90,8%	57,9%	60,0%
"family members"[tiab]	13	2	5,2%	99,4%	86,7%	59,8%
interview[tiab]	15	4	6,0%	98,9%	78,9%	59,8%
"care unit"	15	4	6,0%	98,9%	78,9%	59,8%
"patient care"[tw]	16	5	6,3%	98,6%	76,2%	59,8%
demand*[tw]	20	9	7,9%	97,4%	69,0%	59,8%
median[tiab]	20	9	7,9%	97,4%	69,0%	59,8%
perceive*[tiab]	20	9	7,9%	97,4%	69,0%	59,8%
distress[tiab]	21	10	8,3%	97,1%	67,7%	59,8%
service	26	15	10,3%	95,7%	63,4%	59,8%
decis*[tw]	28	17	11,1%	95,1%	62,2%	59,8%
status[tiab]	30	19	11,9%	94,5%	61,2%	59,8%
score*[tiab]	33	22	13,1%	93,7%	60,0%	59,8%
"numerical data"[tw]	38	27	15,1%	92,2%	58,5%	59,8%
experience	39	28	15,5%	92,0%	58,2%	59,8%
experience[tiab]	39	28	15,5%	92,0%	58,2%	59,8%
"Quality of Life"[mj]	15	5	6,0%	98,6%	75,0%	59,7%
interview	20	10	7,9%	97,1%	66,7%	59,7%
whether[tiab]	29	19	11,5%	94,5%	60,4%	59,7%
status*[tw]	37	27	14,7%	92,2%	57,8%	59,7%
pain[tiab]	53	43	21,0%	87,6%	55,2%	59,7%
psychosocial*	13	4	5,2%	98,9%	76,5%	59,5%
physician[tiab]	15	6	6,0%	98,3%	71,4%	59,5%
"data collection"[tw]	15	6	6,0%	98,3%	71,4%	59,5%
"Decision Making"[mh]	16	7	6,3%	98,0%	69,6%	59,5%
demand[tw]	16	7	6,3%	98,0%	69,6%	59,5%
participate*[tiab]	19	10	7,5%	97,1%	65,5%	59,5%
future*[tiab]	23	14	9,1%	96,0%	62,2%	59,5%
future	24	15	9,5%	95,7%	61,5%	59,5%
decis*[tiab]	25	16	9,9%	95,4%	61,0%	59,5%
complete*[tiab]	39	30	15,5%	91,4%	56,5%	59,5%
access[tiab]	14	6	5,6%	98,3%	70,0%	59,3%
unit[tiab]	18	10	7,1%	97,1%	64,3%	59,3%
assess*[tiab]	73	65	29,0%	81,3%	52,9%	59,3%
physic*[ti]	13	6	5,2%	98,3%	68,4%	59,2%
psychologic*[tiab]	13	6	5,2%	98,3%	68,4%	59,2%
symptom[ti]	15	8	6,0%	97,7%	65,2%	59,2%

assess*[ti]	16	9	6,3%	97,4%	64,0%	59,2%
emot*[tw]	16	9	6,3%	97,4%	64,0%	59,2%
"patients with"[ti]	21	14	8,3%	96,0%	60,0%	59,2%
"Attitude to Health"[mj]	24	17	9,5%	95,1%	58,5%	59,2%
scale*[tiab]	35	28	13,9%	92,0%	55,6%	59,2%
provide[tiab]	40	33	15,9%	90,5%	54,8%	59,2%
"Male"[mh]	147	140	58,3%	59,8%	51,2%	59,2%
"Adaptation, Psychological"[mh]	13	7	5,2%	98,0%	65,0%	59,0%
facilitate*[tiab]	13	7	5,2%	98,0%	65,0%	59,0%
experience*[ti]	15	9	6,0%	97,4%	62,5%	59,0%
"decision making"[tw]	16	10	6,3%	97,1%	61,5%	59,0%
attitude*[tiab]	18	12	7,1%	96,6%	60,0%	59,0%
scale[tiab]	31	25	12,3%	92,8%	55,4%	59,0%
topic[tw]	36	30	14,3%	91,4%	54,5%	59,0%
male*[tw]	148	142	58,7%	59,2%	51,0%	59,0%
time*[tiab]	62	57	24,6%	83,6%	52,1%	58,8%
data[tw]	95	92	37,7%	73,6%	50,8%	58,5%
data*[tw]	98	96	38,9%	72,4%	50,5%	58,3%
time[tw]	61	60	24,2%	82,8%	50,4%	58,2%
age*[tw]	150	162	59,5%	53,4%	48,1%	56,0%
research	162	183	64,3%	47,4%	47,0%	54,5%
research[tw]	151	174	59,9%	50,0%	46,5%	54,2%
research*	163	189	64,7%	45,7%	46,3%	53,7%
research*[tw]	152	180	60,3%	48,3%	45,8%	53,3%
"Humans"[mh]	246	307	97,6%	11,8%	44,5%	47,8%
human	246	315	97,6%	9,5%	43,9%	46,5%