

Corresponding author(s):	DBPR NCOMMS-18-146908
--------------------------	-----------------------

Last updated by author(s): Feb 22, 2019

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see <u>Authors & Referees</u> and the <u>Editorial Policy Checklist</u>.

_					
51	ta	ŤΙ	ist	IC	٠ς

Statistics					
For all statistical analys	es, confirm that the following items are present in the figure legend, table legend, main text, or Methods section.				
n/a Confirmed					
☐ ☐ The exact san	nple size (n) for each experimental group/condition, given as a discrete number and unit of measurement				
A statement of	on whether measurements were taken from distinct samples or whether the same sample was measured repeatedly				
The statistical Only common t	test(s) used AND whether they are one- or two-sided ests should be described solely by name; describe more complex techniques in the Methods section.				
A description	of all covariates tested				
A description	of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons				
A full descript AND variation	A full description of the statistical parameters including central tendency (e.g. means) or other basic estimates (e.g. regression coefficient) AND variation (e.g. standard deviation) or associated estimates of uncertainty (e.g. confidence intervals)				
For null hypot	thesis testing, the test statistic (e.g. F , t , r) with confidence intervals, effect sizes, degrees of freedom and P value noted sexact values whenever suitable.				
For Bayesian	analysis, information on the choice of priors and Markov chain Monte Carlo settings				
For hierarchic	al and complex designs, identification of the appropriate level for tests and full reporting of outcomes				
Estimates of e	effect sizes (e.g. Cohen's d, Pearson's r), indicating how they were calculated				
	Our web collection on <u>statistics for biologists</u> contains articles on many of the points above.				
Software and o	code				
Policy information abo	ut <u>availability of computer code</u>				
Data collection	Broad GDAC Firehose, BD FACSDiva software				
Data analysis	TopHat v2.0.6, HTSeq-count, R versions 2.3.2/3.5.2, Gene Set Enrichment Analysis (GSEA), Regulatory Network Enrichment Analysis (RNEA), Enrichr, Gene Expression Profiling Interactive Analysis (GEPIA), FlowJo v9, Prism 6.0 (GraphPad Software), DIVA software (BD Biosciences)				

Data

Policy information about availability of data

All manuscripts must include a <u>data availability statement</u>. This statement should provide the following information, where applicable:

We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers.

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

Provide your data availability statement here.

— ·					•				•	
Fie	n	−cr	10	CIT	.I.C.	re	nc	\rt	ın	Ø
1 10	ı	- J		CH	10		$P \subset$	/ I C		\mathcal{E}

Please select the o	ne below that is the best fit for your research. If you are not sure, read the appropriate sections before making your selection.
∑ Life sciences	Behavioural & social sciences Ecological, evolutionary & environmental sciences
For a reference copy of	the document with all sections, see nature.com/documents/nr-reporting-summary-flat.pdf
Life scier	nces study design
All studies must dis	close on these points even when the disclosure is negative.
Sample size	Sample size was determined based on previous studies and by using power analysis.
Data exclusions	No data were excluded.
Replication	All human data acquired are reported therefore the reproducibility can be judged within the manuscript. For mouse data all assays were performed in duplicates. All flow cytometry analysis was performed in individual animals. Flow cytometry sorting of dendritic cell and OTI T cells was performed from pooled animals.
Randomization	No randomization was performed.
Blinding	Blinding was not performed except for cell counts in imaging analysis.
Behaviou	ural & social sciences study design
	sclose on these points even when the disclosure is negative.
Study description	Briefly describe the study type including whether data are quantitative, qualitative, or mixed-methods (e.g. qualitative cross-sectional, quantitative experimental, mixed-methods case study).
Research sample	State the research sample (e.g. Harvard university undergraduates, villagers in rural India) and provide relevant demographic information (e.g. age, sex) and indicate whether the sample is representative. Provide a rationale for the study sample chosen. For studies involving existing datasets, please describe the dataset and source.
Sampling strateg	Describe the sampling procedure (e.g. random, snowball, stratified, convenience). Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient. For qualitative data, please indicate whether data saturation was considered, and what criteria were used to decide that no further sampling was needed.

Data collection

Provide details about the data collection procedure, including the instruments or devices used to record the data (e.g. pen and paper, computer, eye tracker, video or audio equipment) whether anyone was present besides the participant(s) and the researcher, and whether the researcher was blind to experimental condition and/or the study hypothesis during data collection.

Timing

Indicate the start and stop dates of data collection. If there is a gap between collection periods, state the dates for each sample cohort.

Data exclusions

If no data were excluded from the analyses, state so OR if data were excluded, provide the exact number of exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.

Non-participation

State how many participants dropped out/declined participation and the reason(s) given OR provide response rate OR state that no participants dropped out/declined participation.

Randomization

If participants were not allocated into experimental groups, state so OR describe how participants were allocated to groups, and if allocation was not random, describe how covariates were controlled.

Ecological, evolutionary & environmental sciences study design

All studies must disclose on these points even when the disclosure is negative.

Study description

Briefly describe the study. For quantitative data include treatment factors and interactions, design structure (e.g. factorial, nested, hierarchical), nature and number of experimental units and replicates.

Research sample

Describe the research sample (e.g. a group of tagged Passer domesticus, all Stenocereus thurberi within Organ Pipe Cactus National Monument), and provide a rationale for the sample choice. When relevant, describe the organism taxa, source, sex, age range and any manipulations. State what population the sample is meant to represent when applicable. For studies involving existing datasets,

	describe the data and its source.				
Sampling strategy	Note the sampling procedure. Describe the statistical methods that were used to predetermine sample size OR if no sample-size calculation was performed, describe how sample sizes were chosen and provide a rationale for why these sample sizes are sufficient.				
Data collection	Describe the data collection procedure, including who recorded the data and how.				
Timing and spatial scale	Indicate the start and stop dates of data collection, noting the frequency and periodicity of sampling and providing a rationale for these choices. If there is a gap between collection periods, state the dates for each sample cohort. Specify the spatial scale from which the data are taken				
Data exclusions	If no data were excluded from the analyses, state so OR if data were excluded, describe the exclusions and the rationale behind them, indicating whether exclusion criteria were pre-established.				
Reproducibility	Describe the measures taken to verify the reproducibility of experimental findings. For each experiment, note whether any attempts to repeat the experiment failed OR state that all attempts to repeat the experiment were successful.				
Randomization	Describe how samples/organisms/participants were allocated into groups. If allocation was not random, describe how covariates were controlled. If this is not relevant to your study, explain why.				
Blinding	Describe the extent of blinding used during data acquisition and analysis. If blinding was not possible, describe why OR explain why blinding was not relevant to your study.				
Did the study involve field					
Field conditions	Describe the study conditions for field work, providing relevant parameters (e.g. temperature, rainfall).				
Location	State the location of the sampling or experiment, providing relevant parameters (e.g. latitude and longitude, elevation, water depth).				
Access and import/export					
Disturbance	Describe any disturbance caused by the study and how it was minimized.				
Ve require information from au	r specific materials, systems and methods uthors about some types of materials, experimental systems and methods used in many studies. Here, indicate whether each material, vant to your study. If you are not sure if a list item applies to your research, read the appropriate section before selecting a response.				
Materials & experimer					
√a Involved in the study ✓ Antibodies ✓ Eukaryotic cell lines ✓ Palaeontology ✓ Animals and other or ✓ Human research part ✓ Clinical data					
Antibodies					

Antibodies used

All information for antibodies is included in Supplementary Table 4.

Validation

All antibodies were commercially available and validated by the manufacturer with the exception of CD8-depleting antibody that was produced in house from TIB-210 hybridoma cell line and validated by us. We performed titrations to determine optimal antibody concentrations.

Eukaryotic cell lines

Policy information about <u>cell lines</u>

Cell line source(s)

Cell lines and their sources are included in Supplementary Table 4.

Authentication

None of the cell lines used were authenticated.

Mycoplasma contamination

All cell lines were tested negative for mycoplasma contamination.

Commonly misidentified lines (See ICLAC register)

The current work does not involve any cancer cell lines that are listed in the database of commonly misidentified cell lines, ICLAC

Palaeontology

Specimen provenance Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information).

Specimen deposition Indicate where the specimens have been deposited to permit free access by other researchers.

Dating methods

If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new dates are provided.

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

Laboratory animals
The current study used laboratory mouse stains C57Bl/6, FVB/NJ, OTI mice, zDCDTR, Ly5.1 PTP, B6N.129P2-Axin2tm1Wbm/J, B6.129S4-Krastm4Tyj/J, both males and females 8 to 12 weeks old.

Wild animals The study did not involve wild animals.

Field-collected samples The study did not involve samples collected from the field.

Ethics oversight

All animal procedures were approved by the Veterinary Administration Bureau, Prefecture of Athens, Greece under compliance to the national law and the EU Directives and performed in accordance with the guidance of the Institutional Animal Care and

Use Committee of BSRC Al. Fleming.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Human research participants

Policy information about studies involving human research participants

Population characteristics Patient information is included in Supplementary Tables 1 and 2.

Recruitment

Fresh human lung tissues were obtained from newly diagnosed untreated Non Small Cell Lung Cancer patients undergoing lobectomy or pneumonectomy at the Department of Thoracic Surgery of Sotiria Hospital. Archived formalin-fixed, paraffin-

embedded (FFPE) lung adenocarcinomas were provided by Evangelismos General Hospital.

Ethics oversight Samples were provided by Sotiria and Evangelismos General Hospitals with informed consent and under authorization of the ethical committees of the hospitals.

Note that full information on the approval of the study protocol must also be provided in the manuscript.

Clinical data

Policy information about clinical studies

All manuscripts should comply with the ICMJE guidelines for publication of clinical research and a completed CONSORT checklist must be included with all submissions.

Clinical trial registration Provide the trial registration number from ClinicalTrials.gov or an equivalent agency.

Study protocol Note where the full trial protocol can be accessed OR if not available, explain why.

Data collection Describe the settings and locales of data collection, noting the time periods of recruitment and data collection.

Outcomes Describe how you pre-defined primary and secondary outcome measures and how you assessed these measures.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as GEO.

Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. <u>UCSC</u>)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone

name, and lot number.

Peak calling parameters Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and

ndex files used

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold

nrichment.

Software

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Plots

Confirm that:

The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).

The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).

All plots are contour plots with outliers or pseudocolor plots.

A numerical value for number of cells or percentage (with statistics) is provided.

Methodology

Sample preparation Murine tumors were pushed through 40μm strainers and primary LUADs and juxta-tumor lung tissues were pushed through 70μm or 40μm strainers to obtain single cell suspensions. For FACS analysis and FACS sorting single-cell suspensions were

resuspended in FACS buffer (PBS, 2% FBS, 1.5mM EDTA).

Instrument FACS analysis or sorting was performed using FACSCANTO II (BD Biosciences) or BD FACSARIA III (BD Biosciences).

Software Data were analyzed using Flowjo (Tree star Inc) or DIVA software (BD Biosciences).

Cell population abundance Sorted subsets were separated by FACSAria to very high purity (98.0%) as measured by flow cytometry. Cell populations

are reported in the manuscript when relevant.

Gating strategy Gating strategies are demonstrated in Supplementary Figures 7,16,19,20.

Tick this box to confirm that a figure exemplifying the gating strategy is provided in the Supplementary Information.

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Design specifications	Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.			
Behavioral performance measures	State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).			
Acquisition				
Imaging type(s)	Specify: functional, structural, diffusion, perfusion.			
Field strength	Specify in Tesla			
Sequence & imaging parameters	Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.			
Area of acquisition	State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined			
Diffusion MRI Used	Not used			
Preprocessing				
Preprocessing software	Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).			
Normalization	If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.			
Normalization template	Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.			
Noise and artifact removal	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).			
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.			
statistical modeling & inference				
Model type and settings	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).			
Effect(s) tested	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.			
Specify type of analysis: Whole	brain ROI-based Both			
Statistic type for inference (See <u>Eklund et al. 2016</u>)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.			
Correction	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Mol Carlo).			
Models & analysis				
n/a Involved in the study Functional and/or effective cor Graph analysis Multivariate modeling or predi				
Functional and/or effective connecti	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).			
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).			
Multivariate modeling and predictive	analysis Specify independent variables, features extraction and dimension reduction, model, training and evaluation			

metrics.