

Supplementary Table S1 Perinatal factors and risk of cancer; Cox regression analyses

	Total no.	No. of cancers	Age-adjusted HR (95% CI) ^{a,b}
Multiple birth			
Singleton	38 422	196	1.0 (reference)
Multiple	9268	35	0.99 (0.69–1.44)
Maternal age (years)			
<30	13 086	98	1.0 (reference)
30–34	18 027	77	1.04 (0.75–1.45)
≥35	16 577	56	0.96 (0.67–1.39)
Sex ^c			
Male	23 376	115	1.0 (reference)
Female	21 922	106	0.96 (0.74–1.24)
Birthweight (g) ^d			
<2500	9037	42	1.22 (0.82–1.82)
2500–2999	9894	53	1.30 (0.89–1.89)
3000–3499	13 552	57	1.0 (reference)
3500–3999	10 447	55	1.28 (0.88–1.85)
≥4000	4760	24	1.28 (0.79–2.06)
Gestational length (weeks) ^e			
≥37	37 495	180	1.0 (reference)
<37	10 195	51	1.12 (0.82–1.52)

HR = hazard ratio.

^aThere were no confounding factors.^bEach variable was analyzed in a separate regression analysis.^cMissing values were imputed (5%).^dMissing values were imputed (43%).^eMissing values were imputed (43%).