

Table S1.

Variable	1	2	3	4	5	6	7	8	9
1 Conceptually accurate		.48**	.59**	.70**	.56**	.77**	.46**	39**	01

 $Intercorrelations\ between\ study\ variables$

2	Observant and responsive	 .71**	.69**	.78**	.85**	.47**	.00	03
3	Actively structures	_	.78**	.71**	.88**	.50**	08	09
4	<u>C</u> orrective feedback		_	.75**	.91**	.51**	07	09
5	<u>H</u> ope and motivation				.88**	.54**	09	14
6	COACH composite score					.58**	15	09
7	Caregiver engagement						26**	12
8	Study Condition						_	01
9	Session Length							_

Note. ***p* < .01.

Table S2.

Intraclass correlation coefficients (ICC) and 95% confidence intervals across conditions

	Early Steps Efficacy Trial	Community Implementation	Community Services as Usual	Overall		
	Mean (SD)	5.14 (1.36)	4.46 (.99)	4.13 (1.28)	4.65 (1.27)	
Complete Sessions	ICC (90% CI)	0.82 (.34 .96)	0.71 (.24 .88)	0.67 (.20 .96)	0.75 (.48 .86)	
	α	.97	.90	.93	.93	
	Mean (SD)	4.73 (.90)	4.38 (.87)	3.88 (.97)	4.37 (.96)	
Segments	ICC (90% CI)	0.76 (.22 .94)	0.34 (.10 .67)	0.41 (.05 .94)	0.61 (.31 .84)	
	α	.89	.88	.92	.90	

Note. SD = standard deviation. ICC = one-way random effects model intraclass correlation coefficient. α = internal consistency.