

RESEARCH TO IMPROVE THE QUALITY OF CARE FOR THE MANAGEMENT OF OBSTETRICS COMPLICATIONS THAT LEAD TO MATERNAL AND PERINATAL MORTALITY IN NIGERIA



Formative Research

FORM A8 – Knowledge and Practice of Emergency Obstetrics Care by Health Providers

To be filled by all health providers (Exclude medical, nursing and midwifery students in training) in Obstetrics & Gynaecology. Your name is not required. Please feel free to write only the truth. Your answers will contribute to a database of information collected to help improve the provision of maternal and newborn health care. All answers are confidential and will not be shared with supervisors or affect your job in any way.

001	Form Number: _ _ _ _ _ _ _ _
002	Hospital Name: _____
003	State: _____
004	Zone: _____
005	Date (DD/MM/YY): _ _ _ _ _ _ _ _

SECTION A:

No	Questions	Response categories			Code
101	Age	[_____] years			
102	Sex	1=Male 2= Female			[<input type="checkbox"/>]
103	What type of health professional are you? (Check only one)	1=Nurse/Midwife 2=Medical Officer: _____ <i>Specify Rank</i> 3=SHO/Registrar 4=Senior Registrar 5=Consultant 6=Others: _____ <i>SPECIFY</i>			[<input type="checkbox"/>]
104	Number of years since qualification			years	
105	How many years have you worked in this hospital?			years	
SECTION B					
106	Please estimate the % of your professional time each week spent in the following activities (<i>Total should add up to 100%</i>)				
106a	Patient care				
106b	Clinical training				
106c	Teaching/educating/instructing				
106d	Research				
106e	Other (specify)				
107	Does your institution use the partograph to monitor labour?	1=Yes 2=No 3=Don't know			[<input type="checkbox"/>]
108	Is the WHO manual 'Managing Complications in Pregnancy and Childbirth' available in your institution?	1=Yes 2=No 3=Don't know			[<input type="checkbox"/>]
109	If yes, on average, how many times have you used the manual as reference?	1=Daily 2=Once a week 3=Once a month 4=Rarely 5=Never			[<input type="checkbox"/>]
110	Do you currently belong to any committees or organizations related to safe motherhood?	1=Yes 2=No			[<input type="checkbox"/>]
111	If yes, what is (are) the names of the committees) or organization(s)	(1). _____ (2). _____			
112	SECTION C: As an individual:				
112a	Approximately how many births do you attend each week?				
112b	Approximately how many antenatal clients do you see each week?				
112c	Approximately how many postpartum clients do you see each week?				

No	Questions	Response categories			Code
113	How would you rate the level of maternal mortality in this hospital	1=High 2=Average 3=Low 4=Don't know			[]
114	Have you personally attended to women who died during pregnancy?	1=Yes 2=No			[]
115	If yes, approximately how many women in the last one year?				
116	What are the most common conditions that lead to maternal death in this hospital (<i>please rank them from most to least common</i>)	(1). _____ (2). _____ (3). _____ (4). _____			
117	How common is post-partum hemorrhage (PPH) in your practice?	1=Very common 2=Common 3=Uncommon/Rare 4=Don't know			[]
118	How many clients with PPH have you managed in the last:	one week			
		one month			
119a	What method do you use to prevent PPH? (please state method)	----- -----			
119b	What drug do you most commonly give to women to prevent PPH?	----- -----			
119c	What dose do you give?	----- -----			
120a	What drug do you use to treat PPH ? (please state method)	----- -----			
120b	What drug most commonly do you give to treat PPH?	----- -----			
120c	What dose do you give?	----- -----			
121a	How common is eclampsia in your clinical practice?	1=Very common 2=Common 3=Uncommon/Rare 4=Don't know			[]
121b	How many cases of eclampsia did you see in your practice in the last	one week			
		one month			
		9=Don't know			[]
122a	What drug do you use for the management of convulsion in a patient with eclampsia routinely? (please provide name of drug)	----- -----			

No	Questions	Response categories	Code
122b	What dose of the drug do you use?	----- -----	
122c	How common is obstructed labour in this hospital?	1=Very common 2=Common 3=Uncommon/Rare 4=Don't know	[]
123	How many cases of obstructed labour/ruptured uterus did you see in your practice in the last	one week	
		one month	
		9=Don't know	
			[]
124	How do you prevent obstructed labour in your practice? (<i>Name main method</i>)	1. ----- 9=Don't know	[]
125	How do you manage obstructed labour in your practice (<i>Name main method</i>)	1. ----- 9=Don't know	[]
126	Do you do clinical/maternal audit in your hospital?	1=Yes 2=No	[]
127	If yes, how often?	1=Weekly 2=Monthly 3=Quarterly 4=Bi-annual	[]

SECTION D:

Survey of Clinical Skill sets

(Please complete the table below according to the following instructions)

Column A: State the number of cases you have performed in the last one year

Column B: How confident are you in performing the skills? (Please, choose the right option)

1. Confident; I do not need any coaching
2. Not confident; I need more coaching
3. Not confident; I cannot perform this skill
4. N/A Not permitted to perform this skill according to country/hospital policy

Column C: Please check 1 for the skill you have taught to others and 2 if otherwise

SKILL	Column A	Column B	Column C
	Number of Cases performed in the last 1 year	Confidence in performing procedure	Whether skill has been taught to others
	Please, write the number	1=Very confident 2=Not very confident 3=Not confident 4=N/A	1=Yes 2=No
Antenatal Care	<input type="text"/>	<input type="text"/>	<input type="text"/>
Counseling women on birth preparedness and complications readiness	<input type="text"/>	<input type="text"/>	<input type="text"/>
Monitoring Labor using partograph	<input type="text"/>	<input type="text"/>	<input type="text"/>
Active management of third stage of labor	<input type="text"/>	<input type="text"/>	<input type="text"/>
Postpartum care	<input type="text"/>	<input type="text"/>	<input type="text"/>
Neonatal resuscitation	<input type="text"/>	<input type="text"/>	<input type="text"/>
Caesarean section	<input type="text"/>	<input type="text"/>	<input type="text"/>
Vacuum delivery	<input type="text"/>	<input type="text"/>	<input type="text"/>
Forceps delivery	<input type="text"/>	<input type="text"/>	<input type="text"/>
Laparotomy and repair of ruptured uterus/Hysterectomy	<input type="text"/>	<input type="text"/>	<input type="text"/>
Use of magnesium sulphate	<input type="text"/>	<input type="text"/>	<input type="text"/>
	<input type="text"/>	<input type="text"/>	<input type="text"/>
Bimanual compression of the uterus	<input type="text"/>	<input type="text"/>	<input type="text"/>
Repair of cervical tears	<input type="text"/>	<input type="text"/>	<input type="text"/>
Repair of episiotomy	<input type="text"/>	<input type="text"/>	<input type="text"/>
Repair of first and second degree perineal tears	<input type="text"/>	<input type="text"/>	<input type="text"/>
Management of PPH	<input type="text"/>	<input type="text"/>	<input type="text"/>
Management of eclampsia	<input type="text"/>	<input type="text"/>	<input type="text"/>

Thank you.