

S3 Table. Clinico-pathological association of PELP1 expression in pulmonary cancers

Feature	PELP1			Total	p-value
	Low	Focal	Diffuse		
Histotype					
Adenocarcinoma	122	7	59	188	< 0.001
Squamous cell carcinoma	35	1	68	98	
Others	3	1	19	23	
EGFR status					
Wild type	50	6	63	119	< 0.001
Mutant	73	2	14	89	
Stage					
I	63	2	44	109	0.598
II	33	2	30	65	
III	40	2	43	85	
IV	20	3	20	43	
Smoking status					
Ex-smoker	53	2	77	131	< 0.001
Non-smoker	79	4	32	115	
Smoker	14	3	19	36	
Adenocarcinoma EGFR status					
Wild type	47	5	46	98	< 0.001
Mutant	73	2	12	87	
Age (yr)					
Mean	63.7	58.2	65.7	64.4	0.126
SD	11.7	14.0	11.1	11.6	
Range	30-64	27-77	28-90		
Size (cm)					
Mean	3.78	3.40	4.29	4.00	0.205
SD	2.16	2.77	2.46	2.32	

Range	0.7-13.0	1.1-9.0	0.5-11.0
-------	----------	---------	----------

PELP1, proline, glutamic acid, and leucine-rich protein 1; EGFR, epidermal growth factor receptor; SD, standard deviation.