natureresearch

Corresponding author(s): J. GERARDO GARCIA-LERMA

Reporting Summary

Nature Research wishes to improve the reproducibility of the work that we publish. This form provides structure for consistency and transparency in reporting. For further information on Nature Research policies, see <u>Authors & Referees</u> and the <u>Editorial Policy Checklist</u>.

When statistical analyses are reported, confirm that the following items are present in the relevant location (e.g. figure legend, table legend, main

Statistical parameters

text, or Methods section).					
n/a	Confirmed				
	The <u>exact sample size</u> (n) for each experimental group/condition, given as a discrete number and unit of measurement				
	An indication of whether measurements were taken from distinct samples or whether the same sample was measured repeatedly				
	The statistical test(s) used AND whether they are one- or two-sided Only common tests should be described solely by name; describe more complex techniques in the Methods section.				
	A description of all covariates tested				
	A description of any assumptions or corrections, such as tests of normality and adjustment for multiple comparisons				
	A full description of the statistics including <u>central tendency</u> (e.g. means) or other basic estimates (e.g. regression coefficient) AND <u>variation</u> (e.g. standard deviation) or associated <u>estimates of uncertainty</u> (e.g. confidence intervals)				
	For null hypothesis testing, the test statistic (e.g. <i>F</i> , <i>t</i> , <i>r</i>) with confidence intervals, effect sizes, degrees of freedom and <i>P</i> value noted <i>Give P values as exact values whenever suitable.</i>				
	For Bayesian analysis, information on the choice of priors and Markov chain Monte Carlo settings				
	For hierarchical and complex designs, identification of the appropriate level for tests and full reporting of outcomes				
	\square Estimates of effect sizes (e.g. Cohen's d , Pearson's r), indicating how they were calculated				
	Clearly defined error bars State explicitly what error bars represent (e.g. SD, SE, CI)				
Our web collection on <u>statistics for biologists</u> may be useful.					

Software and code

Policy information about availability of computer code

Data collection No software was used

Data analysis Data was analyzed and graph

Data was analyzed and graphed using GraphPad Prism 7 (version 7.04) for Windows. Sequence analysis was done using Geneious software (version 11.0.3) and the QSVA Analyzer tool

For manuscripts utilizing custom algorithms or software that are central to the research but not yet described in published literature, software must be made available to editors/reviewers upon request. We strongly encourage code deposition in a community repository (e.g. GitHub). See the Nature Research guidelines for submitting code & software for further information.

Data

Policy information about <u>availability of data</u>

All manuscripts must include a data availability statement. This statement should provide the following information, where applicable:

- Accession codes, unique identifiers, or web links for publicly available datasets
- A list of figures that have associated raw data
- A description of any restrictions on data availability

Sequence data supporting the results in Figs 1, 3, 4 and Table 1 have been deposited in GenBank with accession codes MK127951-MK127989, MK127990-

		124 (partial integrase sequences; amino acids 36-270), and MK128005-MK128055 (full-length integrase sequences). The source 4 are provided in a Source data file.			
Field-spe	ecific r	eporting			
Please select the be	est fit for you	r research. If you are not sure, read the appropriate sections before making your selection.			
\times Life sciences		Behavioural & social sciences			
For a reference copy of t	the document wi	th all sections, see <u>nature.com/authors/policies/ReportingSummary-flat.pdf</u>			
Life scier	nces st	cudy design			
All studies must disclose on these points even when the disclosure is negative.					
Sample size	This is an obs	servational study that includes 6 macaques treated with cabotegravir long-acting and 2 untreated animals			
Data exclusions	ncluded				
Replication	dynamics of	acaques for the in vivo drug resistance selection studies to account for animal to animal variability in acute infection kinetics and resistance selection. For clarity and reproduction purposes, we include in the manuscript the specific days when animals initiated ment and received all subsequent CAB-LA injections.			
Randomization	Animals in the CAB LA (n=6) and control (n=2) group were only normalized by age (mean age = 12.7 and 12.5 years old, respectively). CAB-LA doses were given as mg/kg to account for differences in weight among treated animals.				
Blinding		ntrol animals were infected with RT-SHIV three months prior to the treatment study to ensure efficient infection of rhesus with this dose. Blinding was not relevant in the treated animals as they were all receiving CAB-LA and doses were adjusted according to			
Reportin	g for s	specific materials, systems and methods			
Materials & experimental systems Methods					
n/a Involved in th	· · · · · · · · · · · · · · · · · · ·	stems Methods n/a Involved in the study			
	ological materia				
Antibodies Flow cytometry					
Eukaryotic cell lines MRI-based neuroimaging					
Palaeontol	logy				
	nd other organi				
Human res	search participa	ınts			
Unique biolo	ogical ma	aterials			
Policy information	about <u>availab</u>	ility of materials			
Obtaining unique	e materials	SIV resistance testing vectors containing the SIV integrase in an HIV background are available from Monogram Biosciences			
Antibodies					
Antibodies used		Describe all antibodies used in the study; as applicable, provide supplier name, catalog number, clone name, and lot number.			
Validation		Describe the validation of each primary antibody for the species and application, noting any validation statements on the manufacturer's website, relevant citations, antibody profiles in online databases, or data provided in the manuscript.			

Eukaryotic cell lines

Policy information about <u>cell lines</u>

Cell line source(s)

HEK 293 cells obtained from the NIH AIDS Reagent Program

Describe the authentication procedures for each cell line used OR declare that none of the cell lines used were authenticated. Authentication Mycoplasma contamination Confirm that all cell lines tested negative for mycoplasma contamination OR describe the results of the testing for mycoplasma contamination OR declare that the cell lines were not tested for mycoplasma contamination. Commonly misidentified lines Name any commonly misidentified cell lines used in the study and provide a rationale for their use. (See ICLAC register)

Palaeontology

Specimen provenance Provide provenance information for specimens and describe permits that were obtained for the work (including the name of the issuing authority, the date of issue, and any identifying information). Specimen deposition Indicate where the specimens have been deposited to permit free access by other researchers. If new dates are provided, describe how they were obtained (e.g. collection, storage, sample pretreatment and measurement), Dating methods where they were obtained (i.e. lab name), the calibration program and the protocol for quality assurance OR state that no new

Tick this box to confirm that the raw and calibrated dates are available in the paper or in Supplementary Information.

Animals and other organisms

Policy information about studies involving animals; ARRIVE guidelines recommended for reporting animal research

8 Indian rhesus macaques were used for the study (5 males and 3 females) with an average weight of 11.4 (8.1-18.9) kg and an Laboratory animals

average age of 12.6 years

Wild animals not applicable

Field-collected samples not applicable

Human research participants

Policy information about studies involving human research participants

Population characteristics

Describe the covariate-relevant population characteristics of the human research participants (e.g. age, gender, genotypic information, past and current diagnosis and treatment categories). If you filled out the behavioural & social sciences study design questions and have nothing to add here, write "See above.

Recruitment

Describe how participants were recruited. Outline any potential self-selection bias or other biases that may be present and how these are likely to impact results.

ChIP-seq

Data deposition

Confirm that both raw and final processed data have been deposited in a public database such as \underline{GEO} . Confirm that you have deposited or provided access to graph files (e.g. BED files) for the called peaks.

Data access links

May remain private before publication.

For "Initial submission" or "Revised version" documents, provide reviewer access links. For your "Final submission" document, provide a link to the deposited data.

Files in database submission

Provide a list of all files available in the database submission.

Genome browser session (e.g. UCSC)

Provide a link to an anonymized genome browser session for "Initial submission" and "Revised version" documents only, to enable peer review. Write "no longer applicable" for "Final submission" documents.

Methodology

Replicates

Describe the experimental replicates, specifying number, type and replicate agreement.

Sequencing depth

Describe the sequencing depth for each experiment, providing the total number of reads, uniquely mapped reads, length of reads and whether they were paired- or single-end.

Antibodies

Describe the antibodies used for the ChIP-seq experiments; as applicable, provide supplier name, catalog number, clone

Peak calling parameters

Specify the command line program and parameters used for read mapping and peak calling, including the ChIP, control and index files used.

Data quality

Describe the methods used to ensure data quality in full detail, including how many peaks are at FDR 5% and above 5-fold enrichment.

Describe the software used to collect and analyze the ChIP-seq data. For custom code that has been deposited into a community repository, provide accession details.

Flow Cytometry

Software

Plots						
Confirm that:						
The axis labels state the marker and fluorochrome used (e.g. CD4-FITC).						
The axis scales are clearly visible. Include numbers along axes only for bottom left plot of group (a 'group' is an analysis of identical markers).						
All plots are contour plots	s with outliers or pseudocolor plots.					
A numerical value for nur	mber of cells or percentage (with statistics) is provided.					
Methodology						
Sample preparation	Describe the sample preparation, detailing the biological source of the cells and any tissue processing steps used.					
Instrument	Identify the instrument used for data collection, specifying make and model number.					
Software	Describe the software used to collect and analyze the flow cytometry data. For custom code that has been deposited into a community repository, provide accession details.					
Cell population abundance	Describe the abundance of the relevant cell populations within post-sort fractions, providing details on the purity of the samples and how it was determined.					
Gating strategy	Describe the gating strategy used for all relevant experiments, specifying the preliminary FSC/SSC gates of the starting cell population, indicating where boundaries between "positive" and "negative" staining cell populations are defined.					
Tick this box to confirm the	nat a figure exemplifying the gating strategy is provided in the Supplementary Information.					

Magnetic resonance imaging

Experimental design

Design type

Indicate task or resting state; event-related or block design.

Specify the number of blocks, trials or experimental units per session and/or subject, and specify the length of each trial or block (if trials are blocked) and interval between trials.

State number and/or type of variables recorded (e.g. correct button press, response time) and what statistics were used to establish that the subjects were performing the task as expected (e.g. mean, range, and/or standard deviation across subjects).

Acquisition

Imaging type(s)

Field strength

Specify in Tesla

Sequence & imaging parameters

Specify the pulse sequence type (gradient echo, spin echo, etc.), imaging type (EPI, spiral, etc.), field of view, matrix size, slice thickness, orientation and TE/TR/flip angle.

Area of acquisition

State whether a whole brain scan was used OR define the area of acquisition, describing how the region was determined.

Specify: functional, structural, diffusion, perfusion.

Diffusion MRI Used Not used

Preprocessing

Normalization

Normalization template

Preprocessing software

Provide detail on software version and revision number and on specific parameters (model/functions, brain extraction, segmentation, smoothing kernel size, etc.).

If data were normalized/standardized, describe the approach(es): specify linear or non-linear and define image types used for transformation OR indicate that data were not normalized and explain rationale for lack of normalization.

Describe the template used for normalization/transformation, specifying subject space or group standardized space (e.g. original Talairach, MNI305, ICBM152) OR indicate that the data were not normalized.

	Describe your procedure(s) for artifact and structured noise removal, specifying motion parameters, tissue signals and physiological signals (heart rate, respiration).				
Volume censoring	Define your software and/or method and criteria for volume censoring, and state the extent of such censoring.				
Statistical modeling & inference					
	Specify type (mass univariate, multivariate, RSA, predictive, etc.) and describe essential details of the model at the first and second levels (e.g. fixed, random or mixed effects; drift or auto-correlation).				
\ /	Define precise effect in terms of the task or stimulus conditions instead of psychological concepts and indicate whether ANOVA or factorial designs were used.				
Specify type of analysis: Whole b	orain ROI-based Both				
Statistic type for inference (See Eklund et al. 2016)	Specify voxel-wise or cluster-wise and report all relevant parameters for cluster-wise methods.				
	Describe the type of correction and how it is obtained for multiple comparisons (e.g. FWE, FDR, permutation or Monte Carlo).				
Models & analysis					
n/a Involved in the study Functional and/or effective connectivity Graph analysis Multivariate modeling or predictive analysis					
Functional and/or effective connectivi	Report the measures of dependence used and the model details (e.g. Pearson correlation, partial correlation, mutual information).				
Graph analysis	Report the dependent variable and connectivity measure, specifying weighted graph or binarized graph, subject- or group-level, and the global and/or node summaries used (e.g. clustering coefficient, efficiency, etc.).				
Multivariate modeling and predictive a	Specify independent variables, features extraction and dimension reduction, model, training and evaluation metrics.				