

Supplementary Table 5. Presence of erectile dysfunction

	Low-risk group (n=97)				High-risk group (n=111)			
	Severe	Moderate	Little	None	Severe	Moderate	Little	None
Age (y)								
60–64	1 (1.0)	2 (2.1)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
65–70	19 (19.6)	18 (18.6)	4 (4.1)	2 (2.1)	4 (3.6)	5 (4.5)	7 (6.3)	0 (0.0)
71–80	4 (4.1)	22 (22.7)	10 (10.3)	4 (4.1)	31 (27.9)	25 (22.5)	11 (9.9)	1 (0.9)
81–90	5 (5.2)	2 (2.1)	1 (1.0)	1 (1.0)	15 (13.5)	3 (2.7)	3 (2.7)	1 (0.9)
≥91	1 (1.0)	1 (1.0)	0 (0.0)	0 (0.0)	3 (2.7)	0 (0.0)	0 (0.0)	0 (0.0)
Sex								
Male	30 (30.9)	45 (46.4)	15 (15.5)	7 (7.2)	53 (47.7)	33 (29.7)	21 (18.9)	2 (1.8)

Values are presented as number (%).