

**Supplementary Table 14.** Preferred person to receive sexual health education for low-risk group and high-risk group

	Low-risk group (n=204)					High-risk group (n=133)				
	Doctor/ nurse	Counseling center	Family	Friend	Etc.	Doctor/ nurse	Counseling center	Family	Friend	Etc.
Age (y)										
60–64	7 (3.4)	7 (3.4)	0 (0.0)	1 (0.5)	0 (0.0)	1 (0.8)	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)
65–70	21 (10.3)	24 (11.8)	0 (0.0)	1 (0.5)	1 (0.5)	14 (10.5)	7 (5.3)	0 (0.0)	0 (0.0)	0 (0.0)
71–80	39 (19.1)	32 (15.7)	1 (0.5)	1 (0.5)	4 (2.0)	40 (30.1)	22 (16.5)	0 (0.0)	2 (1.5)	6 (4.5)
81–90	5 (2.5)	6 (2.9)	0 (0.0)	0 (0.0)	2 (1.0)	17 (12.8)	5 (3.8)	0 (0.0)	2 (1.5)	1 (0.8)
≥91	0 (0.0)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.5)	1 (0.8)	1 (0.8)	0 (0.0)	0 (0.0)	0 (0.0)
Sex										
Male	38 (18.6)	35 (17.2)	1 (0.5)	2 (1.0)	4 (2.0)	63 (47.4)	29 (21.8)	0 (0.0)	4 (3.0)	7 (5.3)
Female	34 (16.7)	34 (16.7)	0 (0)	1 (0.5)	4 (2.0)	10 (7.5)	6 (4.5)	0 (0.0)	0 (0.0)	0 (0.0)

Values are presented as number (%).