MicroRNA-125-5p regulates IL-1β induced inflammatory genes via targeting

TRAF6-mediated MAPKs and NF-kB signaling in human osteoarthritic

chondrocytes

Zafar Rasheed^{1,*}, Naila Rasheed¹, Waleed Al Abdulmonem², Muhammad Ismail Khan³,

¹Department of Medical Biochemistry, College of Medicine, Buraidah, Qassim

University, KSA; ²Department of Pathology, College of Medicine, Buraidah, Qassim

University, KSA; ³Faculty of Medicine, School of Public Health, University of

Queensland, Brisbane, Australia.

*Corresponding author:

Dr. Zafar Rasheed, Department of Medical Biochemistry, College of Medicine, Qassim

University, P.O. Box 6655, Buraidah-51452, KSA.

Email: zafarrasheed@qumed.edu.sa

Selection of area of cartilage slicing from the discarded OA knee tissues




Figure 1 D: Lane 1 and Lane 2 were cropped




Figure 3 C: Lane 3 and 4 were cropped




Figure 3 F: Lane 1, 2, 3, 4, 5 and 6 were cropped




Figure 4 A: Lane 5, 6, 7, 8, 9, and 10 were cropped






Figure 4 C: Lane 1, 2, 3, 4, 5, and 6 were cropped

1 2 3 4 5 6 7 8 9



P-JNK


1 2 3 4 5 6 7 8 9




Total-JNK

Figure 4 E: Lane 1, 2, 3, 4, 5 and 6 were cropped

1 2 3 4 5 6 7 8 9



1 2 3 4 5 6 7 8 9



Total-ERK1/2

Figure 5 C: Lane 1, 2, 3, 4, 5, and 6 were cropped




Figure 5 F: Lane 1, 2 and 3 were cropped

1 2 3 MMP-13

Figure 6 B: Lane 1, 2, 3, 4, 5, 6, 7 and 8 were cropped

1 2 3 4 5 6 7 8



MMP-13