

Figure S1. Confirmation of the integrity of the captured *spz* BGC, related to Figures 1 and 2 and Table 1. **A.** Restriction digest of pSMM before and after transformation in *E. coli* using KpnI and KpnI + Spel enzymes. KpnI digest, expected sizes (kb) = 23.9, 11.1, 8.2, 4.9, 4.1, 2.7, 1.9, 1.5, 1.1, 1.0, 0.5. KpnI + Spel digest, expected sizes (kb) = 22.9, 8.9, 8.2, 4.9, 4.1, 2.7, 2.1, 1.9, 1.5, 1.1, 1.0, 0.5. **B.** Restriction digest of pKDB01, expected sizes (kb): 18.0, 13.7, 8.3, 4.9, 2.0, 1.6, and pKDB02, expected sizes (kb): 17.0, 13.3, 8.3, 4.9, 2.0, 1.5, with EcoRI + StuI.* indicates digest is blocked due to overlapping *dcm* methylation. Std – sequenced plasmid digested with EcoRI + StuI, used as a control, expected sizes (kb) = 10.3, 3.2, 1.3. Plasmid backbone represented by blue rectangle.




Figure S2. Engineering the *spz* BGC, related to Figures 2 and 3. A. Agarose gels of restriction digestions and corresponding maps of regulatory gene mutant plasmids. Enzyme pair Xhol + Ndel used for digestion. pKDB01 Δ spz3, expected sizes (kb): 10.6, 10.5, 8.7, 8.6, 3.2, 3.1, 1.9, 1.0, 0.1. pKDB02 Δ spz3, expected sizes (kb): 10.6, 10.5, 8.7, 8.6, 3.2, 2.1, 1.9, 1.0, 0.1. pKDB01-*ermE**·*spz24*, expected sizes (kb): 11.7, 10.5, 8.7, 5.2, 3.4, 3.2, 3.1, 1.9, 0.9, 0.2, 0.1. **B.** Restriction digest with Xhol + Ndel of refactored plasmids, agarose gel and corresponding plasmid map showing restriction sites: pKDB03, expected sizes (kb): 11.7, 10.5, 8.7, 7.6, 3.2, 3.1, 1.9, 1.1, 0.1; pKDB04, expected sizes (kb): 11.7, 10.5, 8.6, 7.5, 3.2, 3.1, 1.9, 1.1, 0.7, 0.3, 0.2, 0.1; pKDB05, expected sizes (kb): 10.9, 10.5, 8.7, 7.5, 3.2, 3.1, 1.9, 1.1, 0.9, 0.9, 0.7, 0.3, 0.3, 0.1. Plasmid backbone represented by blue rectangle.





Figure S3. Comparative production of streptophenazines by the refactored *spz* BGC, related to Figures 2,3, and 4. **A.** Streptophenazine metabolite cluster of nodes from the molecular network including MS/MS data of extracts of M1146-pKDB03, -pKDB04, and -pKDB05. Nodes are labeled with the corresponding precursor ion mass. **B.** Extracted ion chromatograms (m/z 411.2, 425.2, 439.2, 510.2), corresponding to isolated compounds in refactored pathway: (i) M1146-pKDB01 (ii) M1146-pKDB03 (iii) M1146-pKDB04, and (iv) M1146-pKDB05.





Figure S4. Molecular network showing production of streptophenazines, related to Figure 4. LCMS/MS data of ethyl acetate extracts from CNB-091, M1146-pCAP03, M1146-pKDB01 (non-refactored *spz* BGC) and M1146-pKDB03 (refactored *spz* BGC) were used for network generation. Nodes corresponding to streptophenazines highlighted in red square.

A**B**

Spz7_KR-DVYWAHLPDT--VTPVEEILAA LDD LVRAGKILHAGL SNFP AWRV -...
Ery1_KR-LGGIGDDVPLSAVFHAAAT LDDGT -VDTLTGERI ERAS RAKVL...
SlnA1_KR-LLDRIPEAHPLTGVFHAAAGV LDDGM -VGALSAERLDAVLRPKTD...
RifA_KR	...LEAVLRAIPAEHPLTAVIHTAGV LDDGV -VTELTPDRLATVRRPKVD...
AmphJ_KR-LLASVPAEHPLTAVVHTAGV LDDGI -FPSLTPDRLDSVMRPKVD...
TlmH_KR-VLAQIRSRGPIGGVVHAAGL LDDSI -LANMTPEQLHRVLRSKVD...

Figure S5. Confirmation of stereochemistry at C-1' position of compound 18, related to Figure 1. A. Circular dichroism (CD) spectrum of streptophenazine G (18). **B.** Alignment of type I PKS KR domains and Spz7. Amino acid residues (LDD motif) defining Spz7 as type B KR are highlighted. Ery1 = erythromycin, SlnA1 = salinomycin, RifA = rifamycin, AmphJ = amphotericin, TlmH = thiolactomycin.




A**B****C**

Figure S6. Bioinformatic analysis and gene deletion of *spz15*, related to Figures 5 and 6. **A.** Protein family (Pfam) analysis of Spz15. Identified CL00378 AMP-binding domain which is characteristic for ANL superfamily of enzymes that includes adenylation domains. **B.** Restriction digest of pKDB03 Δ spz15 with Xhol and NdeI restriction enzymes. Expected sizes (kb): 11.7, 10.5, 7.5, 5.6, 3.2, 3.1, 2.3, 1.9, 1.1, 0.1. **C.** LCMS chromatograms: (i) Base Peak Chromatogram (BPC) of M1146-pKDB03 Δ spz15 *zoomed out 100x, (ii) Extracted Ion Chromatogram (EIC) (m/z 510.2, corresponding to compounds **20** and **21**) of M1146-pKDB03 Δ spz15, (iii) M1146-pKDB03 EIC (m/z 510.2), (iv) CNB-091 EIC (m/z 510.2), and (v) M1146-pCAP03 EIC (m/z 510.2).




Figure S7. antiSMASH predicted gene neighborhoods of *phz*-associated discrete adenylation proteins, related to Figure 5. Red gene = adenylation enzyme homolog found through blastp, orange genes = phenazine biosynthesis homologs. Spz15 = from *Streptomyces* sp. CNB-091, WP_097877165.1 = from *Streptomyces* sp. ms184, WP_086670704.1 = from *Streptomyces albovinaceus*, WP_073774768.1 = from *Streptomyces* sp. TSRI0445, WP_093779888.1 = from *Streptomyces* sp. yr375, WP_078880735.1 = from *Kitasatospora purpeofusca*, WP_063798176.1 = from *Streptomyces* sp. 150FB, WP_030586976.1 = from *Streptomyces anulatus*, WP_078871187.1 = from *Streptomyces caatingaensis*, WP_075016162.1 = from *Streptomyces rubidus*, WP_058941148.1 = from *Streptomyces kanasensis*.

Table S1, related to Figures 2, 3 and Method Details. Promoter cassette sequences used for refactoring. Bold = restriction site, italic = added for scar, blue = FRT site, red = antibiotic resistance, green = promoter, purple = *actII-ORF4*.

Cassette	Sequence
<i>sp44-p21</i>	CTCGAGGGTGAACCGATCTCCTCGTTAGGGTCACACCAAGACTTACAACACCACAGCATGT TGTCAAAGCAGAGACGGTCGAATGTGAACAGCCACTATCATATGTCAGTTGAAGTTCAT TCTCTAGAAAGTAGGAACCTCGGTCATGTGCAGCTCCATCAGAAAAGGGGATGATAAGTT TATCACCACCGACTATTGCAACAGTGCCGTTGATCGTCTATGATCGACTGATGTCATCAGCG GTGGAGTGCAATGTCGTGCAATACGAATGGCAGAAAGCCGAGCTCATCGGTAGCTCCAC CTTGGGGTTACCCCCGGCGGTGCTGCTGGTCCACAGCTCCTCCGTAGCGTCCGGGCCCCCT CGAAGATGGGCCACTTGGACTGATCGAGGCCCTGCGTGTGCGCTGGTCCGGGAGGGACG CTCGTCATGCCCTCGTGGTCAGGTCTGGACGACGAGCCGTTGATCCTGCCACGTCGCCGT TACACCGGACCTTGGAGTTGCTCTGACACATTCTGGCCCTGCCAAATGTAAGCGCAGCGC CCATCCCATTGCTTGCAGCGGGGCCACAGGCAGAGCAGATCATCTGATCCATTGCC CCTGCCACCTCACTCGCCTGCAAGGCCGGTGCCTGGTCCATGAACACTCGATGGCAGGTAC TTCTCCTCGGCGTGGGACACGATGCCAACACAGCAGCTGCATCTGCCAGTTGATGGCAAAG GTTCCCTATGGGTGCCGAGACACTGCAACCATTCTCAGGATGGCAAGTTGGTACGCGTCGAT TATCTCGAGAATGACCACTGCTGTGAGCGCTTGCCTGGCGACAGGTGGCTCAAGGAGAA GAGCCTTCAGAAGGAAGGTCCAGTCGGTCACTGCCAGAGATCCGTTGATCCGCTCCGCCACAT TGTGGCGACAGCCCTGGGTCACCTGGGCCAGAGATCCGTTGATCTCCTGCATCCGCCAGAGG CGGGATGCGAAGAATGCGATGCCCTGCCAGTCGATTGGCTGAGAAGTTCCATTCTAGA AAGTATAGGAACCTCAAGCTTGCTCGAGTGTGCGGCTCTAACACGTCCTAGTATGGTAGGA <p>TGAGCAACTAGTCGAGCAACGGAGGTACGGACCATATG</p>
<i>actlp</i>	CTCGAGGGTCATGTGCAGCTCCATCAGCAAAGGGGATGATAAGTTTACCAACCGACTAT TTGCAACAGTCCCCTGATCGTGCTATGATCGACTGATGTCATCAGCGGTGGAGTGCATGTC GTGCAATACGAATGGCAGAAAGCCGAGCTCATCGGTAGCTCCTCAACCTGGGTTACCCCC GGCGGTGTGCTGCTGGTCCACAGCTCCTCCGTAGCGTCCGGCCCTCGAAGATGGCCACT TGGACTGATCGAGGCCCTGCGTGCCTGGTCCGGGAGGGACGCTCGATGCCCTCG TGGTCAGGTCTGGACGACGCCGTCATCTGCCACGTCGCTGGGTTACACCGGACCTTGG AGTTGTCTGACACATTCTGGCCCTGCCAAATGTAAGCGCAGCGCCATCCATTGCCCTT CGGGCAGCGGGGCCACAGGCAGAGCAGATCATCTGATCCATTGCCACCTCACTC GCCTGCAAGCCCGTCCCGTGTCCATGAACTCGATGGCAGGTACTTCTCCTGGCGTGG GACACGATGCCAACACGACGCTGCATCTGCCAGTTGATGGCAAAGGTTCCATGGGTG CCGAGACACTGCACCATTCTCAGGATGGCAAGTTGGTACGCGTCGATTATCTGAGAATGAC CACTGCTGTAGCGCTTGCCTGGCGACAGGTGGCTCAAGGAGAAGAGCCTTCAGAAGGA AGGTCAGTCGTCATGCCCTGCTGGTTGATCCGCTCCCGCAGATTGGCGACAGCCCT GGGTCAACTGGGCCAGATCCGTTGATCTCCTGTCATCCGCAGAGGCGGGATGCGAAGAAT GCGATGCCGCTGCCAGTCGATTGGCTGACCATATGCCACTGCCCTCGTAAATCCAGCAA AATTAAATCAGTCAGCTCGCTGCACTGATTAATTGATCAATAGGAGATCGCTTGACGGC AAGCACATTGAAATCTGTTGAGTAGGCCTGTTATTGTCGCCCCCAGGAGACGGAGATCTGA CGGGGGCGCAGATGAGATTCAACTTATTGGACGTGTCATGTAATCACCGATGCGGGATGTG TAATTCCGCTAACTCTCGAAGGCAGCCAGCTCCTGGTGTGCTGCTCCTCAGGCGGCACG AGGTGGTGGGATCGGGGGTGCTCATCGAGGAGTTGTGGCGGACCCCGCCCGCAGCGC CATGACGACGCTGCAGACGTACGTGTACCCACACCCGCCGGCTGCTGGGGAGCACCAGGGT ACGAGCGACGCCGGATTGGCTCTGACCCAGCCGCCGGCTACTTCGCCCTGATCGACGA GGACGAACCTGACGCTGCCGGTGCACGCGTCTGATCGCACCCGGCCGGCTGCTCGAG GAGAACCGGCTCGAGGAGGGCGCTGCCCTCGTTGGACGCCGGACTGGATCTGGCGAGGCC CGGCCGCTGCCACCGTACCGTGCGCCGGGTGCTCGAAAGCAATATGCCACCTGGAGAG CTGCCGCTTGGAAATGAGCTCCGTATCGACCGAATTGGCGCTGGCAGAATAGGCC GATGATTCCGAAACTCCGGTCCCTGGTAATTGCACTCGCTGAACGAGACCTGACGCCAA ACTGATGGGCGCGCTCTGTCAGATGGCAGGCCGGAGGCCGCTGGAAATCGTATCGGAATC TCCGGCGGATACTGTCGACGAACGGGGTGGATCCGACGCCGGAAATCAGCGTATGCA ATGAAATTCTCACCGTGAGAAGGGCTGCTGTAACCGGTCCTGTAACCGGCGTGGAGCC CTATGTCCTTAAGTGTCCCCCTCCCTGCCCTGCTGGTCCCTCACCGCTCAGCTTGGCGCC CGGCTCGAGCGGGCGGTGAAGGGAGATGGGGTGCCTGCCGCTGGACGCCGCCGGTGGATCCG GCATCGAGGGGCTCCGTATCGGCCCTCGAGCCCTCCCTCGAGGCCACGGGCCACGATGACGA CGACCACCGGACGAACGCATC

ATGGGGACCTCCTGGGTGCGTTGGAC **CGCTGGATCCTACCAACC**GGCACGATTGTGCCAC
 AACAGCATCGCGGTGCCACGTGTGGACCGCGTGGTCAGATCCTCCCCGCACCTCTGCCAG
 CCGTCAAGATCGACCGCGTGCACCA**CATATGTTACCA**ATGCTTAATCAGTGAGGCACCTATCT
 CAGCGATCTGCTATTCGTTCATCCATAGTTGCCTGACTCCCCGTCGTAGATAACTACGAT
 ACGGGAGGGCTTACCATCTGGCCCAGTGCTGCAATGATAACCGGAGACCCACGCTACCGG
 CTCCAGATTTCAGCAATAAACAGCCAGCCAGCGGAAGGGCCGAGCGCAGAAGTGGTCTGCA
 ACTTTATCCGCCCTCCATCCAGTCTATTAAATTGTTGCCGGAAAGCTAGAGTAAGTAGTTGCCAG
 TTAATAGTTGCGCAACGTTGTTGCCATTGCTACAGGCATCGTGGTGTACGCTCGTGTGTTGG
 TATGGCTTCATTCAAGCTCCGGTCCCAACGATCAAGGGAGTTACATGATCCCCCATGTTGTGC
 AAAAAAGCGGTTAGCTCCCGTCTCCGATCGTTGTCAGAAGTAAGTGGCCGAGTGTAA
 TCACTCATGGTTATGGCAGCACTGCATAATTCTCTTACTGTCATGCCATCGTAAGATGCTTTC
 TGTGACTGGTGAGTACTCAACCAAGTCATTCTGAGAATAGTGTATGCCGCGACCGAGTTGCTC
 TTGCCCGCGTCAATACGGGATAATACCGGCCACATAGCAGAACCTTAAAGTGCTCATCATT
 GGAAAACGTTCTTCGGGGCGAAAACTCTCAAGGATCTTACCGCTGAGATCCAGTTGATG
 TAACCCACTCGTGCAACCAACTGATCTTCAGCATCTTACTTCAACCGCTGTTCTGGGTGAG
 CAAAAAACAGGAAGGCAAAATGCCGAAAAAAGGGATAAGGGCGACACGGAAATGTTGAATAC
TCATACTCTTCTTTCAATCATGATTGAAGCATTATCAGGGTTATTGTCTCATGAGCGGATA
 CATATTGAAT**GCTCGAG**

Table S3, related to STAR Methods section “Bioactivity testing of streptophenazines and MIC determination” Minimum Inhibitory Concentrations (MICs) ($\mu\text{g/mL}$) of oxo-streptophenazine A (**9**), streptophenazine C (**13**), streptophenazine A (**16**), and streptophenazine Q (**20**).

	Compound 9	13	16	20
Strain				
Group A <i>Streptococcus</i>	>50	>50	>50	2.5
<i>Acinetobacter baumannii</i> 5075	>50	>50	>50	40
<i>Klebsiella pneumoniae</i> 1100	>50	>50	>50	>40
MRSA TCH1516	>50	>50	>50	40

Table S4, related to STAR methods. Plasmids and strains used in this work

Plasmids	Description	Sources
pCAP03	TAR cloning and broad-host-range heterologous expression vector; <i>CEN6-ARS4, oriT, traJ, pUC ori, Kan^r, Apr^a, pADH1, URA3, TRP1</i>	Tang <i>et al.</i> , 2014
pSMM	Derivative of pCAP03 with 48 kb captured <i>spz</i> cluster	This work
pKDB01	Derivative of pCAP03 with 37.5 kb captured <i>spz</i> cluster	This work
pKDB02	Derivative of pKDB01 without TetR regulatory gene (<i>spz28</i>)	This work
pKDB01 Δ <i>spz3</i>	Derivative of pKDB01 without <i>spz3</i> (LysR type regulatory gene)	This work
pKDB02 Δ <i>spz3</i>	Derivative of pKDB02 without <i>spz3</i> (LysR type regulatory gene)	This work
pKDB01- <i>ermE</i> * <i>p-spz24</i>	Derivative of pKDB01 with <i>ermE</i> * promoter in front of <i>spz24</i> (LuxR-type regulatory gene), <i>Kan^r, Amp^r</i>	This work
pKDB03	Derivative of pKDB01 with <i>sp44-p21</i> cassette	This work
pKDB04	Derivative of pKDB03 with <i>actlp</i> cassette	This work
pKDB05	Derivative of pKDB04 with <i>ermE</i> * <i>p</i> cassette	This work
pKDB03 Δ <i>spz15</i>	Derivative of pKDB03 with <i>spz15</i> (putative adenylation protein-encoding gene) deleted	This work
pCAP03- <i>ermE</i> * <i>p</i>	Derivative of pCAP03 containing <i>ermE</i> * <i>p</i> cassette between Xhol and Ndel, <i>Kan^r, Amp^r</i>	This work
pCAP03- <i>actlp</i>	Derivative of pCAP03 containing <i>actlp</i> cassette between Xhol and Ndel, <i>Kan^r, Apr^a</i>	This work
pCAP03- <i>sp44-p21</i>	Derivative of pCAP03 containing <i>sp44-p21</i> cassette between Xhol, Ndel, <i>Kan^r, Apr^a</i>	This work
pIJ790	λ -RED (<i>gam, bet, exo</i>), <i>cat, araC, rep101^{ts}, oriR101, P araBAD</i>	Gust, 2003
pUB307	Self-transmissible plasmid that mobilizes other plasmids <i>in trans</i> for DNA transfer into hosts: RP4, <i>neo</i>	Flett, 1997

Strains	Description
Streptomyces	
<i>Streptomyces</i> sp. CNB-091	Native producer of streptophenazines
	Trischman <i>et al.</i> , 1994
<i>Streptomyces coelicolor</i> M1146	Host strain for heterologous expression derived from <i>S. coelicolor</i> M145: Δ <i>act</i> , Δ <i>red</i> , Δ <i>cpk</i> , Δ <i>cda</i> .
<i>S. coelicolor</i> M1146-pCAP03	Heterologous host containing empty pCAP03 as a control
<i>S. coelicolor</i> M1146-pSMM	Heterologous host containing pSMM (<i>spz</i> BGC captured in 48 kb DNA fragment)
<i>S. coelicolor</i> M1146-pKDB01	Heterologous host with integrated pKDB01 (37.5 kb captured <i>spz</i> cluster)
<i>S. coelicolor</i> M1146-pKDB02	Heterologous host with integrated pKDB02 (Δ <i>spz28</i>)
<i>S. coelicolor</i> M1146-pKDB01 Δ <i>spz3</i>	Heterologous host with integrated pKDB01 Δ <i>spz3</i>
<i>S. coelicolor</i> M1146-pKDB02 Δ <i>spz3</i>	Heterologous host with integrated pKDB02 Δ <i>spz3</i>

<i>S. coelicolor</i> M1146-pKDB01- <i>ermE</i> * <i>p-spz24</i>	Heterologous host with integrated pKDB01- <i>ermE</i> * <i>p-spz24</i>	This work
<i>S. coelicolor</i> M1146-pKDB03	Heterologous host with integrated pKDB03	This work
<i>S. coelicolor</i> M1146-pKDB04	Heterologous host with integrated pKDB04	This work
<i>S. coelicolor</i> M1146-pKDB05	Heterologous host with integrated pKDB05	This work
<i>S. coelicolor</i> M1146-pKDB03Δ <i>spz15</i>	Heterologous host with integrated pKDB03Δ <i>spz15</i>	This work
<i>Escherichia coli</i>		
DH10B	F- <i>mcrA</i> Δ(<i>mrr-hsdRMS-mcrBC</i>), Φ80/ <i>lacZΔM15</i> , Δ <i>lacX74 recA1 endA1 araD139</i> Δ (<i>ara leu</i>)7697 <i>galU galK rpsL nupG λ-</i> . Storage and maintenance	
BW25113	K-12 derivative: Δ <i>araBAD</i> , Δ <i>rhaBAD</i> ,	Datsenko and Wanner, 2000
BT340	DH5α/pCP20, containing FLP recombinase	Cherepanov and Wackernagel, 1995
ET12567	F- <i>dam13::Tn9</i> , <i>dcm6</i> , <i>hsdM</i> , <i>hsdR</i> , <i>recF</i> , <i>143 zjj-202::Tn10</i> , <i>galK2</i> , <i>galT22</i> , <i>ara-14</i> , <i>pacY1</i> , <i>xyl-5</i> , <i>leuB6</i> , <i>thi-1</i> , <i>tonA31</i> , <i>rpsL136</i> , <i>hisG4</i> , <i>tsx-78</i> , <i>mtl-1</i> , <i>glnV44</i> . Donor strain for conjugation between <i>E. coli</i> and <i>Streptomyces</i> in triparental mating	MacNeil et al., 1992
Other		
Group A <i>Streptococcus</i>	Clinical isolate used for bioactivity assays	Nizet lab,UCSD
<i>Acinetobacter baumannii</i> 5075	Clinical isolate used for bioactivity assays	Nizet lab,UCSD
<i>Klebsiella pneumoniae</i> 1100	Clinical isolate used for bioactivity assays	Nizet lab,UCSD
MRSA TCH1516	Clinical isolate used for bioactivity assays	Nizet lab,UCSD
<i>S. cerevisiae</i> VL6-48N	MATα <i>trp1-Δ1 ura3-Δ1 ade2-101 his3-Δ200 lys2 met14 cir°</i> , TAR cloning	Kouprina and Larinova, 2016

Table S5, related to STAR methods. Primers used in this work.

Primer name	Sequence (5' to 3')	Purpose
Frag1_F	GAGTAGCAGCACGTTCCCTATATGTAGCTTCGACAT ATGCATGAGCTGTCTCCTGGTGTGGTGGCAGG	TAR cloning <i>spz</i> BGC
Frag1_R	CGACCTGCCCGAACTCGACGGGCTGGAAGTG	TAR cloning <i>spz</i> BGC
Frag2_F	CACGATGCCAGCAGCAGTCCCAGTCGTGG	TAR cloning <i>spz</i> BGC
Frag2_R	GCATCCAGTGCAGTGACTACGCCCGCCGAGCG	TAR cloning <i>spz</i> BGC
Frag3_F	CCAGGTACTCCTCCAAGTGTGCGCCGGTCCG	TAR cloning <i>spz</i> BGC
Frag3_R	CTCATAGGATGCCTCTGCGGGTGTGGAGACC	TAR cloning <i>spz</i> BGC
Frag4_F	CGATGCCGCCTGGACCGACTGGAGCAGG	TAR cloning <i>spz</i> BGC
Frag4_R	GCTGCCGCTGAACGCCAACGGGAAGGTGGAC	TAR cloning <i>spz</i> BGC
Frag5_F	GAGGGCGGTCAGGGCAGGATTACCGGAATGC	TAR cloning <i>spz</i> BGC
Frag5_R	GGAGGCAGGCGCGTACTGGACGTTCTCATCC	TAR cloning <i>spz</i> BGC
Frag6_F	CCATCATCTTGAGCTTCGTCGACGACCATG	TAR cloning <i>spz</i> BGC
Frag6_R	GAACCAGGAGATGCCGACCGGCTGTCCT	TAR cloning <i>spz</i> BGC
Frag7_F	CTCGGCCTGGAATCACTTCAGATGATGCGCCTG	TAR cloning <i>spz</i> BGC
Frag7_R	GTTCCCTGATGCCAGTTCTGCAGAGCGTG	TAR cloning <i>spz</i> BGC
Frag8_F	GTCACTCCGACGAACATCAGGATGGAGGCCG	TAR cloning <i>spz</i> BGC
Frag8_R+TetR	CTCGGTTGACGCCCTCCATGGTATAAATAGTGGCTC GAGGCACAGGACGGCATGCCCGCAGCTGAGC	TAR cloning <i>spz</i> BGC
Frag8_R-TetR	CTCGGTTGACGCCCTCCATGGTATAAATAGTGGCTC GAGGGTCCGTCCGGTCCCAGGAGAACCCAGCTGATC GGCTTGCAGGAGAGACCGGGCGGGGATCAGCGAGG	TAR cloning <i>spz</i> BGC
Δspz3_F	AGGGCGCGGGCGTGTCAAGCAATCGACTGGCGAGC GGCAT	Delete <i>spz3</i> (LysR)
Δspz3_R	GCTCGTCGCCACCGTCGCCCCGCTCTGAACCGGCC GCGGGGAAGGACCACGGTTATGTGCAGCTCCATCA GCAAAAG	Delete <i>spz3</i> (LysR)
Δspz3_seq_F	GTGAAGGGACGAACAGGAAGTG	Confirm <i>spz3</i> deletion
Δspz3_seq_R	GATCGAGCCGCCGACGTG	Confirm <i>spz3</i> deletion
Upreg-spz24_F	GTCGGGAGCGTGGCACAGTGCACGTCGGCA GGACTGGCACGGTCATATGGGGACCTCCTGGGTG CGTTGG	Insert <i>ermE*</i> promoter in front of <i>spz24</i> (LuxR)
Upreg-spz24_R	CCCGATCGTGTACGTGCGGCCGTCGCGCCCTAGG CCCTCGGGCGGACGCTCGAGCATTCAAATATGTAT CCGCTCATG	Insert <i>ermE*</i> promoter in front of <i>spz24</i> (LuxR)
Upreg-spz24_seq_F	CAGCAGGCTGCTTGCGACAC	Sequencing to confirm insertion
Upreg-spz24_seq_R	GATGCGCGGTATGTGGAGCGC	Sequencing to confirm insertion
aac(3)IV+FRT_F	ATTATACATATGTGCAGTTGAAGTTCTATTCTTAG AAAGTATAGGAACCTCGGTCATGTGCAGCTCCATCA GCAAAAG	Amplify <i>aac(3)IV</i> gene with FRT sites for cloning between pET28a NdeI and HindIII sites
aac(3)IV+FRT_R	ATTATAAAGCTTGAAGTTCTATACTTCTAGAGAATA GGAACCTCTCAGCCAATCGACTGGCGAGCGGCATCG	Amplify <i>aac(3)IV</i> gene with FRT sites for cloning between pET28a NdeI and HindIII sites
sp44_F	GACGCCTCCATGGTATAAATAGTGGCTCGAGGGTG AACCGATCTCTCGTTAGGGTC	Amplify <i>sp44</i> promoter with homology to pCAP03 and <i>aac(3)IV</i>
sp44_R	TCTAGAGAATAGGAACCTCGAAGTCGACATATGATAG TGGCTGTTCACATTGAAACCGTCTCG	Amplify <i>sp44</i> promoter with homology to pCAP03 and <i>aac(3)IV</i>
p21_F	CTATTCTCTAGAAAGTATAGGAACCTCAAGCTTGCT CGAGTGTGCGGGCTTAACACGTC	Amplify <i>p21</i> promoter with homology to pCAP03 and <i>aac(3)IV</i>

<i>p21_R</i>	AGCACGTTCCCTATATGTAGCTTCGACATATGGTCC GTACCTCCGTTGCTCGACTAGAT	Amplify <i>p21</i> promoter with homology to pCAP03 and <i>aac(3)IV</i>
<i>aac(3)IV+FRT_sp44_pCAP03_F</i>	CAGAGACGGGTTCGAATGTGAACAGGCCACTATCATAT GTGCAGTTCGAAGTTCCTATTCTCTAGA	Amplify <i>aac(3)IV</i> +FRT with homology to <i>sp44</i> promoters
<i>aac(3)IV+FRT_p21_pCAP03_R</i>	ACGTGTTAGAGCCCGCACACTCGAGCAAAGCTTGAA GTTCCCTATACTTTCTAGAGAATA	Amplify <i>aac(3)IV</i> +FRT with homology to <i>p21</i> promoter
<i>sp44+p21_cas_insert_F</i>	TGGTCGGCGTCTCGTTGCTGAAACTGATGCTCTGG GCGACGTCGGGCATCTCGAGGGTAGAACCGATCTCCT CGTTAGG	Amplify <i>sp44-p21</i> cassette with homology sequences for targeted insertion into <i>spz</i> BGC
<i>sp44+p21_cas_insert_R</i>	CCGGGGACGTGGGTGCCGAGTCCGGCGAGGGTAGGT GTTCTCGAACTTCATCATATGGTCCGTACCTCCGTTG CTCGAC	Amplify <i>sp44-p21</i> cassette with homology sequences for targeted insertion into <i>spz</i> BGC
<i>sp44+p21_cas_insert_seq_F</i>	GTGAACAGGAGATGCCGGGTC	Confirm <i>sp44-p21</i> cassette insertion
<i>sp44+p21_cas_insert_seq_R</i>	GCCTCGTACCAAGCCTTCTG CCGGTCCGTGAACGCCGTGGAGGCCATATGCTCTTA AGTGTCCCCCTCCCTGCC	Confirm <i>sp44-p21</i> cassette insertion
<i>actlp_F</i>	CACGTTCTTATATGTAGCTTCGAGATGCGTTCGTC CGGTGGTCGTCGTC	Amplify <i>actl</i> promoter with homology to <i>actII-ORF4</i> and pCAP03
<i>actlp_R</i>	CCGCTCGCCAGTCGATTGGCTGACATATGCCACTGC CTCTCGGAAAATCC	Amplify <i>actl</i> promoter with homology to <i>actII-ORF4</i> and pCAP03
<i>actII-ORF4_F</i>	GGCAGGGAGGGAAACACTTAAGAGACATAGGGCTC CACCGC GTTCACGGACCGG	Amplify <i>actII-ORF4</i> with homology arms for assembly with <i>aac(3)IV</i> and <i>actlp</i>
<i>actII-ORF4_R</i>	GACGCCTCCCAGGTATAAATAGTGGCTCGAGGGTT CATGTGCAGCTCCATCAGCAAAAG	Amplify <i>actII-ORF4</i> with homology to <i>actII-ORF4</i> and pCAP03
<i>aac(3)IV+actlp_F</i>	GGATTTTACCGAGAGGCAGTGGCATATGTCAGCAA TCGACTGGCGAGCGG	Amplify <i>aac(3)IV</i> with homology to <i>actII-ORF4</i> and pCAP03
<i>aac(3)IV+actlp_R</i>	GGGTCCCGCGTGTACCGAAGGTCAAGAATCTCGGG TCGGCGGAAGCCACGATGCGTTCGTCCGGTGGTCG TCGTC	Amplify <i>actlp</i> cassette with homology sequences for targeted insertion into <i>spz</i> BGC
<i>actlp_cas_insert_F</i>	GTGCTCGAATGTCCCATACACCCAAGACGTAGAAGT TCTCTGGAGGAACGACTCGAGGGTTCATGTCAGCT CCATCAG	Amplify of <i>actlp</i> cassette with homology sequences for targeted insertion into <i>spz</i> BGC
<i>actlp_cas_insert_R</i>	CTCGAGCCAGTAGCGGGATC	Confirm <i>actlp</i> cassette insertion within <i>spz</i> BGC
<i>actlp_cas_insert_seq_F</i>	CATTGTGCACGGTCCACCG	Confirm <i>actlp</i> cassette insertion within <i>spz</i> BGC
<i>ermE*p_F</i>	GTGCCTCACTGATTAAGCATTGGTAACATATGTGGTG CACCGGGTCGATCTGACGGCTG	Amplify <i>ermE*</i> promoter with homology arms for assembly with <i>bla</i> and pCAP03
<i>ermE*p_R</i>	CAGCACGTTCTTATATGTAGCTTCGAATGGGACC TCCTGGGTGCGTTGGACC	Amplify <i>ermE*</i> promoter with homology arms for assembly with <i>bla</i> and pCAP03
<i>bla+ermE*p_F</i>	TGACGCCTCCCAGGTATAAATAGTGGCTCGAGCATT CAAATATGTATCCGCTCATGAGA	Amplify <i>bla</i> with homology to <i>ermE*p</i> and pCAP03 for assembly
<i>bla+ermE*p_R</i>	CAGCCGTCAAGATCGACCGCGTGCACCATATGTT ACCAATGCTTAATCAGTGAGGCAC	Amplify <i>bla</i> with homology to <i>ermE*p</i> and pCAP03 for assembly
<i>ermE*p_cas_insert_F</i>	CAGGGTCGCCGTGACGGCGAACTGGAGGCGGGCGA GGTCGACGACGTCCACATGGGGACCTCCTGGGGTG CGTTGG	Amplify <i>ermE*p</i> cassette with homology sequences for targeted insertion into <i>spz</i> BGC
<i>ermE*p_cas_insert_R</i>	CTTCCACAGCCACGCCGCCCTCCTCGGCTGATC CCC GCCCGTCTCTCGAGCATTCAAATATGTATCC GCTCATG	Amplify <i>ermE*p</i> cassette with homology sequences for targeted insertion into <i>spz</i> BGC
<i>ermE*p_cas_insert_seq_F</i>	GTGAGGTCGCTCGTGCAG	Confirm <i>ermE*p</i> cassette insertion within <i>spz</i> BGC
<i>ermE*p_cas_insert_seq_R</i>	GTCCTGCCGAGCAGTATGTCC	Confirm <i>ermE*p</i> cassette insertion within <i>spz</i> BGC
<i>Δspz15_F</i>	ACGGGTTCCAGGCGGCCGGAGACGACGTCTCGCG CAGCGCCCCCGGTCTCAGCCAATCGACTGGCGAG CGGCAT	Delete <i>spz15</i> (adenylation protein)
<i>Δspz15_R</i>	GGCGGGTCTGTCGGCTCCAGCCCTGAGCCCTGAGGCCGGGGC ACTCCTCCGCCTCCGGTTATGTCAGCTCCATCAG CAAAG	Delete <i>spz15</i> (adenylation protein)
<i>Δspz15_seq_F</i>	GTCAGGGCAGGATTACGGAATG	Confirmation of <i>spz15</i> deletion
<i>Δspz15_seq_R</i>	GTACGAACCTCGTTCGACAGGGTG	Confirmation of <i>spz15</i> deletion

Table S6, related to STAR methods. Primers used for RT-PCR.

Primer name	Sequence (5' to 3')	Primer name	Sequence (5' to 3')
<i>hrdB_F</i>	CCTCCGCCTGGTGGTCTCG	<i>hrdB_R</i>	AACTTGTAGCCCTTGGTAGTCGAAC
<i>spz1_F</i>	CGTCACCGAGAGCAGCCACAGCG	<i>spz1_R</i>	GTTGCTCCAAGCACTGCGACTGCC
<i>spz2_F</i>	CGATCAGGGAGAAGTTCACGACG	<i>spz2_R</i>	CTGCACTTCCTGTTCGTCGCCCTT
<i>spz3_F</i>	GGACATACTGCTCGGGCAGGAC	<i>spz3_R</i>	CAGTTGGAGTACTTCCTCGCGG
<i>spz4_F</i>	GCCTGATCAGCACCACGTCGG	<i>spz4_R</i>	GAACCTCGCGTACGACCTGTGCG
<i>spz5_F</i>	CGATCTGCTCGAACGTAACAGCC	<i>spz5_R</i>	GACACCATGTACGCGTCACTCATCC
<i>spz6_F</i>	GTGCAGAGTCTCCAGAACGTCGTGG	<i>spz6_R</i>	CACACCGCAGGTCGTGTTCACCTTC
<i>spz7_F</i>	GCGAGGCTGTACTCGCACTGGATG	<i>spz7_R</i>	GTCTCCGAATACGCGCTGGGCAC
<i>spz8_F</i>	GAACGTGGTCACCGGAATGTCCAG	<i>spz8_R</i>	GACCGAGCTCGACCTGTACTGCTTC
<i>spz9_F</i>	CTCGAAGAAGCTCTCGTCGGTTCG	<i>spz9_R</i>	CTTGAGGACTGGAAGCCGTACGGG
<i>spz10_F</i>	GTGGTCAACAGGTGATCAGCTC	<i>spz10_R</i>	GAGAAGGATTCCCTGACCCCTCGTCG
<i>spz11_F</i>	GTCTTGCTCCGCATCAGGAATTCC	<i>spz11_R</i>	GATCACCTCGACATGATCGTCGAC
<i>spz12_F</i>	CTCACGTGGTGCATGACCACCTGG	<i>spz12_R</i>	GACATCGTGGCGTCTCGAGAG
<i>spz13_F</i>	CGATGATCGCCTGGTGGATCTC	<i>spz13_R</i>	GTGGTGGCGACGACGTCGAAC
<i>spz14_F</i>	CGAGATGACGTACGTCCACCACGC	<i>spz14_R</i>	GCTTCCAGACGGCCTACCGGCATC
<i>spz15_F</i>	CACGTCCGCCAGGTGGTAGGTGAG	<i>spz15_R</i>	GAGGTGACGGTGTGGTTCTCGGTG
<i>spz16_F</i>	CTCCACCCCTGTCGAAACGGAGTTC	<i>spz16_R</i>	GACCGCCGATATCACCGTCCCCTTC
<i>spz17_F</i>	GCGAGAACATCCTGCTGCCAC	<i>spz17_R</i>	CTCCTATGTGGTCGTCGACGCCCTTC
<i>spz18_F</i>	CGGTTGATCTCGACGACACCGAGC	<i>spz18_R</i>	CTGGACTCCCGCATCCTCATCCGC
<i>spz19_F</i>	CACCAAGGAAGGTGGATGTCGTG	<i>spz19_R</i>	CTGGAATTCCCCGCATCCACCCG
<i>spz20_F</i>	CAGGTACTTGTCTCCGACGCCGAC	<i>spz20_R</i>	CTCGACTACGAGCTGCCGATGCTG
<i>spz21_F</i>	CTGGTCGAACGGTTCATGAACTCG	<i>spz21_R</i>	GCTGACCCGGCATCCTGTTCAC
<i>spz22_F</i>	CTGGTCAACCACGGAGAAGGCCGTC	<i>spz22_R</i>	GATTCCAGATCGAAGCCGATCGGATC
<i>spz23_F</i>	CTAGTCGCCGGAGAGGAGCTGCGC	<i>spz23_R</i>	GTATCGCGCTCTGCTCCTTCAGC
<i>spz24_F</i>	CAACTCCTCGTAGGCGTGCACAC	<i>spz24_R</i>	CTACCGTCTCCCTGCGGCTGGATC
<i>spz25_F</i>	GGTGGTGTAGGTGAAGTCCACCCAC	<i>spz25_R</i>	GAAGTCGTACGACCAAGAGCGGTGTG
<i>spz26_F</i>	CGAACATCAGGATGGAGGCCGTCAG	<i>spz26_R</i>	GCTGGAGTACTTCTGGTGGGGCTCG
<i>spz27_F</i>	CGTCGAGCCGGAGGTGAAAGAAG	<i>spz27_R</i>	CAAGGACATCTGGCCCGAGTGGCTG
<i>spz28_F</i>	CGATCAGCTGGTCTCCTGGGACCG	<i>spz28_R</i>	GAATAGGGCCCAGGCCAAGGAGCG